

LAURIER L. SCHRAMM

Publications and Patents

1. Guy, R.D., Chakrabarti, C.L., and Schramm, L.L. (1975) The application of a simple chemical model of natural waters to metal fixation in particulate matter: *Can. J. Chem.* **53**, 661-669.
2. Schramm, L.L.(1976) Solubilization of metals from sediments by organic acids: B.Sc. Honours Dissertation, Carleton University, Ottawa, Ontario, 48 pp.
3. Schramm, L.L. and Kwak, J.C.T. (1980) Application of ultrafiltration/dialysis to the preparation of clay suspensions: *Clays and Clay Minerals* **28**, 67-69.
4. Schramm, L.L. (1980) Studies on particle-ion and particle-particle interaction effects in clay suspensions: Ph.D. Thesis, Dalhousie University, Halifax, Nova Scotia, 239pp.
5. Schramm, L.L.and Kwak, J.C.T. (1982) Influence of exchangeable cation composition on the size and shape of montmorillonite particles in dilute suspension: *Clays and Clay Minerals* **30**, 40-48.
6. Schramm, L.L.and Kwak, J.C.T. (1982) Interactions in clay suspensions: The distribution of ions in suspension and the influence of tactoid formation: *Colloids and Surfaces* **3**, 43-60.
7. Schramm, L.L.and Kwak, J.C.T. (1982) Thermochemistry of ion exchange and particle interaction in clay suspensions: *Can. J. Chem.* **60**, 486-494.
8. Schramm, L.L. and Clark, B.W. (1983) On the measurement of magnetophoretic mobilities: *Colloids and Surfaces* **7**, 135-146.
9. Schramm, L.L. and Kwak, J.C.T. (1984) Hydrolysis of alkali and alkaline earth forms of montmorillonite in dilute solutions: *Soil Science* **137**, 1-6.
10. Schramm, L.L., Smith, R.G., and Stone, J.A. (1984) The influence of natural surfactant concentration on the hot water process for recovering bitumen from the Athabasca oil sands: *AOSTRA J. Research* **1**, 5-14.
11. Schramm, L.L., Smith, R.G. and Stone, J.A. (1984) Interfacial chemistry of the hot water process for recovering bitumen from the Athabasca oil sands: *Preprints, ACS Div. Petrol. Chem.*, **29**, 209-216.
12. Schramm, L.L. and Smith, R.G. (1984) Control of process aid used in hot water process for extraction of bitumen from tar sand: U.S. Patent 4 462 892, July 31.
13. Smith, R.G. and Schramm, L.L. (1984) Blending tar sands to provide feedstocks for hot water process: U.S. Patent 4 474 616, October 2.
14. Schramm, L.L., Smith, R.G., and Stone, J.A. (1984) A surface tension method for the determination of anionic surfactants in the hot water processing of Athabasca oil sands: *Colloids and Surfaces*, **11**, 247-263.

15. Schramm, L.L., Smith, R.G., and Stone, J.A. (1985) On the processibility of mixtures of oil sands: AOSTRA J. Research, **1**, 147-161.
16. Schramm, L.L. and Smith, R.G. (1985) The influence of natural surfactants on interfacial charges in the hot water process for recovering bitumen from the Athabasca oil sands: Colloids and Surfaces, **14**, 67-85.
17. Schramm, L.L. and Smith, R.G. (1985) Control of process aid used in hot water process for extraction of bitumen from tar sand: Canadian Patent 1 188 644, June 11.
18. Schramm, L.L. and Smith, R.G. (1985) Two classes of anionic surfactants and their significance in hot water processing of oil sands: Preprints, 35th. Can. Chem. Eng. Conf., Calgary, **1**, 189-194.
19. Smith, R.G. and Schramm, L.L. (1986) Blending tar sands to provide feedstock for hot water process: Canadian Patent, 1 214 421, November 25.
20. Schramm, L.L. (1987) Use of a submersible viscometer in the primary separation step of the hot water process for recovery of bitumen from tar sand: U.S. Patent, 4 637 417, January 20.
21. Schramm, L.L. and Smith, R.G. (1987) Two classes of anionic surfactants and their significance in hot water processing of oil sands: Can. J. Chem. Eng., **65**, 799-811.
22. Schramm, L.L. and Smith, R.G. (1987) Some observations on the ageing phenomenon in the hot water processing of Athabasca oil sands. Part 1. The nature of the phenomenon: AOSTRA J. Research, **3**, 195-214.
23. Schramm, L.L. and Smith, R.G. (1987) Some observations on the ageing phenomenon in the hot water processing of Athabasca oil sands. Part 2. The reversibility of the phenomenon: AOSTRA J. Research, **3**, 215-224.
24. Schramm, L.L. and Kwak, J.C.T. (1988) The rheological properties of an Athabasca bitumen and some bituminous mixtures and dispersions: J. Can. Petrol. Technol., **27**, 26-35.
25. Schramm, L.L. (1988) Use of a submersible viscometer in the primary separation step of the hot water process for recovery of bitumen from tar sand: Canadian Patent 1,232,854, February 16.
26. Schramm, L.L. and Isaacs, E.E. (1989) Colloids at the Canadian Chemical Engineering Conference: Can. Chem. News, **41**, (1) 19.
27. Schramm, L.L. (1989) The influence of suspension viscosity on bitumen rise velocity and potential recovery in the hot water flotation process for oil sands: J. Can. Petrol. Technol., **28**, 73-80.
28. Schramm, L.L. and Smith, R.G. (1989) Some parametric studies of oil sand conditioning in the hot water flotation process: AOSTRA J. Research, **5**, 87-107.

29. Schramm, L.L. (1989) On the use of the differential maximum bubble pressure method for determining equilibrium surface tensions of slowly equilibrating liquids or liquids of varying density: *J. Colloid Interface Sci.*, **133**, 534-538.
30. Smith, R.G. and Schramm, L.L. (1989) Processibility of Athabasca oil sand by the hot-water process when contaminated with overburden material: *Fuel Proc. Technol.*, **23**, 215-231.
31. Schramm, L.L. and Smith, R.G. (1990) Monitoring electrophoretic mobility of bitumen in hot water extraction process plant water to maximize primary froth recovery: Canadian Patent 1,265,463, Feb. 6.
32. Schramm, L.L. and Novosad, J.J. (1990) Micro-visualization of foam interactions with a crude oil: *Colloids and Surfaces*, **46**, 21-43.
33. Schramm, L.L., Turta, A. and Novosad, J.J. (1990) Micro-visual and coreflood studies of foam interactions with a light crude oil: Preprint, SPE/DOE 7th Symp. on EOR, Tulsa, Ok., SPE/DOE paper 20197, April 22-25.
34. Schramm, L.L. and Smith, R.G. (1990) Monitoring surfactant content to control hot water process for tar sand: Canadian Patent 1,270,220, June 12.
35. Taylor, K.C. and Schramm, L.L. (1990) Measurement of short-term low dynamic interfacial tensions: Application to surfactant enhanced alkaline flooding in enhanced oil recovery: *Colloids and Surfaces*, **47**, 245-253.
36. Mannhardt, K., Schramm, L.L. and Novosad, J.J. (1990) Effect of rock type and brine composition on adsorption of two foam-forming surfactants: Preprint, 65th Ann. Tech. Conf. SPE, New Orleans, LA, SPE paper 20463, Sept. 23-26.
37. Schramm, L.L. and Hamza, H.A. (1991) Colloid science at the first CIC Congress: *Can. Chem. News*, **43**, 30-31.
38. Churcher, P.L., French, P.R., Shaw, J.C. and Schramm, L.L. (1991) Rock properties of Berea sandstone, Baker dolomite and Indiana limestone: Preprint, 13th SPE International Symp. on Oilfield Chemistry, Anaheim, CA, SPE paper 21044, Feb. 20-22.
39. Schramm, L.L., Mannhardt, K. and Novosad, J.J. (1991) Electrokinetic properties of reservoir rock particles: *Colloids and Surfaces*, **55**, 309-331.
40. Schramm, L.L. and Smith, R.G. (1991) Monitoring surfactant content to control hot water process for tar sand: U.S. Patent 5,009,773, April 23.
41. Schramm, L.L. and Novosad, J.J. (1991) The destabilization of foams for improved oil recovery by crude oils: Effect of the nature of the oil: *Proceedings, 6th. European Symposium on Improved Oil Recovery*, Stavanger, Norway, **1**, 85-94.
42. Schramm, L.L. and Novosad, J.J. (1991) The effects of different oils on the stability of EOR foams: In **Proceedings, 12th. International Workshop and Symposium of the IEA Collaborative Project on Enhanced Oil Recovery**, Bath, UK, Oct. 28-30, 25 pp.

43. Schramm, L.L., Ayasse, C., Mannhardt, K. and Novosad, J.J. (1991) Method for improving enhanced recovery of oil using surfactant-stabilized foams: U.S. Patent 5,060,727, October 29 (field process).
44. Schramm, L.L. (Editor), (1992) **Emulsions: Fundamentals and Applications in the Petroleum Industry**, Advances in Chemistry Series 231, American Chemical Society, Washington.
45. Schramm, L.L. (1992) Petroleum emulsions: Basic principles: In **Emulsions: Fundamentals and Applications in the Petroleum Industry**, Schramm, L.L. (Ed.) Advances in Chemistry Series 231, American Chemical Society, Washington, 1-49.
46. Schramm, L.L. (1992) Glossary of petroleum emulsion terms: In **Emulsions: Fundamentals and Applications in the Petroleum Industry**, Schramm, L.L. (Ed.) Advances in Chemistry Series 231, American Chemical Society, Washington, 385-405.
47. Schramm, L.L. (Editor), (1992) **Supplementary Notes for: Petroleum Emulsions and Applied Emulsion Technology**, developed for an intensive industry short course, 69 pp., February.
48. Smith, R.G. and Schramm, L.L. (1992) The influence of mineral components on the generation of natural surfactants from Athabasca oil sands in the alkaline hot water process: Fuel Proc. Technol., **30**, 1-14.
49. Schramm, L.L. and Novosad, J.J. (1992) The destabilization of foams for improved oil recovery by crude oils: Effect of the nature of the oil: J. Petrol. Sci. & Eng., **7**, 77-90.
50. Schramm, L.L. and Green, W.H.F. (1992) An absolute differential maximum bubble pressure surface tensiometer employing displaced capillaries: Colloid & Polymer Sci., **270**, 694-706.
51. Schramm, L.L. (Editor), (1992) **Proceedings, 13th. International Workshop and Symposium, International Energy Agency Collaborative Project on EOR**, Banff, Alberta, September 27-30.
52. Mannhardt, K., Schramm, L.L. and Novosad, J.J. (1992) Adsorption of anionic and amphoteric foam-forming surfactants on different rock types: Colloids and Surfaces, **68**, 37-53.
53. Mannhardt, K., Schramm, L.L. and Novosad, J.J. (1993) Effect of rock type and brine composition on adsorption of two foam-forming surfactants: SPE Adv. Technol. Ser. **1**(1) 212-218.
54. Schramm, L.L., Turta, A. and Novosad, J.J. (1993) Micro-visual and coreflood studies of foam interactions with a light crude oil: SPE Reservoir Engineering **8**(3) 201-206 (1993).
55. Schramm, L.L. (1993) What Makes a Foaming Agent Effective in Porous Media Under Reservoir Conditions? Invited panel presentation: In **Proceedings: Field Application of Foams for Oil Production Symposium**, D.K. Olsen; P.S. Sarathi (Eds.), U.S. Dept. of Energy, NIPER, Bartlesville, OK, July, 1993, NIPER-669, pp. 85-98.

56. Schramm, L.L., Mannhardt, K. and Novosad, J.J. (1993) Selection of oil-tolerant foams for hydrocarbon miscible gas flooding: In **Proceedings: Field Application of Foams for Oil Production Symposium**, D.K. Olsen; P.S. Sarathi (Eds.), U.S. Dept. of Energy, NIPER, Bartlesville, OK, July, 1993, NIPER-669, pp. 155-162.
57. Schramm, L.L. **The Language of Colloid and Interface Science**, ACS Professional Reference Series, American Chemical Society, Washington, 1993.
58. Schramm, L.L., Mannhardt, K. and Novosad, J.J. (1993) Selection of oil-tolerant foams for hydrocarbon miscible gas flooding: In **Proceedings, 14th. International Workshop and Symposium, International Energy Agency Collaborative Project on EOR**, E. Reider (Ed.), Salzburg, Austria, October 17-21.
59. Schramm, L.L., Ayasse, C., Mannhardt, K. and Novosad, J.J. (1994) "Method for Improving Enhanced Recovery of Oil Using Surfactant-Stabilized Foams," U.S. Patent 5,301,539, April 12 (apparatus and techniques).
60. Schramm, L.L., Ayasse, C., Mannhardt, K. and Novosad, J.J. (1994) Method for improving enhanced recovery of oil using surfactant-stabilized foams: Canadian Patent 2,006,482, June 7 (field process, apparatus and techniques).
61. Schramm, L.L. (Editor), (1994) **Foams: Fundamentals and Applications in the Petroleum Industry**, Advances in Chemistry Series 242, American Chemical Society, Washington.
62. Schramm, L.L. and Wassmuth, F. (1994) Foams: Basic principles: In **Foams: Fundamentals and Applications in the Petroleum Industry**, Schramm, L.L. (Ed.) Advances in Chemistry Series 242, American Chemical Society, Washington, 3-45.
63. Schramm, L.L. (1994) Foam stability in the presence of crude oil: In **Foams: Fundamentals and Applications in the Petroleum Industry**, Schramm, L.L. (Ed.) Advances in Chemistry Series 242, American Chemical Society, Washington, 165-197.
64. Shaw, R.C., Czarnecki, J., Schramm, L.L. and Axelson, D. (1994) Bituminous froths in the hot water flotation process: In **Foams: Fundamentals and Applications in the Petroleum Industry**, Schramm, L.L. (Ed.) Advances in Chemistry Series 242, American Chemical Society, Washington, 423-459.
65. Schramm, L.L. (1994) Glossary of foam terminology in the petroleum industry: In **Foams: Fundamentals and Applications in the Petroleum Industry**, Schramm, L.L. (Ed.) Advances in Chemistry Series 242, American Chemical Society, Washington, 487-535.
66. Schramm, L.L., Ayasse, C., Mannhardt, K. and Novosad, J.J. (1994) Method for improving enhanced recovery of oil using surfactant-stabilized foams: U.K. Patent GB 2,239,278 B, July 20.
67. Schramm, L.L., Ayasse, C., Mannhardt, K. and Novosad, J.J. (1994) Method and apparatus for selecting a surfactant for use in a surfactant-containing foam: U.K. Patent GB 2,271,593 B, July 27.

68. Schramm, L.L., Fisher, D.B., Schürch, S. and Cameron, A. (1994) Captive drop instrument for surface or interfacial tension measurements at elevated temperatures and pressures: In **Proceedings, 15th. International Workshop and Symposium, International Energy Agency Collaborative Project on EOR**, L. Hinderaker (Ed.), Bergen, Norway, Aug. 28-Sept. 1.
69. Nasr-El-Din, H.A., Green, K.A. and Schramm, L.L. (1994) The alkali/surfactant/polymer process: effect of core length and a chase polymer: *Rev. L'Inst. Français du Pétrole*, **49** (4) 359-377.
70. Schramm, L.L. and Hepler, L.G. (1994) Surface and interfacial tensions of aqueous dispersions of charged colloidal (clay) particles: *Can. J. Chem.*, **72**, 1915-1920.
71. Schramm, L.L. and Green, W.H.F. (1995) The influence of Marangoni surface elasticity on the stability of foams in porous media: *Colloids & Surfaces A*, **94**, 13-28.
72. Schramm, L.L., Fisher, D.B., Schürch, S. and Cameron, A. (1995) Captive drop instrument for surface or interfacial tension measurements at elevated temperatures and pressures: *Colloids & Surfaces A*, **94**, 145-159.
73. Kokal, S., Tang, T., Schramm, L.L. and Sayegh, S. (1995) Electrokinetic and adsorption properties of asphaltenes: *Colloids and Surfaces A*, **94**, 253-265.
74. Taylor, K., Burke, R., Nasr-El-Din, H. and Schramm, L.L. (1995) Development of a flow injection analysis method for the determination of acrylamide copolymers in oilfield brines: Preprint, 15th SPE International Symp. Oilfield Chemistry, San Antonio, TX, SPE paper 29009, pp. 691-700, Feb. 14-17.
75. Schramm, L.L. and Schürch, S. (1995) Captive droplet interfacial tensiometer and methods of use thereof: U.S. Patent 5,394,740, March 7.
76. Shaw, J.C., Tsuen, R., Leggitt, S.M., Schramm, L.L., and Rao, D.N. (1996) Pyrobitumen induced formation damage problems: Preprint, SPE Formation Damage Control Symp., Lafayette, LA, SPE paper 31130, pp. 579-590, Feb. 14-15.
77. Stasiuk, E.N.B. and Schramm, L.L. (1996) The temperature dependence of the critical micelle concentrations of foam-forming surfactants: *J. Colloid Interface Sci.*, **178**, 324-333.
78. Schramm, L.L. (Ed.), **Suspensions: Fundamentals and Applications in the Petroleum Industry**, Advances in Chemistry Series 251, American Chemical Society, Washington, 800 pp., 1996.
79. Schramm, L.L. (1996) Suspensions: Basic principles: In **Suspensions: Fundamentals and Applications in the Petroleum Industry**, Schramm, L.L. (Ed.), Advances in Chemistry Series 251, American Chemical Society, Washington, 3-44.
80. Maini, B., Wassmuth, F. and Schramm, L.L. (1996) Fines migration in petroleum reservoirs: In **Suspensions: Fundamentals and Applications in the Petroleum Industry**, Schramm, L.L. (Ed.), Advances in Chemistry Series 251, American Chemical Society, Washington, 321-375.

81. Shaw, R., Schramm, L.L. and Czarnecki, J. (1996) Suspensions in the hot water flotation process: In **Suspensions: Fundamentals and Applications in the Petroleum Industry**, Schramm, L.L. (Ed.), Advances in Chemistry Series 251, American Chemical Society, Washington, 639-675.
82. Schramm, L.L. (1996) Glossary of suspension terminology: In **Suspensions: Fundamentals and Applications in the Petroleum Industry**, Schramm, L.L. (Ed.), Advances in Chemistry Series 251, American Chemical Society, Washington, 727-783.
83. Mannhardt, K., Novosad, J.J. and Schramm, L.L. (1996) Core flood evaluation of hydrocarbon solvent foams: *J. Petrol. Sci. & Eng.*, **14**, 183-195.
84. Schramm, L.L. (1996) Foams can be effective in the presence of oil, *PetroMin*, May/June, 86-88.
85. Morrison, C., Schramm, L.L. and Stasiuk, E.N. (1996) A dynamic foam method for the estimation of critical micelle concentrations at elevated temperatures and pressures: *J. Petrol. Sci. & Eng.*, **15**, 91-100.
86. Schramm, L.L. and Mannhardt, K. (1996) The effect of wettability on foam sensitivity to crude oil in porous media: *J. Petrol. Sci. & Eng.*, **15**, 101-113.
87. Hart, D., Hansen, N., Legros, J-C., and Schramm, L.L. (1997) Microgravity, industry related research for oil recovery: Space Technology and Applications International Forum (STAIF 97), Second Conference on Commercial Development of Space, Albuquerque, NM, AIP Conference Proceedings 387, Part Two, pp. 761-766, Jan. 26-31.
88. Wassmuth, F., Taylor, K., Schramm, L.L. , Krasey, R. and Cameron, A. (1997) A waterflood and chemical improved oil recovery evaluation for the Pembina Bear Lake Unit" Preprint, Proceedings of 48th Ann. Tech. Meeting, Petroleum Society of CIM, Calgary, AB, Vol. 1, CIM paper 97-26, 16 pp., June 8-11.
89. Schramm, L.L. and Wassmuth, F. (1997) Microgravity foam research for the petroleum industry: Proceedings, International Workshop on Gravity-Dependent Phenomena in Foams, Diffusion and Capillary Flow, St. John's, Newfoundland, July 7-9.
90. Wassmuth, F. and Schramm, L.L. (1997) Capillary flow research in microgravity: Proceedings, International Workshop on Gravity-Dependent Phenomena in Foams, Diffusion and Capillary Flow, St. John's, Newfoundland, July 7-9.
91. Schramm, L.L. (1997) Some research & technology perspectives from the Canadian petroleum industry: Proceedings, International Workshop on Gravity-Dependent Phenomena in Foams, Diffusion and Capillary Flow, St. John's, Newfoundland, July 7-9.
92. Schramm, L.L., Wassmuth, F., Goodman, S. and Morrison, C. (1997) Capillary flow in porous media under highly reduced gravity: *Microgravity Quarterly*, **6** (4) 155-164.
93. Schramm, L.L., Yariv, S., Ghosh, D.K. and Hepler, L.G. (1997) Electrokinetic study of the adsorption of ethyl-violet and crystal-violet by montmorillonite clay particles: *Can. J. Chem.*, **75**(12) 1868-1877.

94. Mannhardt, K., Novosad, J. and Schramm, L.L. (1998) Foam/oil interactions at reservoir conditions: Proc. SPE/DOE Improved Oil Recovery Symposium, Tulsa, OK, April 19-22, 1998, paper SPE 39681.
95. Taylor, K.C., Burke, R.A., Nasr-El-Din, H.A. and Schramm, L.L. (1998) Development of a flow injection analysis method for the determination of acrylamide copolymers in brines: *J. Petrol. Sci. & Eng.*, **21**, 129-139.
96. Schramm, L.L., Morrison, C. and Stasiuk, E.N. (1998) Some Effects of Chemical Additions to Nascent Primary Froth from the Hot Water Flotation of Bitumen from Athabasca Oil Sand: *Fuel Processing Technology*, **56**, 243-261.
97. Schramm, L.L., Ayasse, C., Mannhardt, K. and Novosad, J.J. (1998) Method for improving enhanced recovery of oil using surfactant-stabilized foams: Norwegian Patent 302.049, application 90.4581, Oct. 23, 1990 (field process, apparatus and techniques); issued December 1, 1998.
98. Wassmuth, F., Taylor, K., Schramm, L.L. , Krasey, R. and Cameron, A. (1999) A waterflood and chemical improved oil recovery evaluation for the Pembina Bear Lake Unit" *J. Can. Petrol. Technol.*, **38**(2) 18-26.
99. Schramm, L.L., Kutay, S.M., Mikula, R.J., and Munoz, V.A. (1999) "The morphology of non-equilibrium foam and gelled foam lamellae in porous media" *J. Petrol. Sci. Eng.*, **23**, 117-132.
100. Schramm, L.L. and Schürch, S. (1999) Captive droplet interfacial tensiometer for surface tension and interfacial tension: Canadian Patent 2,105,498, December 28.
101. Mannhardt, K., Novosad, J. and Schramm, L.L. (2000) Comparative evaluation of foam stability to oil: *SPE Res. Eval. Eng.*, **3**(1) 23-34.
102. Schramm, L.L. (Ed.), (2000) **Surfactants: Fundamentals and Applications in the Petroleum Industry**, Cambridge University Press, Cambridge, UK, 621 pp.
103. Schramm, L.L. and Marangoni, G. (2000) Surfactants and their solutions: Basic principles, In: **Surfactants: Fundamentals and Applications in the Petroleum Industry**, Schramm, L.L. (Ed.), Cambridge University Press, , Cambridge, UK, pp. 3-50.
104. Schramm, L.L. and Kutay, S. (2000) Petroleum industry emulsions and foams, In: **Surfactants: Fundamentals and Applications in the Petroleum Industry**, Schramm, L.L. (Ed.), Cambridge University Press, Cambridge, UK, pp. 79-117.
105. Wassmuth, F., Schramm, L.L., Mannhardt, K., and Hodgins, L. (2000) Scale-up evaluation and simulations of mobility control foams, In: **Surfactants: Fundamentals and Applications in the Petroleum Industry**, Schramm, L.L. (Ed.), Cambridge University Press, Cambridge, UK, pp. 251-292.

106. Schramm, L.L., Stasiuk, E.N., and MacKinnon, M. (2000) Surfactants in Athabasca oil sands extraction and tailings processes, In: **Surfactants: Fundamentals and Applications in the Petroleum Industry**, Schramm, L.L. (Ed.), Cambridge University Press, Cambridge, UK, pp. 365-430.
107. Schramm, L.L. (2000) Glossary of surfactant terminology, In: **Surfactants: Fundamentals and Applications in the Petroleum Industry**, Schramm, L.L. (Ed.), Cambridge University Press, Cambridge, UK, pp. 569-611.
108. Kutay, S.M., Wassmuth, F., Hodgins, L., and Schramm, L.L. (2000) The flow properties and core-flood behaviour of some polymer-thickened and gelling foams: Proc. SPE/DOE Improved Oil Recovery Symposium, Tulsa, OK, April 3-5, 2000, paper SPE 59283.
109. Schramm, L.L., Isaacs, E., Singhal, A.K., Hawkins, B., Schulmeister, B., Wassmuth, F., Randall, L., Turta, A., Zhou, J., Tremblay, B., Lillico, D., and Wagg, B. (2000) Technology development for conventional petroleum reservoirs: J. Can. Petrol. Technol., Canadian Advantage 2000 **Special Issue**, pp. 31-46.
110. Stasiuk, E.N. and Schramm, L.L. (2000) An absolute differential maximum droplet pressure interfacial tensiometer and its application to bituminous systems of vanishing density contrast: Colloid & Polymer Sci. **278**(12) 1172-1179.
111. Schramm, L.L. and Kutay, S.M. (2000) Structure/performance relationships for surfactant stabilized foams in porous media: Proc. Cdn. Internat. Petroleum Conf., Calgary, AB, June 4-8, 2000, paper 2000-64.
112. Smirnov, N.N., Legros, J.C., Nikitin, V.F., Istasse, E., Schramm, L.L., Wassmuth, F. (2000) Microgravity investigations of capillary driven imbibition into artificial porous media and natural sands: Proc. 51st Int. Astronomical Congress, Rio de Janeiro, paper IAF-00-J.3.03.
113. Schramm, L.L. (2001) **Dictionary of Colloid and Interface Science**, John Wiley & Sons, New York, 218 pp.
114. Wassmuth, F., Hodgins, L., Schramm, L.L., and Kutay, S.M.,(2001) Screening and coreflood testing of gel foams to control excessive gas production in oil wells: SPE Res. Eval. & Eng. (**June**) 187-194.
115. Schramm, L.L., Stasiuk, E.N. and Turner, D. (2001) The influence of interfacial tension in the hot-water process for recovering bitumen from the Athabasca oil sands : Proc. Cdn. International Petrol. Conf. 2001, Calgary, AB, June 12-14, paper 2001-136.
116. Vander Kloet, J., Schramm, L.L., and Shelfantook, B. (2001) The influence of bituminous froth components on water-in-oil emulsion stability as determined by the micropipette technique: Colloids and Surfaces A, **192**, 15-24.
117. Stasiuk, E.N. and Schramm, L.L. (2001) The influence of solvent and demulsifier additions on nascent froth formation during flotation recovery of bitumen from Athabasca oil sands: Fuel Processing Technology, **73** (2), 95-110.

118. Vander Kloet, J. and Schramm, L.L. (2002) The effect of shear and oil-water ratio on the required hydrophile-lipophile balance for emulsification: *J. Surfactants Deterg.*, **5**, 19-24.
119. Vander Kloet, J., Schramm, L.L., and Shelfantook, B. (2002) Application of the hydrophile-lipophile balance concept to the classification of demulsifiers and bituminous froth and its components: *Fuel Processing Technology*, **75** (1), 9-26.
120. Schramm, L.L. (2002) Can oil and gas recover old ground? In: **OPEC - The New Millennium**, Bi-Ti-Ex Publishers, London, January, 2002, pp. 127-131.
121. Schramm, L.L., Stasiuk, E.N., Yarranton, H., Maini, B., Shelfantook, B. (2002) Temperature effects in the conditioning and flotation of bitumen from oil sands in terms of oil recovery and physical properties: *Proc. Petroleum Society Cdn. International Petrol. Conf. 2002*, Calgary, AB, June 11-13, paper 2002-074.
122. Schramm, L.L., Stasiuk, E.N. and Turner, D. (2003) The influence of interfacial tension in the recovery of bitumen by water-based conditioning and flotation of Athabasca oil sands: *Fuel Processing Technology*, **80**, 101-118.
123. Schramm, L.L., Stasiuk, E.N., Marangoni, D.G. (2003) Surfactants and their applications: *Ann. Repts. Progr. Chem. (Royal Soc. Chem.), Sect. C*, **99**, 3-48.
124. Romanova, U.G., Yarranton, H., Schramm, L.L. (2003) Towards the improvement of the efficiency of oil sands froth treatment: *Proc. Petroleum Society Cdn. International Petrol. Conf. 2003*, Calgary, AB, June 12-14, paper 2003-010, 5 pp.
125. Schramm, L.L., Wassmuth, F., Stasiuk, E., Hart, D., Legros, J.C., Smirnov, N.N., (2003) Capillary flow in porous media under highly reduced gravity investigated through high altitude parabolic aircraft flights and NASA space shuttle flight: *Proc. Petroleum Society Cdn. International Petrol. Conf. 2003*, Calgary, AB, June 12-14, paper 2003-165, 14 pp.
126. Schramm, L.L. (2003) Colloids, In **Kirk-Othmer Encyclopedia of Chemical Technology**, John Wiley & Sons, Inc., New York, Vol. 7, pp. 271-303.
127. Schramm, L.L., Stasiuk, E.N., Yarranton, H., Maini, B., Shelfantook, B. (2003) Temperature effects in the conditioning and flotation of bitumen from oil sands in terms of oil recovery and physical properties: *J. Can. Petrol. Technol.*, **42**, 55-61.
128. Smirnov, N.N., Legros, J.C., Nikitin, V.F., Istasse, E., Schramm, L.L., Wassmuth, F., and Hart. D. (2003) Filtration in artificial porous media and natural sands under microgravity conditions: *Microgravity Science & Technology*, **14**, 3-28.
129. Schramm, L.L., Jamieson, P.R., Moberg, R., Stewart, D.B. (2003) Improved oil recovery science and technology priorities for Western Canada: *Proc. 12th European Symposium on Improved Oil Recovery*, Kazan, Tatarstan, Russia, Sept. 8-10, European Association of Geoscientists and Engineers, Houten, The Netherlands, pp. 27-31.

130. Schramm, L.L. (2004) Waste CO₂ can add business value: Saskatchewan Business, **24**(8), 9.
131. Kutay, S.M. and Schramm, L.L. (2004) Structure/performance relationships for surfactant and polymer stabilised foams in porous media: J. Can. Petrol. Technol., **43**, 19-28.
132. Schramm, L.L. (2004) Chemical and Metallurgical Engineering Grant Selection Committee GSC-04 Annual Report 2004, NSERC, Ottawa, April, 2004, 21 pp.
133. Romanova, U.G., Valinasab,M., Stasiuk, E.N., Yarranton, H.W., Schramm, L.L., Shelfantook, W.E. (2004) The effect of bitumen extraction shear conditions on froth treatment performance: Proc. Petroleum Society Cdn. International Petrol. Conf. 2004, Calgary, June 8-10, paper 2004-028, 3 pp.
134. Schramm, L.L. (2004) Colloids, In **Encyclopedia of Polymer Science and Technology**, John Wiley & Sons, Inc., New York, Vol. 9, pp. 235-266.
135. Romanova, U.G., Yarranton, H.W., Schramm, L.L., Shelfantook, B. (2004) Investigation of oil sands froth treatment: Can. J. Chem. Eng., **82**, 710-721.
136. Schramm, L.L. (2005) Waste CO₂ can add business value: Saskatoon Leader Post, May 31, C5.
137. Czarnecki, J., Radoev, B., Schramm, L.L., and Slavchev, R. (2005) On the Nature of Athabasca Oil Sands: Adv. Colloid Interface Sci., **114/115**, 53-60.
138. Romanova, U.G., Valinasab,M., Stasiuk, E.N., Yarranton, H.W., Schramm, L.L., Shelfantook, W.E. (2005) The effect of oil sands bitumen extraction conditions on froth treatment performance: Proc. Petroleum Society Cdn. International Petrol. Conf. 2005, Calgary, June 7-9, paper 2005-037, 16 pp.
139. Schramm, L.L. (2005) Oil in Saskatchewan: Saskatchewan Business, **26**(5), 13.
140. Nyirfa, W. and Schramm, L.L. (2005) Mandate effectiveness at the Saskatchewan Research Council: WAITRO News, June, 4-5.
141. Schramm, L.L. (2005) **Emulsions, Foams, and Suspensions: Fundamentals and Applications**, Wiley - VCH, Weinheim, Germany, 448 pp. Also published online March 27, 2006.
142. Schramm, L.L. and Stasiuk, E.N. (2005) Emulsions-Overview, In Spasic, A.M. and Hsu, J-P., Eds., **Finely Dispersed Particles: Micro-, Nano-, and Atto-Engineering**, CRC Taylor & Francis, Boca Raton, October, 2005, pp. 79-112.
143. Schramm, L.L. (2005) Oil in Saskatchewan: News and Trends: North America, Alexander's Gas & Oil Connections, **10**(18) Sept. 28, 1 p.
144. Jelinek, W. and Schramm, L.L. (2005) Improved production from mature gas wells by introducing surfactants into wells: Proc. International Petrol. Technol. Conf., Doha, Qatar, Nov. 21-23, paper IPTC-11028-PP, 10 pp.

145. Romanova, U.G., Valinasab,M., Stasiuk, E.N., Yarranton, H.W., Schramm, L.L., Shelfantook, W.E. (2006) The effect of oil sands bitumen extraction conditions on froth treatment performance: *J. Can. Petrol. Technol.*, 45(9) 36-45.
146. Bruneau, A.; Connor, D.; Fox, J.C.; Kammen, D.; Keith, D.; Lamarre, P.; Martel, J.G.; McCready, K.; Merrin Best, P.; Schramm, L.L. (2006) *Powerful Connections – Priorities and Directions in Energy Science and Technology in Canada*, report of the National Advisory Panel on Sustainable Energy Science and Technology, Office of Energy Research and Development, Natural Resources Canada, Ottawa, October, October, 2006 (ISBN: 0-662-43412-9).
147. Schramm, L.L. (2007) Colloids, In **Encyclopedia of Polymer Science and Technology**, Concise 3rd Edition, John Wiley & Sons, Inc., New York, January, 5 pp.
148. Schramm, L.L. (2007) Colloids, In **Encyclopedia of Chemical Technology**, Concise 5th Edition, John Wiley & Sons, Inc., New York, May, pp. 217-220 (ISBN 978-0-470-04748-4).
149. Schramm, L.L. (2007) Biomass Energy Potential in Saskatchewan, *Saskatoon StarPhoenix*, May 30, p. E4.
150. Schramm, L.L. (2007) Emulsion, In **Encyclopedia of Science & Technology**, McGraw-Hill, New York, 6 pp., online at <http://www.accessscience.com>.
151. Schramm, L.L. (2007) Suspension, In **Encyclopedia of Science & Technology**, McGraw-Hill, New York, 6 pp., online at <http://www.accessscience.com>.
152. Schramm, L.L. (2007) Surfactant, In **Encyclopedia of Science & Technology**, McGraw-Hill, New York, 6 pp., online at <http://www.accessscience.com>.
153. Schramm, L.L. (2007) Innovative Technology and the Future of Saskatchewan's Petroleum Industry: From Fossil Energy to Green Energy: In Proc. Economic Developers Association of Canada (EDAC) Conference, Saskatoon, SK, Sept. 16-18, http://www.edac.ca/html/awards2007/LSchramm_FossilGreen_EDAC07Proc.pdf.
154. Schramm, L.L. (2008) **Dictionary of Nanotechnology, Colloid and Interface Science**, Wiley - VCH, Weinheim, Germany.
155. Schramm, L.L., Kramers, J.W., and Isaacs, E.E. (2009) Saskatchewan's Place in the Canadian Oil Sands: Proc. Petroleum Society Cdn. International Petrol. Conf. 2009, Calgary, June 16-18, paper 2009-116, 12 pp.
156. Muldoon, J. and Schramm, L.L. (2009) Gunnar Uranium Mine Environmental Remediation – Northern Saskatchewan: Proc. 12th Internat. Conf. on Environmental Remediation and Radioactive Waste Management, ICEM'09/DECOM'09, Liverpool, UK, Oct. 11-15, peer-reviewed paper, ICEM2009-16102, 12 pp.
157. Muldoon, J. and Schramm, L.L. (2010) Gunnar Uranium Mine Remediation Project. Northern Saskatchewan: Proc. 33rd Arctic and Marine Oilspill Program (AMOP) Technical Seminar on Environmental Contamination and Response, Halifax, N.S., June 7-9, peer-reviewed paper, pp. 383-403.