



**CLIMATE REFERENCE STATION  
SASKATOON  
ANNUAL SUMMARY 2023**

**V. Wittrock**  
**Saskatchewan Research Council**  
*Environmental Performance & Climate*





# Saskatchewan Research Council

## CLIMATE REFERENCE STATION SASKATOON ANNUAL SUMMARY 2023

V. Wittrock

Saskatchewan Research Council  
Environmental Performance & Climate



SRC Publication No. 10440-1E24  
March 2024  
Saskatchewan Research Council  
125 - 15 Innovation Blvd.  
Saskatoon, SK S7N 2X8

***THE SASKATCHEWAN RESEARCH COUNCIL'S  
CLIMATE REFERENCE STATION IN  
SASKATOON SASKATCHEWAN CELEBRATED  
ITS 60TH ANNIVERSARY IN 2023***

***COVER PHOTOGRAPHS***

*Report cover: The Saskatoon SRC Climate Reference Station June 2023*

*Inside cover: Picture of quality assurance being undertaken at CRS Saskatoon 21 November 2023*

*photo credit: V. Wittrock*

## TABLE OF CONTENTS

<b>Acknowledgements</b>	ii
<b>Climate Reference Station Supporters</b>	ii
<b>Climate Reference Station History</b>	1
<b>What is the Climate Reference Station?</b>	2
<b>Activities Associated with the Climate Reference Station</b>	3
<b>Summary</b>	4
<b>Temperature</b>	
Daily temperature, graph	5
Temperature records, table	6
Extreme temperatures, table	7
Potential evapotranspiration (PE) using the Thornthwaite Method, graph and table	7
Dates and duration of the frost-free season, table	8
Frost-free season duration and end points, graphs	9
Annual and seasonal temperature ranking, tables	10
Monthly temperatures, normals, and extremes table	12
Monthly and annual temperatures, graphs	12
Seasonal temperatures, graphs	13
Days with maximum temperatures greater than a set point, graphs	14
Days with minimum temperatures less than a set point, graphs	15
Days with temperatures greater than set point, graphs	16
Degree-days, normals and cumulative, table	17
Degree-days records, table	17
Growing degree-days, graphs	18
Heating and cooling degree-days, graphs	19
Extreme cooling degree-days, graph	20
Daily temperatures, tables	21
<b>Precipitation</b>	
Daily precipitation, graph	23
Precipitation records and extreme events, tables	24
Ranking by driest month, table	24
Ranking, annual, by # of dry days, dry spells and wet spells, table	25
Ranking by annual, seasons (amounts and days)	26
Monthly precipitation, normals and extremes, table	27
Monthly and annual precipitation, graphs	27
Seasonal precipitation, graphs	28
Monthly precipitation days, table	29
Monthly and annual precipitation days, graphs	29
Seasonal precipitation days, graphs	30
Daily precipitation values, table	31
Snow-on-the-ground, daily, October to April, graphs	31
Snow-on-the-ground, last day of month, graphs	32
<b>Radiation</b>	
Sunrise/Sunset tables for Saskatoon	33
Monthly bright sunshine hours, normals and days, table	34
Daily global and diffuse radiation days, table	34
Annual, seasonal, monthly bright sunshine hours, graphs	35
Monthly bright sunshine, global and diffuse radiation comparison, graph	35
Annual, seasonal, monthly bright sunshine days, graphs	36
Bright sunshine records, table	36
Bright sunshine daily, table	37
Bright sunshine ranking by % of actual to possible hours and by # of days, tables	38
<b>Wind</b>	
Monthly Average and highest instantaneous wind speed, table	39
Wind roses: annual maximum and average wind speed and direction	39
Daily average wind and daily wind gust, tables	40
Daily wind speed, ½ hourly average and maximum gust, graphs	41
Extreme daily winds, table	42
Windchill calculation, table	42
Extreme daily windchill value, table	42
<b>Soil Temperatures</b>	
Monthly average soil temperatures at 0900h and 1600h, table	43
Monthly average soil temperatures at 0900h and 1600h, graphs	43
<b>Glossary of Terms</b>	
<b>References and Bibliography</b>	

## ACKNOWLEDGEMENTS

The 2023 data were compiled and recorded by Virginia Wittrock (Climate Services). Weekly site maintenance was carried out by Wittrock with back-up site visits from Graham Epp and Ryan Jansen (Integrated Energy Systems). Wittrock is responsible for the data monitoring while most of the instrument maintenance is the responsibility of Saskatchewan Research Council's (SRC) Ryan Jansen and Graham Epp (Integrated Energy Systems) and Ken Babich (Operations). Grounds maintenance (lawn mowing) was carried out by Wittrock. Consultations with Terri Lang and others from Environment and Climate Change Canada, Saskatoon, SK were most helpful in verifying and comparing data. Editorial assistance was provided by Kenelm Grismer and Celeste Bodnaryk (Environmental Performance and Climate).

This report is being provided for informational purposes only. While the SRC believes this report to be accurate, it may contain errors or inaccuracies. SRC assumes no responsibility for the accuracy or comprehensiveness of this data and reliance on this data is entirely at the user's own risk.

Please be aware that the data is subject to ongoing quality assurance reviews that may result in minor changes and updates to values in our reports, including past reports. If you notice errors in our reports, please contact us so that we may correct them. Information and data contained in this report shall not be published, copied, placed in a retrieval system or distributed whole or in part without prior written consent of the SRC. All references made to this report shall be acknowledged.

Enquiries concerning the SRC Saskatoon Climate Reference Station (CRS), its data, measurement programs and publications or becoming a supporter are most welcome. For further information contact:

Virginia Wittrock  
Research Scientist  
306-933-5400; [Virginia.Wittrock@src.sk.ca](mailto:Virginia.Wittrock@src.sk.ca)  
Saskatchewan Research Council toll-free number 1-877-772-7227  
Saskatchewan Research Council web site: <http://www.src.sk.ca>  
Monthly data sheets and annual summaries: <http://src.nu/crsdata>

---

**SASKATCHEWAN RESEARCH COUNCIL**  
**CLIMATE REFERENCE STATION SUPPORTERS, 2023-2024**  
**WE GRATEFULLY ACKNOWLEDGE THE SUPPORT OF THE FOLLOWING:**



Agriculture et  
Agroalimentaire Canada



## SRC'S SASKATOON CLIMATE REFERENCE STATION HISTORY

Meteorological observations at or near Saskatoon were first taken by the Northwest Mounted Police in 1889 with the recording of temperature. There is some disagreement in the early records as to the exact location of the weather observing point, but the majority of the evidence indicates 52 15'N, 106 20'W, elevation 480m above sea level as the most probable location. This would place it at Clark's Crossing on the South Saskatchewan River, approximately 16 km northeast of the centre of the City of Saskatoon. At that time, there was a settlement at Clark's Crossing as well as 10 to 15 families on either side of the river where Saskatoon is now located.

Little is known about the very early observers; however, the records do show that Major T.H. Keenan took observations from March 1892 until March 1895, and Mr. George Will was the observer from January 1897 until April 1897. It is thought that T.H. Copeland was involved in the observational program from 1895 to 1 May 1901, at which time it was taken over by Mr. Eby, Sr. Mr. Eby recorded the observations until his death in 1921, at which time his daughter (E.S. Eby) continued to record the observations. Her brother (J.M. Eby) recorded the observations beginning in April 1931 until the station closed on 31 October 1942. The Eby station recorded temperature, precipitation and weather notes on fog, thunderstorms, winds and any unusual weather phenomena. Reports were made twice daily (morning and evening).

In 1916, a climate reference station was established by the University of Saskatchewan and continuous observations were kept twice daily until 15 January 1965. The longtime observer was Mr. Sidney Cox. The SRC took over the program in the fall of 1963 and moved it to a new location 52 09'N, 106 36'W and elevation 497 m above sea level<sup>1</sup>. The first observer was Terry Beck followed three years later by Orville Olm<sup>2</sup>. In 1967, Joe Calvert became the primary observer until his retirement in 1983. Ray Begrand succeeded Mr. Calvert until 1988 when Virginia Wittrock became the primary observer. Carol Beaulieu became primary observer in 1992 until her retirement summer of 2014. Virginia Wittrock is project manager (1992 to present) and primary observer. Assistance with the site maintenance from 2014 to present was provided by Graham Epp, R. Jansen and K. Babich.

In the summer of 1992, Saskatoon CRS began to be converted to an automated system of data collection with the installation of a Campbell Scientific data logger and automatic sensors. The updating, replacing, re-installing and adding of new sensors began in 2009 and was completed in 2012. Elements presently recorded at the Saskatoon CRS are temperature (maximum and minimum), precipitation, relative humidity, snow depth, wind (speed and direction), solar radiation (bright sunshine, global and diffuse), barometric pressure, grass level temperature, soil temperature (seven levels), and soil moisture (three levels). Soil moisture instruments became operational June 2019 with the 10 cm soil moisture sensor replaced Oct 2022.

<sup>1</sup>Christiansen 1970; Environment Canada 1975; <sup>2</sup>Olm 2001

*Mr. James Eby was one of the original members of the Temperance Colony Society. He filed his homestead in 1882 and returned with his family in 1883. He was the first president of the school board and served as the township supervisor for Nutana. While riding a horse in 1890, he was struck by lightning and was a partial invalid thereafter. In 1901, he and his daughter moved to Nutana where he served as a Federal Meteorologist for the next 20 years until his death in 1921 at the age of 77. He was buried, next to his wife, in the Nutana pioneer cemetery.<sup>1</sup>*

<sup>1</sup>Ladd, 2008



photo: C. Beaulieu

## WHAT IS THE CLIMATE REFERENCE STATION?

The Saskatchewan Research Council's Climate Reference Station (SRC CRS) at Saskatoon is classified as a principal climatological station with supplementary climatological observations<sup>1</sup>. A climate reference station's data are intended for the purpose of determining climatic trends. This requires long periods (not less than thirty years) of homogeneous records, where man-made environmental changes have been or are expected to remain at a minimum. Ideally the records should be of sufficient length to enable the identification of secular changes of climate<sup>2</sup>. At CRS Saskatoon, half-hourly readings are taken of elements (temperature, precipitation amount, humidity, wind and atmospheric pressure). Supplemental observations include rainfall intensity, soil temperature, bright sunshine, solar radiation (diffuse and global), snow depth, relative humidity, barometric pressure, soil moisture and grass level temperature. High quality and consistent climatological observations are maintained providing data sets to meet the current concerns of the effects of climatic change and increased variability.

### Purpose and Benefits

The purpose of the SRC CRS is to provide a record of observed meteorological elements in order that the climate of the area and its changes can be accurately documented and described. Climatological data have assumed new importance as a result of social and environmental issues in which climate is a dominant factor. Climatological information assists in realizing new technological opportunities and social changes. It is necessary and valuable for areas such as agriculture, forestry, land use and facility placement, water and energy resources, as well as health and comfort.

The CRS allows us to:

- Evaluate long-term climatic trends – early warning system for increased frequencies of extreme events such as floods, droughts, etc.;
- Determine the impacts of climate events on society, economy, health and ecosystems – e.g., intense rainfall causing flooding and property damage, heat stress with its health implications;
- Do value-added research;
- Be part of regional, national and global networks in important agricultural and ecological areas;
- Facilitate development of additional programs – e.g., air quality, biodiversity and climate change monitoring;
- Have roles in various programs within SRC including spray drift work, Boreal Ecosystem Atmospheric Study (BOREAS), and collaborative research with the Western College of Veterinary Medicine and the College of Agriculture, University of Saskatchewan; and
- Provide climate data to various industries, government organizations, non-government organizations, media outlets, institutions of learning, and interested individuals.

### Goals

The goals of the CRS are first to maintain the high quality of data gathered over its sixty plus years of existence at its current location and, second to continue to monitor a large variety of elements. These various elements combined with the long-term collection period as well as the stable location allow SRC CRS at Saskatoon to be an extremely valuable climate information collection station.

<sup>1</sup>Environment Canada 1992   <sup>2</sup>World Meteorological Organization 1988

## ACTIVITIES ASSOCIATED WITH THE SASKATOON CLIMATE REFERENCE STATION, 2023

The Saskatoon Climate Reference Station (CRS) had another busy year of activities. We continued to share important climate information from the CRS through monthly e-mails, media interviews, presentations and various social media. Monthly and annual climate information, from both SRC's Saskatoon and Conservation Learning Centre CRSs, is available online (<http://src.nu/crsdata>). Over the last 60 plus years, SRC provided hands-on experience with our weather instruments to hundred of students (young and older), and gave presentations highlighting Saskatoon's climate: past, present and future. While many of these tours can no longer be offered, we have a virtual tour of our Saskatoon CRS available. The virtual tour can be found at: <http://src.nu/1OLBq5H>.

### **THE SASKATCHEWAN RESEARCH COUNCIL'S CLIMATE REFERENCE STATION IN SASKATOON SASKATCHEWAN CELEBRATED ITS 60TH ANNIVERSARY IN 2023!!**

Maintenance included the auto diffuse ring actuators being replaced (east Feb 2023 and west June 2023) and installation of the recalibrated bright sunshine recorder (November 2023). In addition to this, the normal spring and fall general maintenance occurred.


The tours we offered were similar to previous years. Students from SaskPolytech (Moose Jaw campus) went on a guided tour of the site in June 2023 and a guided tour for students from the University of Saskatchewan occurred in September 2023.



Replacement east and west  
actuators on auto diffuse  
ring February and June 2023  
Photos: V. Wittrock



Saskatoon CRS SRC tours  
June and September 2023  
Photos: V. Wittrock



Seasonal site maintenance  
05 May 2023, 21 November 2023  
Photos: V. Wittrock

## SUMMARY FOR 2023


Data, including temperature, precipitation, wind speed and direction, bright sunshine, solar radiation, soil temperature, snow depth and soil moisture levels were recorded at the Saskatchewan Research Council's (SRC) Climate Reference Station (CRS) (52°09'N, 106°36'W, 497m asl) in Saskatoon, SK during 2023. It is compared in this report with the long-term (circa 1900-2022), the sites period of record (1963-2022) and standard-period/normal (1991-2020) record.

### **THE SASKATCHEWAN RESEARCH COUNCIL'S CLIMATE REFERENCE STATION IN SASKATOON SASKATCHEWAN CELEBRATED ITS 60TH ANNIVERSARY IN 2023!!**

Synopsis for 2023:

- 24 days with temperatures at or greater than 30C in Saskatoon.
  - Hottest day was 37.7C (August 3).
- 2 days with temperatures at or below -30C in Saskatoon.
  - Coldest day was -32.2 (February 22).
- Frost-free season was longest on record starting with the earliest date of April 24 to October 6 (164 days). The normal frost-free season is 132 days.
- Highest number of growing degree-days in the last 60 years with 2142.3. The previous record was 2079 in 2021.
- 2023 had the third highest mean average annual temperature over the last 60 years (5.1C)
  - Third highest annual maximum temperature (10.8C)
  - Second highest annual minimum temperature (-0.7C)
- 2023 was another dry year in Saskatoon.
  - Fifth driest in the last 60 years
  - All four seasons were drier than normal (page 26, page 29)
- The 2022-2023 continuous snowpack lasted from 03 November 2022 to 10 April 2023 with the deepest measuring 19cm on December 31, 2022.
  - Fall 2023 did not have a continuous snowpack. Saskatoon had a brown Christmas and a brown New Year's Eve. The last time no snowpack was recorded on December 31 was 2009.
- Saskatoon definitely had a white Christmas in 2022 with four snow events in the second half of December. When the snow was combined with the strong sustained winds, road conditions were interesting during that time.
- The high temperatures as well as the lack of precipitation resulted in high potential evapotranspiration rates.
- The lack of precipitation was also reflected in the above normal bright sunshine. 2023 had the highest percent of actual to possible hours of bright sunshine at 62.8%. The previous record holder was a tie between 2011 and 2013 at 59.9%.
  - 2023 is ranked sixth for having the most number of days with bright sunshine.
- Peak wind for the year was on January 26 with gust of 74.4 km/hr. This was associated with a snowfall/rain event and above zero temperatures.
- 2023 did not measure any temperatures at or below -40C but when wind speed was included to calculate windchill, Saskatoon CRS had three (3) days of "high risk" windchill levels.
- The spring, summer and fall of 2023 in Saskatoon will be remembered for its numerous very smoke filled skies from the forest fires in the western Canadian provinces and territories.

## DAILY TEMPERATURE



## TEMPERATURE

2023 TEMPERATURE RECORDS						
TYPE		DATE		NEW RECORD °C	OLD RECORD °C	YEAR
		Month	Day			
Daily	Maximum	Highest	May	16	31.7	28.5 1988
			June	12	31.4	31.0 1987
			September	26	29.8	29.0 1983
			November	18	12.2	12.2 2009
			19	11.6	9.5	1989
			December	16	4.5	4.5 1980
			22	6.6	5.5	1994
	Minimum	Highest	26	7.0	4.5	1989
			February	22	-24.8	-23.3 1965
			April	10	4.2	2.8 1970
			May	15	13.0	13.0 2003
			31	15.2	14.4	1973
			June	5	17.7	16.1 1970
			12	19.6	19.0	1988
Mean	Highest	Highest	12	15.8	14.4	1965
			July	25	19.6	18.5 1983
			31	17.8	17.6	2012
			September	24	13.1	12.5 1990
			26	15.3	12.3	2011
			October	17	8.8	5.5 1994
			February	22	-32.2	-32.2 2003
	Lowest	Highest	May	16	21.4	18.9 2018
			31	23.5	21.1	1972
			June	12	23.6	22.0 1987
			July	25	26.6	24.3 2002
			31	25.8	24.8	2011
			September	26	22.6	18.8 1983
			November	19	5.3	4.8 2009


2023 TEMPERATURE RECORDS						
TYPE		DATE		NEW RECORD °C	OLD RECORD °C	YEAR
		Month	Day			
Monthly	Highest Lowest Maximum Monthly Temperature			December	2	-6.2 -7.8 1974 7
	Highest Extreme Minimum Monthly Temperature			May	1	3.4 1.5 1985 19
				June	22	8.2 6.8 2005 25
				December	3	-14.9 -18.5 1997 4
	Highest Lowest Mean Monthly Temperature			May	17	10.7 8.3 1988 2
				June	21	14.7 13.7 2016 11
				December	2	-9.5 -13.8 1997 4
	Highest Average Maximum Monthly			December		2.0 0.8 2011
	Highest Average Minimum Monthly			May		9.1 7.7 1977, 2018
				December		-8.0 -9.1 1997
				December		-3.0 -4.5 1997

## TEMPERATURE

2023 EXTREME TEMPERATURES					
COLD (less than or equal to -30°C)			HOT (greater than or equal to 30°C)		
Month	Day	TEMPERATURE °C	Month	Day	TEMPERATURE °C
February	22	-32.2	May	16	31.7
February	23	-31.3	May	22	30.2
<i>Coloured cells indicate extremes for the year</i>			May	31	31.8
			June	4	31.3
			June	5	33.5
			June	12	31.4
			June	13	30.3
			June	14	31.0
			June	30	30.7
			July	1	32.3
			July	22	30.1
			July	24	32.7
			July	25	33.5
			July	30	30.0
			July	31	33.7
			August	1	30.7
			August	2	30.2
			August	3	37.7
			August	14	34.4
			August	15	30.0
			August	17	31.1
			August	28	31.5
			August	29	32.6
			September	17	31.8

## POTENTIAL EVAPOTRANSPIRATION (PE) using the Thornthwaite Method<sup>1</sup>

MONTH	PE (mm) 2023	PE (mm) 2010 Wettest Year	PE (mm) 2001 Driest Year	PE(mm) 1987 Hottest Year	PE (mm) 1991- 2020 Normal
Jan	0	0	0	0	0
Feb	0	0	0	0	0
Mar	0	0.9	0	0	0
Apr	12.1	46.5	28.5	55.5	27.3
May	108.5	77.0	86.8	101.4	80.5
June	139.1	118.8	109.3	135.0	114.4
July	130.2	130.2	140.6	132.5	133.7
Aug	122.0	114.6	132.4	99.2	117.7
Sept	85.4	66.1	78.1	82.1	71.1
Oct	23.9	40.1	14.8	27.3	23.3
Nov	0	0	0	0	0
Dec	0	0	0	0	0
Total	621.3	594.3	590.4	632.9	568.0




<sup>1</sup>Thornthwaite and Mather 1955  
Thornthwaite 1948



Temperature and Relative Humidity Sensors (automated)  
June 13 2023  
(Photo: V. Witrock)

DATES & DURATION OF THE FROST-FREE SEASON			
YEAR	LAST SPRING FROST	FIRST FALL FROST	Frost-free Season Length
1964	May 31	Sept 26	117
1965	May 27	Sept 05	100
1966	May 19	Sept 13	116
1967	Jun 06	Sept 23	108
1968	May 19	Sept 25	128
1969	Jun 14	Sept 15	92
1970	May 19	Sept 12	115
1971	May 18	Sept 20	124
1972	May 08	Sept 04	118
1973	May 06	Sept 14	130
1974	May 25	Sept 02	99
1975	May 21	Sept 11	112
1976	May 06	Aug 28	113
1977	May 01	Aug 31	121
1978	May 30	Sept 30	122
1979	May 30	Aug 13	74
1980	May 14	Aug 26	103
1981	May 24	Sept 03	101
1982	May 29	Aug 27	89
1983	May 24	Sept 13	111
1984	May 24	Aug 31	98
1985	Jun 04	Sept 06	93
1986	May 17	Sept 06	111
1987	May 21	Oct 06	137
1988	May 02	Sept 19	139
1989	May 28	Sept 10	104
1990	May 13	Sept 21	130
1991	May 27	Sept 18	113
1992	May 23	Sept 14	113
1993	May 17	Sept 14	119
1994	May 09	Oct 04	147
1995	May 22	Sept 18	118
1996	May 12	Sept 29	139
1997	May 14	Oct 05	143
1998	May 13	Sept 30	139
1999	May 09	Sept 27	140
2000	May 17	Sept 23	128
2001	May 10	Oct 04	146
2002	May 23	Sept 23	122
2003	May 18	Sept 29	133
2004	May 20	Sept 30	132
2005	May 14	Sept 28	136
2006	May 04	Sept 19	137
2007	May 10	Sept 14	126
2008	May 26	Sept 26	122
2009	June 05	Oct 07	123
2010	May 07	Sept 17	132
2011	May 10	Sept 14	126
2012	April 26	Oct 04	160
2013	May 11	Oct 04	144
2014	May 14	Oct 03	141
2015	May 29	Sept 27	120
2016	May 13	Oct 05	144
2017	May 18	Oct 04	138
2018	May 10	Sept 21	133
2019	May 17	Oct 02	135
2020	May 15	Sept 07	112
2021	May 22	Oct 08	138
2022	May 21	Oct 06	137
2023	April 24	Oct 06	164
1991-2020 Normal	May 16	Sept 28	132
1981-2010 Normal	May 18	Sept 20	124



Frost  
January 2023  
(Photo: V. Wittrock)

## TEMPERATURE RANKINGS

AVERAGE ANNUAL TEMPERATUES °C					
	MAXIMUM TEMP	MINIMUM TEMP	MEAN TEMP		
1987	11.6	2016	0.1	1987	5.4
2001	10.8	2023	-0.7	2016	5.3
2023	10.8	2015	-0.7	2023	5.1
1981	10.5	1987	-0.8	2015	4.8
2021	10.5	2006	-1.3	2001	4.6
2016	10.4	2012	-1.3	1981	4.5
2015	10.2	1999	-1.4	2021	4.5
1988	10.1	2017	-1.4	1998	4.3
1998	10.1	2010	-1.5	1999	4.2
1999	9.8	1981	-1.5	2006	4.2
2017	9.7	1998	-1.5	2017	4.2
2006	9.6	2005	-1.6	2012	4.0
2011	9.6	2021	-1.6	1988	3.9
1976	9.5	2001	-1.6	2011	3.8
1997	9.5	2011	-2.1	2005	3.8
2003	9.3	2007	-2.2	2010	3.7
2012	9.3	2020	-2.2	1997	3.5
2005	9.1	1988	-2.3	2003	3.4
1986	9.0	1997	-2.4	2020	3.4
2020	9.0	2003	-2.5	1991	3.2
1991	8.9	1993	-2.5	1986	3.2
2010	8.9	1991	-2.5	2007	3.2
2000	8.8	1992	-2.5	2022	3.1
2022	8.8	1986	-2.6	1976	3.0
1984	8.7	2022	-2.7	1992	3.0
1990	8.7	2018	-2.7	2000	3.0
1977	8.6	2004	-2.8	1984	2.9
1980	8.6	2002	-2.9	1993	2.8
2007	8.6	2014	-2.9	2004	2.8
1992	8.5	1984	-2.9	2018	2.8
2008	8.5	2000	-2.9	2002	2.8
2002	8.5	1964	-2.9	1964	2.7
1994	8.5	1994	-3.2	1994	2.7
2004	8.4	2019	-3.2	2008	2.6
1989	8.3	1983	-3.2	1990	2.6
2018	8.3	2008	-3.3	1977	2.5
1964	8.2	2013	-3.3	2019	2.4
1993	8.1	1995	-3.4	1980	2.4
2019	8.1	1968	-3.4	2014	2.4
1995	7.9	1976	-3.5	1989	2.3
1973	7.8	1990	-3.6	1995	2.3
1968	7.7	1977	-3.6	1983	2.2
2009	7.7	1989	-3.8	2013	2.2
2013	7.7	1980	-3.8	1968	2.2
1983	7.7	2009	-3.8	2009	2.0
2014	7.6	1973	-4.0	1973	1.9
1978	7.4	1970	-4.0	1970	1.7
1970	7.3	1978	-4.6	1978	1.4
1974	7.1	1969	-4.6	1971	1.2
1971	7.1	1971	-4.6	1974	1.2
1967	7.0	1974	-4.7	1967	1.1
1985	6.9	1967	-4.7	1969	1.1
1975	6.9	1985	-4.8	1985	1.1
1969	6.8	1972	-4.8	1975	0.9
1979	6.5	1975	-5.1	1972	0.6
1966	6.4	1996	-5.2	1979	0.6
1965	6.3	1965	-5.3	1965	0.5
1982	6.2	1982	-5.3	1966	0.4
1996	6.1	1979	-5.3	1996	0.4
1972	6.1	1966	-5.5	1982	0.4

SEASONAL MAXIMUM AVERAGE TEMPERATURES °C								
	WINTER (DJF)		SPRING (MAM)		SUMMER (JJA)		AUTUMN (SON)	
2012	-1.9		1977	12.9	2021	27.2	1987	13.1
1987	-3.6		1987	12.7	2001	26.5	2011	12.6
2006	-4.7		1988	12.6	2003	26.3	2021	12.6
2016	-4.8		2016	12.5	2023	26.2	2023	12.5
1998	-4.8		1981	12.1	1984	26.1	2009	12.1
2000	-5.4		2021	12.0	1988	26.0	1994	11.8
1992	-5.7		1998	12.0	2022	26.0	2001	11.8
2002	-6.0		2001	11.9	1970	25.9	2008	11.8
2017	-6.6		2015	11.7	2006	25.6	2022	11.5
1964	-6.6		1994	11.5	1998	25.6	1999	11.4
2020	-6.7		2010	11.4	1997	25.6	2015	11.3
1983	-7.1		1993	11.4	2017	25.4	1981	11.1
1988	-7.2		1980	11.3	2018	25.4	1997	11.0
2021	-7.2		1986	11.1	1981	25.3	2005	11.0
2004	-7.2		2000	11.0	1989	25.3	1976	10.8
1986	-7.3		2012	10.9	2002	25.3	1980	10.8
1976	-7.3		1992	10.8	2015	25.1	2016	10.8
1981	-7.4		2019	10.6	1983	25.0	1974	10.6
1977	-7.4		1991	10.5	1996	24.9	1979	10.6
2015	-7.4		1976	10.4	1991	24.8	2004	10.5
2007	-7.7		2017	10.2	2020	24.8	1998	10.4
2003	-8.0		1984	10.2	1964	24.6	1967	10.4
2005	-8.0		1999	10.1	2008	24.5	2000	10.3
1975	-8.0		2007	10.1	2016	24.5	1988	10.3
1999	-8.0		2006	10.1	2007	24.5	2013	10.1
1984	-8.1		1968	10.0	1979	24.5	1975	9.9
1995	-8.1		2004	10.0	1995	24.4	1989	9.8
1990	-8.2		1985	10.0	2011	24.4	2007	9.8
2018	-8.3		1990	10.0	2012	24.4	1990	9.7
1991	-8.6		2005	9.9	1967	24.3	1968	9.7
1989	-8.7		1973	9.9	1978	24.2	2010	9.6
2013	-9.2		1978	9.7	1965	24.2	2003	9.4
2001	-9.3		2003	9.4	1969	24.1	1970	9.3
1970	-9.3		2008	9.1	1990	24.1	2014	9.2
2023	-9.4		1972	9.1	1987	24.0	1983	9.2
2011	-9.5		2018	8.8	1972	24.0	2017	9.1
1980	-9.5		2023	8.6	1976	23.8	2020	8.9
2010	-9.8		1971	8.6	1973	23.8	1992	8.8
2019	-9.8		2022	8.5	2000	23.8	1971	8.8
1968	-9.8		1969	8.3	2019	23.8	1964	8.8
2008	-10.1		1995	8.3	2013	23.7	1978	8.7
2022	-10.1		1989	8.2	1971	23.6	1977	8.7
1973	-10.3		1964	8.2	1986	23.6	1966	8.6
1997	-11.0		1966	8.1	1994	23.5	1995	8.6
1967	-11.1		2020	8.0	1980	23.5	2019	8.5
1993	-11.5		1997	7.6	1975	23.2	1993	8.4
1985	-11.6		2011	7.5	1999	23.1	1982	8.3
2009	-11.7		2009	7.4	2014	23.1	2012	8.2
2014	-11.8		1983	7.0	2010	23.0	1969	8.0
1994	-12.1		2014	6.8	1977	23.0	2002	7.8
1996	-12.2		1982	6.7	2009	22.9	2006	7.5
1974	-12.6		2013	6.4	1966	22.8	1986	7.3
1966	-13.1		1996	6.3	1982	22.6	1965	7.3
1982	-13.3		1970	6.1	2005	22.6	1973	7.3
1971	-13.4		2002	5.8	1985	22.4	1991	7.0
1978	-14.5		1965	5.7	1974	22.4	1972	6.6
1965	-14.8		1979	4.8	1992	22.4	2018	6.5
1972	-14.9		1974	4.7	1968	22.0	1996	6.2
1969	-15.2		1975	4.4	2004	21.6	1984	5.6
1979	-15.5		1967	4.4	1993	21.1	1985	4.5

## TEMPERATURE RANKINGS


SEASONAL MINIMUM AVERAGE TEMPERATURES °C							SEASONAL MEAN AVERAGE TEMPERATURES °C								
WINTER (DJF)		SPRING (MAM)		SUMMER (JJA)		AUTUMN (SON)		WINTER (DJF)		SPRING (MAM)		SUMMER (JJA)		AUTUMN (SON)	
2012	-12.6	2016	0.8	2021	13.6	2016	1.5	2012	-7.3	2016	6.6	2021	20.4	2023	6.9
2016	-12.6	1993	0.3	2012	12.9	2015	1.3	1987	-8.6	1987	6.2	2023	19.4	2009	6.7
2006	-13.2	2010	0.2	2022	12.7	2009	1.3	2016	-8.7	1977	6.2	2003	19.4	2011	6.5
1998	-13.4	2012	0.0	2023	12.6	2023	1.3	2006	-8.9	1993	5.8	2022	19.4	2021	6.5
1987	-13.6	1987	-0.2	2015	12.6	2005	0.4	1998	-9.1	2010	5.8	1988	19.2	1987	6.4
2017	-14.7	1977	-0.5	2006	12.5	2021	0.4	1992	-10.3	1988	5.8	2001	19.1	2015	6.3
1992	-14.9	1999	-0.5	2003	12.5	2011	0.3	2000	-10.6	1981	5.6	1970	19.1	2016	6.2
1964	-15.0	1985	-0.7	2016	12.4	2008	0.1	2017	-10.7	2015	5.4	2006	19.1	2008	5.9
2002	-15.5	1994	-0.8	1988	12.3	1998	0.1	2002	-10.8	2012	5.4	2015	18.9	2001	5.8
1983	-15.6	2015	-0.8	2020	12.3	1981	0.0	1964	-10.8	1994	5.4	2002	18.8	2005	5.7
2000	-15.8	1981	-1.0	1970	12.3	2001	-0.1	1983	-11.4	2001	5.4	2018	18.8	1994	5.7
2015	-16.0	1992	-1.0	2002	12.2	1967	-0.2	2020	-11.6	2021	5.2	1984	18.7	2022	5.6
2020	-16.3	2006	-1.0	1991	12.2	1968	-0.2	2015	-11.7	1986	5.0	2012	18.7	1981	5.5
2021	-16.6	1988	-1.0	2018	12.0	1997	-0.3	2021	-12.0	1998	5.0	2017	18.7	1999	5.4
2004	-16.7	1986	-1.1	2013	12.0	1987	-0.3	2004	-12.0	1992	4.9	1998	18.6	1997	5.4
1999	-16.8	2000	-1.1	2014	11.9	2022	-0.4	1981	-12.3	2000	4.9	2020	18.6	1998	5.3
2007	-17.0	2001	-1.2	2017	11.9	2004	-0.4	1986	-12.3	1999	4.8	1997	18.5	1967	5.1
1981	-17.1	2007	-1.3	2011	11.8	1994	-0.5	2007	-12.4	1985	4.7	1991	18.5	2004	5.0
1995	-17.2	2005	-1.4	2001	11.7	1999	-0.6	1999	-12.4	2006	4.5	1989	18.5	1980	5.0
1986	-17.3	1990	-1.5	2007	11.7	1992	-0.7	1988	-12.5	2007	4.4	2016	18.4	1968	4.8
2023	-17.4	2021	-1.6	1989	11.6	2010	-0.7	1976	-12.6	1980	4.4	1983	18.1	1979	4.6
2003	-17.5	2017	-1.6	1998	11.6	1980	-0.9	1995	-12.7	1991	4.3	1981	18.1	1988	4.4
2018	-17.5	1973	-1.7	2010	11.5	2019	-1.0	2003	-12.7	2005	4.3	2011	18.1	2010	4.4
1988	-17.8	1978	-1.7	1997	11.5	2014	-1.0	2005	-12.9	1990	4.3	2007	18.1	2007	4.4
1976	-17.8	1991	-2.0	2008	11.3	1983	-1.0	1984	-13.0	2017	4.2	1996	18.1	2000	4.3
1984	-17.8	1968	-2.0	1984	11.2	1970	-1.1	2018	-13.0	1973	4.1	2008	17.9	2013	4.3
2005	-17.8	1998	-2.0	1996	11.2	2007	-1.1	1977	-13.1	1978	4.0	2013	17.9	1970	4.2
2011	-18.3	1984	-2.2	2019	11.2	1964	-1.4	1975	-13.3	1968	4.0	1964	17.8	1974	4.1
2013	-18.4	2003	-2.3	1983	11.2	1988	-1.4	2023	-13.4	1984	4.0	1995	17.7	2014	4.1
1975	-18.5	1972	-2.4	1964	11.0	1979	-1.4	1990	-13.7	2019	4.0	2014	17.6	1983	4.1
1970	-18.7	2004	-2.5	2005	11.0	2013	-1.5	2013	-13.8	2004	3.8	2019	17.5	1992	4.1
1977	-18.8	1980	-2.6	1972	11.0	2017	-1.7	1989	-13.8	2003	3.6	1972	17.5	1989	4.0
1989	-18.9	2022	-2.6	2000	11.0	2000	-1.7	2011	-14.0	1976	3.5	2000	17.4	1975	3.8
2001	-19.0	2019	-2.6	1981	10.9	2020	-1.8	1991	-14.0	1972	3.4	1990	17.4	2017	3.7
2010	-19.1	2008	-3.2	1995	10.8	1989	-1.8	1970	-14.0	2022	3.0	1965	17.4	2019	3.7
1990	-19.1	2018	-3.3	1990	10.7	1969	-1.9	2001	-14.2	2008	2.9	1987	17.3	1964	3.7
1991	-19.3	1976	-3.3	1999	10.7	2012	-1.9	2010	-14.5	2018	2.7	1979	17.3	1976	3.6
2008	-19.5	2023	-3.4	1987	10.6	1971	-2.1	1980	-14.6	2023	2.6	1976	17.2	2003	3.6
2019	-19.5	1983	-3.7	1994	10.6	2002	-2.2	2019	-14.7	1971	2.3	2010	17.2	2020	3.6
1980	-19.6	1969	-3.8	1965	10.5	2003	-2.2	2008	-14.8	1969	2.2	1994	17.1	1971	3.4
2022	-19.9	1995	-3.8	1976	10.5	1977	-2.4	1968	-15.0	1995	2.2	1978	17.0	1977	3.2
1968	-20.0	1966	-3.9	1971	10.3	1974	-2.4	2022	-15.0	1964	2.2	1971	17.0	1990	3.2
1973	-20.3	1964	-3.9	2009	10.3	1975	-2.5	1973	-15.4	1966	2.1	1973	17.0	2012	3.1
1993	-20.5	2011	-3.9	1973	10.0	1993	-2.5	1993	-16.0	2020	2.0	1999	16.9	1969	3.1
1994	-20.8	2020	-4.0	1979	10.0	1995	-2.6	1967	-16.1	1989	2.0	1967	16.9	1995	3.0
1967	-21.1	1971	-4.0	1966	9.9	2018	-2.6	1997	-16.2	2011	1.9	2005	16.8	1978	2.9
1997	-21.3	2014	-4.2	1993	9.9	1972	-2.7	1994	-16.5	1997	1.7	1969	16.7	1993	2.9
2009	-21.4	1997	-4.3	1975	9.8	2006	-2.8	2009	-16.6	1983	1.6	1986	16.6	2002	2.8
1996	-21.9	1982	-4.3	2004	9.7	1978	-2.9	2014	-16.9	2014	1.3	2009	16.6	2006	2.4
2014	-22.0	1989	-4.3	1978	9.7	1986	-3.1	1996	-17.1	1982	1.2	1980	16.6	1982	2.3
1974	-22.6	1996	-4.9	1980	9.6	1990	-3.4	1985	-17.3	2009	0.9	1975	16.5	1966	2.2
1985	-22.9	2013	-4.9	1982	9.6	1976	-3.6	1974	-17.6	1996	0.7	1966	16.4	1986	2.1
1971	-23.1	1970	-5.0	1986	9.6	1982	-3.7	1971	-18.3	2013	0.7	1982	16.2	2018	1.9
1982	-23.6	2009	-5.6	1974	9.6	1991	-3.7	1966	-18.4	1970	0.5	1974	16.0	1972	1.9
1966	-23.6	1965	-5.8	1967	9.5	1984	-3.8	1982	-18.5	1965	-0.1	1977	15.9	1991	1.6
1969	-24.0	1979	-6.1	1969	9.4	1966	-4.3	1965	-19.4	1979	-0.7	2004	15.7	1965	1.5
1965	-24.0	1974	-6.5	1968	9.2	1996	-4.3	1978	-19.5	1974	-0.9	1992	15.6	1973	1.3
1978	-24.5	1975	-6.5	1992	8.8	1965	-4.4	1969	-19.6	2002	-0.9	1968	15.6	1984	0.9
1972	-25.0	1967	-6.9	1977	8.8	1973	-4.6	1972	-20.0	1975	-1.0	1993	15.5	1996	0.9
1979	-25.2	2002	-7.6	1985	8.2	1985	-6.0	1979	-20.4	1967	-1.3	1985	15.3	1985	-0.8

## TEMPERATURE


MONTH	AVERAGE MAXIMUM TEMPERATURE (°C)		AVERAGE MINIMUM TEMPERATURE (°C)		AVERAGE TEMPERATURE (°C)		EXTREME VALUES TEMPERATURE (°C)				EXTREME VALUES FOR SASKATOON STATIONS	
	2023	Normal	2023	Normal	2023	Normal	Max	Date	Min	Date	Max/Date	Min/Date
January	-7.1	-9.5	-14.8	-19.0	-11.0	-14.3	4.4	26	-26.3	30	11.0/1980/23 <sub>SE</sub>	-48.9/1893/31 <sub>SM</sub>
February	-7.3	-7.3	-16.4	-17.1	-11.9	-12.2	4.5	10	-32.2	22	12.8/1931/19 <sub>SE</sub>	-50.0/1893/01 <sub>SM</sub>
March	-5.4	-0.1	-15.9	-10.0	-10.7	-5.1	1.3	23	-27.5	6	22.8/1910/23 <sub>SE</sub>	-43.3/1897/14 <sub>SM</sub>
April	7.9	10.4	-3.5	-1.7	2.2	4.4	19.1	28	-19.0	4	33.3/1952/28 <sub>SA US</sub>	-30.5/1979/01 <sub>SWT</sub>
May	23.4	18.5	9.1	4.7	16.2	11.6	31.8	31	3.4	1	37.2/1936/27 <sub>SE</sub>	-12.8/1907/06 <sub>SE</sub>
June	27.1	22.3	13.3	10.2	20.2	16.3	33.5	5	8.2	22	41.5/1988/06 <sub>S2</sub>	-3.9/1917/02 <sub>US</sub>
July	25.4	25.3	12.0	12.6	18.8	19.0	33.7	31	5.9	5	40.0/1919/1941, 1946, 2021 <sub>SE SA US</sub>	-0.6/1918/25 <sub>SE</sub>
August	26.2	25.0	12.5	11.5	19.3	18.3	37.7	3	5.9	20	39.7/1998/06 <sub>SRC</sub>	-2.8/1901/23 <sub>SM&amp;1976/28</sub> <sub>SRC</sub>
September	23.3	19.4	8.7	6.3	16.0	12.9	31.8	17	2.0	5	35.6/1978/04 <sub>SRC</sub>	-11.1/1908/28 <sub>SE</sub>
October	10.5	10.0	0.1	-0.7	5.3	4.7	22.3	7	-12.8	25	32.2/1943/05 <sub>SA US</sub>	-25.6/1919/26 <sub>SE US</sub>
November	3.7	-0.4	-4.9	-8.8	-0.6	-4.6	12.2	18	-18.4	23	21.7/1903/03 <sub>SE</sub>	-39.4/1893/30 <sub>SM</sub>
December	2.0	-7.5	-8.0	-16.2	-3.0	-11.9	7.3	14	-14.9	3	14.4/1939/05 <sub>SE</sub>	-43.9/1892/22 <sub>SM</sub>
Average	10.8	8.8	-0.7	-2.7	5.1	3.0					SA = Saskatoon Diefenbaker Int'l Airport 1942-1942 S2 = Saskatoon 2 1977-1990 SM = Saskatoon stations circa 1889-1901 (RNWMP <i>et al</i> )	

Normal = 1991-2020


### Monthly





### Annual



## SEASONAL TEMPERATURES (period of record)







**DAYS WITH TEMPERATURES LESS THAN A SET POINT**

**DAYS WITH TEMPERATURES GREATER THAN A SET POINT**


**Maximum Temperature greater than 0°C (Thaw Days)**  
Jan 1<sup>st</sup> to Dec 31<sup>st</sup>




**Maximum Temperature greater than 0°C (Thaw Days)**  
Oct 1<sup>st</sup> to Mar 31<sup>st</sup> (Cold Season)



**Minimum Temperature greater than 0°C (Frost-free Days)**



**Minimum Temperature 15°C or greater**




**DEGREE-DAYS** (Normal 1991-2020)

MONTH	GROWING DEGREE-DAYS Base 5°C			HEATING DEGREE-DAYS Base 18°C			COOLING DEGREE-DAYS Base 18°C			EXTREME COOLING DEGREE-DAYS Base 24°C		
	2023	Cumulative	Normal	2023	Cumulative	Normal	2023	Cumulative	Normal	2023	Cumulative	Normal
January	0.0	0.0	0.0	898.1	898.1	1000.6	0.0	0.0	0.0	0.0	0.0	0.0
February	0.0	0.0	0.0	835.8	1733.9	853.6	0.0	0.0	0.0	0.0	0.0	0.0
March	0.0	0.0	3.5	889.8	2623.7	716.3	0.0	0.0	0.0	0.0	0.0	0.0
April	34.8	34.8	60.6	473.0	3096.7	414.2	0.0	0.0	0.2	0.0	0.0	0.0
May	348.7	383.5	211.0	75.7	3172.4	204.0	21.4	21.4	6.1	0.0	0.0	0.0
June	456.3	839.8	339.1	10.1	3182.5	74.2	76.4	97.8	22.9	2.6	2.6	0.6
July	426.5	1266.3	433.2	30.0	3212.5	25.9	53.5	151.3	56.1	5.6	8.2	2.4
August	444.7	1711.0	413.0	16.9	3229.4	41.6	58.6	209.9	51.6	3.3	11.5	3.1
September	330.5	2041.5	238.0	75.6	3305.0	163.6	16.1	226.0	9.6	0.0	11.5	0.1
October	100.2	2141.7	61.7	393.0	3698.0	413.6	0.0	226.0	0.2	0.0	11.5	0.0
November	0.6	2142.3	3.9	558.0	4256.0	678.7	0.0	226.0	0.0	0.0	11.5	0.0
December	0.0	2142.3	0.0	652.1	4908.1	925.7	0.0	226.0	0.0	0.0	11.5	0.0


2023 DEGREE-DAYS RECORDS						
TYPE		DATE		NEW RECORD	OLD RECORD	YEAR
		Month	Day			
Growing Degree-Days	Highest Daily	May	16	16.4	13.9	2018
		31	18.5	16.1		1972
		June	12	18.6	17.0	1987
		July	25	21.6	19.3	2002
		31	20.8	19.8		2011
		August	3	21.9	21	2001
Heating Degree-Days	Highest Daily	September	26	17.6	13.8	1983
		November	19	0.3	0	New Record
	Lowest Total Monthly	February	22	46.5	44.7	1965
		October	25	26.1	24.6	2001
		Lowest Daily	November	19	12.7	13.2
		May		75.7	102.8	1988
Cooling Degree-Days (>18°C)	Highest Daily	June		10.1	16.0	1988
		December		652.1	697.9	1997
		May	16	3.4	0.9	2018
		31	5.5	3.1		1972
		June	12	5.6	4.0	1987
		July	25	8.6	6.3	2002
Extreme Cooling Degree Days (>24°C)	Highest Daily	31	7.8	6.8		2011
		August	3	8.9	8.0	2001
		September	26	4.6	0.8	1983
	Highest Daily	July	25	2.6	0.3	2002
		31	1.8	0.8		2011
		August	3	2.9	2.0	2001

## DEGREE-DAYS


### Growing Degree-days Monthly








### Growing Degree-days Annual



### Growing Degree-days May 1 to September 30



**DEGREE-DAYS****Heating Degree-days  
Monthly****Heating Degree-days  
Annual****Cooling Degree-days  
Monthly****Cooling Degree-days  
Annual**

**DEGREE-DAYS**

SRC CRS Saskatoon  
05 June 2023  
Photo: V. Wittrock

**TEMPERATURE GRID °C**

2023	JAN	FEB	MAR	APR	MAY	JUN	JLY	AUG	SEP	OCT	NOV	DEC	Maximum Temperature °C Daily
1	-7.7	-14.3	-7.6	4.5	20.5	29.0	32.3	30.7	27.6	9.0	1.0	-0.5	
2	-6.7	-19.4	-1.0	-3.8	27.6	24.8	22.4	30.2	27.0	11.7	5.3	-6.2	
3	-5.0	-7.6	0.0	-6.9	26.3	27.4	18.5	37.7	27.3	17.5	2.4	-3.3	
4	-7.2	-3.1	-6.7	-0.8	26.8	31.3	19.1	28.1	19.8	13.6	4.1	0.6	
5	-10.5	0.2	-12.5	-2.6	18.6	33.5	24.4	26.8	17.4	9.4	2.7	3.5	
6	-12.4	1.4	-13.0	-2.6	17.5	26.6	24.7	28.3	23.1	11.7	3.2	5.8	
7	-6.4	3.6	-12.5	2.2	19.1	29.3	24.0	27.5	20.2	22.3	2.6	5.4	
8	-6.6	-0.7	-12.9	6.5	20.5	29.8	28.4	23.5	23.1	22.2	4.1	0.1	
9	-9.1	-1.5	-11.4	7.8	21.3	24.7	29.8	22.6	24.8	21.2	-0.1	-1.5	
10	-6.3	4.5	-7.1	10.9	23.4	25.4	22.9	23.9	24.3	19.8	3.5	0.4	
11	-5.5	1.7	-6.6	10.9	23.2	29.8	21.0	20.0	20.3	16.5	8.1	-1.8	
12	-10.1	2.4	-5.6	11.0	20.7	31.4	25.5	24.9	26.5	8.0	8.7	-1.0	
13	-6.1	3.7	-5.0	10.8	26.1	30.3	25.8	26.8	23.2	11.9	8.3	6.1	
14	-7.3	-0.5	-2.4	11.5	27.6	31.0	19.5	34.4	17.7	12.0	8.8	7.3	
15	-6.8	-11.5	-4.9	13.7	28.8	21.9	23.3	30.0	22.8	14.2	6.6	5.6	
16	-6.1	-4.8	-9.3	15.3	31.7	25.8	22.8	23.0	29.2	18.5	4.1	4.5	
17	-8.7	-2.3	-5.9	16.2	14.3	24.2	26.0	31.1	31.8	19.0	10.7	2.0	
18	-5.3	-5.5	0.3	7.1	17.8	25.4	19.0	25.0	27.8	16.5	12.2	-0.3	
19	-3.1	-11.1	-4.0	-0.1	27.0	23.1	24.9	20.7	19.5	21.5	11.6	-1.4	
20	-4.3	-14.3	-4.6	-0.6	24.7	22.3	25.4	23.1	20.3	16.3	5.8	2.9	
21	-2.8	-21.1	-6.6	3.7	23.4	19.5	28.0	19.8	23.3	11.0	2.5	0.1	
22	2.0	-24.8	-5.7	9.1	30.2	23.6	30.1	16.0	23.3	10.8	-2.6	6.6	
23	-0.2	-19.6	1.3	11.0	21.8	28.1	29.6	22.0	22.5	1.6	-7.9	4.1	
24	-6.0	-19.0	-3.0	10.6	18.4	28.2	32.7	22.2	23.9	-3.0	2.7	-1.6	
25	-2.2	-13.0	-3.4	16.6	14.4	29.8	33.5	23.2	27.1	-3.4	1.3	1.8	
26	4.4	-8.5	-5.8	14.1	20.8	25.9	26.2	29.2	29.8	-0.5	-6.0	7.0	
27	-3.9	-7.8	-7.0	10.9	20.5	27.2	18.4	27.6	23.8	-0.4	0.1	5.0	
28	-17.7	-10.8	-5.5	19.1	22.8	23.2	22.1	31.5	20.8	-2.6	6.7	7.3	
29	-18.0		-0.1	15.5	28.1	29.0	24.4	32.6	18.8	0.3	2.5	0.3	
30	-18.3		0.1	16.0	29.6	30.7	30.0	28.7	11.7	-2.0	-0.7	0.6	
31	-14.9		0.4		31.8		33.7	19.8		2.2		1.7	




### TEMPERATURE GRID °C

**Minimum Temperature °C  
Daily**

2023	JAN	FEB	MAR	APR	MAY	JUN	JLY	AUG	SEP	OCT	NOV	DEC
1	-20.9	-26.0	-25.2	-10.1	3.4	16.2	15.9	13.1	14.3	7.3	-4.3	-12.6
2	-15.8	-29.7	-12.5	-9.0	7.5	14.0	13.1	13.0	14.8	6.4	-5.0	-12.7
3	-14.5	-20.0	-7.9	-11.9	5.1	17.7	10.9	16.1	10.8	6.5	-1.0	-14.9
4	-18.8	-7.7	-14.2	-19.0	7.5	15.5	8.8	14.5	8.9	3.9	-1.5	-11.8
5	-19.0	-7.9	-21.1	-17.3	7.3	19.6	5.9	11.2	2.0	1.0	0.2	-8.0
6	-17.5	-4.0	-27.5	-15.5	7.3	16.2	11.0	10.8	8.9	-3.4	0.2	-3.8
7	-13.6	-4.1	-19.7	-11.7	8.5	12.9	9.3	11.5	9.0	5.9	0.7	-0.5
8	-14.6	-7.8	-20.0	-5.2	10.3	15.5	11.1	7.5	5.6	7.0	-0.4	-6.7
9	-17.0	-13.7	-19.1	-0.4	4.6	10.7	15.5	11.5	6.6	4.8	-3.6	-9.0
10	-15.5	-8.9	-15.4	4.2	6.0	12.6	8.1	12.9	10.8	4.7	-6.7	-7.1
11	-11.2	-4.3	-13.9	0.8	5.9	12.4	10.6	13.8	8.1	4.6	-2.1	-11.6
12	-14.5	-5.1	-21.0	1.1	12.8	15.8	9.7	11.5	8.6	5.9	-1.2	-12.4
13	-16.6	-2.4	-17.1	-2.6	7.2	13.8	13.5	11.0	12.0	4.1	-2.8	-5.1
14	-14.4	-15.6	-10.9	1.6	9.5	14.8	13.1	14.3	8.7	2.1	-0.6	-2.7
15	-9.1	-19.0	-16.5	-2.3	13.0	11.1	10.8	13.7	8.2	1.1	-3.3	-3.6
16	-8.7	-20.9	-17.9	0.4	11.1	9.0	7.9	13.8	8.3	1.8	-8.0	-2.4
17	-11.4	-8.9	-19.8	3.2	7.1	15.4	10.3	10.9	8.5	8.8	-3.2	-9.1
18	-10.2	-13.4	-14.7	-0.2	3.7	10.8	14.4	14.2	9.9	2.5	-1.6	-9.3
19	-8.5	-14.5	-14.7	-3.7	4.2	11.5	14.9	10.7	7.2	3.1	-1.0	-6.1
20	-12.8	-23.1	-7.6	-4.1	12.5	10.9	13.0	5.9	5.6	5.3	-3.9	-5.0
21	-12.9	-28.8	-13.3	-3.9	8.4	9.9	13.3	13.1	3.0	-1.1	-8.0	-7.3
22	-6.1	-32.2	-16.9	-1.9	12.2	8.2	14.3	13.6	4.6	0.8	-14.7	-6.0
23	-11.0	-31.3	-12.7	-3.6	10.2	10.3	12.4	14.3	10.7	-3.1	-18.4	-4.5
24	-12.2	-27.5	-13.3	-1.3	8.2	11.9	17.5	11.9	13.1	-8.8	-10.6	-11.2
25	-6.0	-26.6	-15.5	3.3	12.4	14.3	19.6	12.8	8.9	-12.8	-8.1	-10.3
26	-6.0	-17.4	-14.1	1.3	12.2	13.9	13.0	11.3	15.3	-9.7	-15.0	-10.4
27	-20.7	-16.1	-18.5	1.7	9.9	14.3	11.6	12.8	12.3	-5.2	-7.6	-7.3
28	-24.0	-21.5	-19.6	0.9	13.5	12.4	9.2	11.9	8.2	-12.8	-3.1	-7.4
29	-26.1		-14.6	0.8	12.5	13.2	8.8	12.8	5.1	-6.8	-5.3	-9.8
30	-26.3		-7.0	0.2	11.7	14.9	7.8	17.1	2.6	-10.4	-8.4	-12.0
31	-23.8		-11.3		15.2		17.8	14.2		-11.1		-7.6

**Average Temperature °C  
Daily**

2023	JAN	FEB	MAR	APR	MAY	JUN	JLY	AUG	SEP	OCT	NOV	DEC
1	-14.3	-20.2	-16.4	-2.8	12.0	22.6	24.1	21.9	21.0	8.2	-1.7	-6.6
2	-11.3	-24.6	-6.8	-6.4	17.6	19.4	17.8	21.6	20.9	9.1	0.2	-9.5
3	-9.8	-13.8	-4.0	-9.4	15.7	22.6	14.7	26.9	19.1	12.0	0.7	-9.1
4	-13.0	-5.4	-10.5	-9.9	17.2	23.4	14.0	21.3	14.4	8.8	1.3	-5.6
5	-14.8	-3.9	-16.8	-10.0	13.0	26.6	15.2	19.0	9.7	5.2	1.5	-2.3
6	-15.0	-1.3	-20.3	-9.1	12.4	21.4	17.9	19.6	16.0	4.2	1.7	1.0
7	-10.0	-0.3	-16.1	-4.8	13.8	21.1	16.7	19.5	14.6	14.1	1.7	2.5
8	-10.6	-4.3	-16.5	0.7	15.4	22.7	19.8	15.5	14.4	14.6	1.9	-3.3
9	-13.1	-7.6	-15.3	3.7	13.0	17.7	22.7	17.1	15.7	13.0	-1.9	-5.3
10	-10.9	-2.2	-11.3	7.6	14.7	19.0	15.5	18.4	17.6	12.3	-1.6	-3.4
11	-8.4	-1.3	-10.3	5.9	14.6	21.1	15.8	16.9	14.2	10.6	3.0	-6.7
12	-12.3	-1.4	-13.3	6.1	16.8	23.6	17.6	18.2	17.6	7.0	3.8	-6.7
13	-11.4	0.7	-11.1	4.1	16.7	22.1	19.7	18.9	17.6	8.0	2.8	0.5
14	-10.9	-8.1	-6.7	6.6	18.6	22.9	16.3	24.4	13.2	7.1	4.1	2.3
15	-8.0	-15.3	-10.7	5.7	20.9	16.5	17.1	21.9	15.5	7.7	1.7	1.0
16	-7.4	-12.9	-13.6	7.9	21.4	17.4	15.4	18.4	18.8	10.2	-2.0	1.1
17	-10.1	-5.6	-12.9	9.7	10.7	19.8	18.2	21.0	20.2	13.9	3.8	-3.6
18	-7.8	-9.5	-7.2	3.5	10.8	18.1	16.7	19.6	18.9	9.5	5.3	-4.8
19	-5.8	-12.8	-9.4	-1.9	15.6	17.3	19.9	15.7	13.4	12.3	5.3	-3.8
20	-8.6	-18.7	-6.1	-2.4	18.6	16.6	19.2	14.5	13.0	10.8	1.0	-1.1
21	-7.9	-25.0	-10.0	-0.1	15.9	14.7	20.7	16.5	13.2	5.0	-2.8	-3.6
22	-2.1	-28.5	-11.3	3.6	21.2	15.9	22.2	14.8	14.0	5.8	-8.7	0.3
23	-5.6	-25.5	-5.7	3.7	16.0	19.2	21.0	18.2	16.6	-0.8	-13.2	-0.2
24	-9.1	-23.3	-8.2	4.7	13.3	20.1	25.1	17.1	18.5	-5.9	-4.0	-6.4
25	-4.1	-19.8	-9.5	10.0	13.4	22.1	26.6	18.0	18.0	-8.1	-3.4	-4.3
26	-0.8	-13.0	-10.0	7.7	16.5	19.9	19.6	20.3	22.6	-5.1	-10.5	-1.7
27	-12.3	-12.0	-12.8	6.3	15.2	20.8	15.0	20.2	18.1	-2.8	-3.8	-1.2
28	-20.9	-16.2	-12.6	10.0	18.2	17.8	15.7	21.7	14.5	-7.7	1.8	-0.1
29	-22.1		-7.4	8.2	20.3	21.1	16.6	22.7	12.0	-3.3	-1.4	-4.8
30	-22.3		-3.5	8.1	20.7	22.8	18.9	22.9	7.2	-6.2	-4.6	-5.7
31	-19.4		-5.5		23.5		25.8	17.0		-4.5		-3.0



## PRECIPITATION

RANKING BY DRIEST MONTH			
% OF NORMAL PRECIPITATION		PRECIPITATION AMOUNT (mm)	
MARCH	16.1	MARCH	1.8
JULY	38.8	DECEMBER	5.1
JANUARY	48.5	FEBRUARY	5.9
DECEMBER	51.5	JANUARY	6.4
NOVEMBER	52.2	NOVEMBER	7.2
SEPTEMBER	52.4	APRIL	16.5
FEBRUARY	64.8	SEPTEMBER	17.5
APRIL	70.8	OCTOBER	19.1
JUNE	76.3	JULY	23.3
MAY	92.3	MAY	34.7
OCTOBER	93.6	AUGUST	50.7
AUGUST	109.3	JUNE	56.4

2023 EXTREME PRECIPITATION EVENTS		
PERIOD	DATE (time)	AMOUNT (mm)
0.5 hour*	6/18/2023 (22:00-22:30)	13.2
	6/3/2023 (18:00-18:30)	10.2
1 hour*	6/18/2023 (22:00-23:00)	16.8
	6/3/2023 (17:30-18:30)	15.2
2 hours*	6/18/2023 (21:00-23:00)	23.1
	6/3/2023 (17:00-19:00)	16.0
6 hours*	6/19/2023 (18:00-24:00)	27.7
	5/24/2023-5/25/2023 (23:30-04:30)	16.8
12 hours*	6/19/2023 (12:00-24:00)	27.7
	5/24/2023-5/25/2023 (12:00-24:00)	18.0
24 hours*	5/24/2023-5/25/2023 (04:30-04:30)	29.2
	5/3/2023-6/4/2023 (00:00-00:00)	16.3
Greatest amount over more than one day	May 24-25 2023	30.9
	June 18 2023	29.1
Longest wet spells	6 days (November 4 to 9 2023)	6.8
	4 days (July 17 to 20 2023)	20.9
	4 days (April 18 to 21 2023)	12.8
	4 days (January 26 to 29 2023)	3.5
Longest dry spells	26 days (April 26 to May 21 2023)	
	17 days (September 13 to 28 2023)	

\*recorded by the tipping bucket gauge

2023 PRECIPITATION RECORDS					
TYPE	DATE		NEW RECORD	OLD Record	YEAR
	Month	Day			
Greatest Daily (mm)	June	18	29.1	26.8	2014
	August	10	13.0	11.4	2010
		22	12.3	8.0	1993
		31	11.5	6.4	2021
	December	7	4.2	3.0	1977
No. of days with 10 mm ppt or more	August		3	3	1967, 1968, 1982, 1988, 2009, 2010
Fewest No. of days with ppt	June		7	7	1964, 1968



CRS Saskatoon  
21 Dec 2023  
Photo: V. Wittrock

RANKING BY					
Total Number of Dry Days*		Maximum Length of Dry Spell*		Maximum Length of Wet Spell*	
2001	282	1976	48	2003	21
1964	280	1993	40	1968	14
1984	278	2000	40	1969	14
2021	276	1965	37	1997	12
1988	275	1980	36	2013	11
1965	271	1997	36	2014	11
1966	267	2002	35	1977	10
1986	267	1964	31	1980	10
1997	267	1984	30	1989	10
1981	266	2009	30	2004	10
1987	266	2010	29	2008	10
1967	265	2017	29	1983	9
1994	264	1966	28	1986	9
1968	260	1974	28	2010	9
1990	260	2012	28	1965	8
2023	260	1968	27	1972	8
2015	259	2023	26	1974	8
1998	259	2004	25	2005	8
1985	258	2013	25	2009	8
1993	258	2021	25	2011	8
1995	258	1972	23	2016	8
1999	258	1973	23	1973	7
2002	258	1996	23	1976	7
1996	256	1977	22	1982	7
2003	255	1987	22	1992	7
2018	255	1978	21	1993	7
1976	251	1982	21	2000	7
1992	250	2001	21	2002	7
2000	248	2015	21	2012	7
2009	246	1969	20	2019	7
2008	245	1986	20	2021	7
1980	244	1999	20	1964	6
2012	244	2011	20	1966	6
2014	244	2022	20	1970	6
1971	243	1967	19	1975	6
2013	243	1981	19	1978	6
2017	242	1988	19	1979	6
1989	241	2008	19	1981	6
2020	241	2018	19	1988	6
1970	240	1994	18	1991	6
1979	239	1995	18	1994	6
2011	239	2003	18	1996	6
1972	238	1975	17	2006	6
1977	238	1979	17	2007	6
2007	237	1985	17	2020	6
1975	235	1998	17	2023	6
1991	234	2014	17	1971	5
1983	233	2005	17	1985	5
2010	233	2020	17	1987	5
2019	233	1983	16	1990	5
2005	231	1990	16	1995	5
1974	229	1991	16	1998	5
1982	229	1992	16	1999	5
2006	227	1971	15	2015	5
2022	226	2007	15	2017	5
1978	224	2019	15	2018	5
2016	222	1989	14	2022	5
1969	218	1970	13	1967	4
2004	208	2006	13	1984	4
1973	200	2016	12	2001	4

\*For this report, a dry day is defined as a day on which precipitation is not recorded; a dry spell is 2+ consecutive days of no precipitation; a wet spell is 2+ consecutive days of precipitation.

## PRECIPITATION



Tipping Bucket rain gauge  
13 June 2023  
Photo: V. Witrock



All-Season Precipitation Weighing Gauge  
with 2 meter anemometer  
13 June 2023  
Photo: V. Witrock

## PRECIPITATION RANKINGS


RANKING BY WETTEST YEAR (mm)									
ANNUAL (JAN-DEC)		WINTER (DJF)		SPRING (MAM)		SUMMER (JJA)		AUTUMN (SON)	
2010	707.4	1969	98.1	2010	216.1	2010	316.4	2006	203.4
1991	546.9	1972	92.2	2012	184.3	2005	269.4	1969	151.8
2006	517.5	1974	92.2	1977	164.1	2012	266.0	2010	151.1
2012	501.1	2007	74.7	2014	162.4	2004	260.0	1984	137.0
2005	486.8	1980	73.0	1974	148.0	1991	251.6	1978	111.4
1983	471.6	1976	69.5	1991	147.3	1971	248.8	2005	109.4
1974	462.7	1965	69.3	1985	134.3	2007	231.0	1991	105.4
2014	452.7	1975	67.3	1983	125.2	1968	225.9	2015	99.2
1968	443.1	1973	63.2	1975	119.6	1966	222.0	1983	96.2
1982	436.2	1978	63.0	1982	110.8	1970	216.5	1973	88.2
1969	427.4	1979	61.3	1994	109.4	1983	215.8	1986	87.2
1971	414.6	1971	60.4	2006	101.8	2009	212.8	1982	81.5
2007	413.9	1989	57.9	1989	101.7	1982	208.4	1964	77.4
1986	411.3	1986	57.2	1968	97.6	2002	206.8	2016	77.4
2004	404.5	1990	55.6	1997	88.2	1965	206.6	1967	76.8
1973	393.3	1992	55.0	1979	87.3	2014	206.2	1996	74.4
1975	392.3	1966	54.7	1990	87.2	1974	205.5	1993	73.1
1970	388.8	1968	53.8	1986	82.5	1986	196.2	2002	72.8
1989	384.8	1970	52.7	2017	79.9	1999	194.2	1968	71.3
1966	376.9	1985	52.3	1967	78.0	2008	191.2	1998	70.0
1977	370.5	1981	52.2	1987	73.6	2016	188.9	2019	68.7
2016	363.6	1996	51.0	1973	73.1	2011	186.6	1980	66.6
1965	358.8	1997	48.0	1978	72.8	2013	185.3	1992	65.9
1978	358.1	1964	47.9	1972	71.6	2006	183.8	2011	65.7
1967	354.3	2005	45.4	2022	70.1	2000	183.8	1977	65.4
1979	352.0	1994	45.1	1976	69.1	2019	180.0	2018	65.0
1994	341.4	1977	43.1	1969	68.5	1976	169.4	2014	64.9
2015	340.7	1983	41.1	1964	65.8	1994	165.6	1989	64.5
1996	340.6	2013	41.1	1970	65.7	1995	164.4	2008	64.4
1976	331.8	1991	40.3	1995	65.4	2015	156.4	2017	62.2
1985	330.6	2009	38.8	2007	64.7	1973	156.1	1997	61.6
1995	327.7	2022	38.5	1993	62.2	1996	154.4	1981	61.4
2011	320.6	1967	37.9	2005	62.1	1993	151.0	2020	58.2
2002	320.0	1982	37.0	2003	61.8	1989	149.9	2009	56.5
2009	319.3	1988	35.9	1966	61.2	2020	149.2	1970	56.4
2013	318.4	2014	34.9	1971	61.1	1988	148.9	1985	55.2
1972	317.9	2023	34.5	2020	61.1	1975	144.5	1979	53.4
2000	315.4	2011	32.3	2000	59.2	1990	144.5	1995	52.6
2008	313.8	2016	32.1	2016	59.0	1978	142.5	2003	51.2
1990	309.8	2006	32.0	1996	58.8	1967	139.9	1965	50.9
1980	305.9	2000	31.7	1984	57.2	1979	135.9	1966	50.2
1993	300.0	1995	31.3	1999	56.5	1998	133.4	2004	50.0
1999	297.7	1999	31.3	1988	55.6	1972	133.3	1975	48.8
2019	295.9	1987	30.6	1992	55.5	2023	130.4	2007	45.3
1984	293.1	2004	29.3	2004	55.4	2022	128.3	2023	43.8
1997	291.4	2003	29.2	1981	54.3	2003	126.2	1974	40.0
1992	288.1	2015	29.1	2015	54.2	1981	124.9	1988	38.1
1988	285.7	2017	28.4	2023	53.0	1980	120.3	1971	34.2
2020	284.5	2019	25.8	2018	51.8	1997	116.4	1990	33.9
1964	282.7	2001	23.1	2013	51.0	1992	115.6	1972	32.3
1981	279.8	2010	22.5	2021	44.7	1969	105.5	2013	31.6
2022	275.4	1998	22.4	1965	43.2	2017	92.7	2000	31.2
1998	263.3	1993	22.0	1980	42.2	1987	92.6	2022	29.7
2003	257.7	2008	21.6	2011	41.3	1985	91.8	2012	29.1
2017	257.1	2020	19.3	2001	34.0	2001	91.2	2001	28.5
2023	244.6	1984	19.2	1998	29.8	1977	81.9	2021	27.7
1987	232.4	2018	19.0	2008	29.8	2018	81.4	1987	27.4
2018	216.3	2021	15.3	2002	20.3	1964	73.9	1976	21.8
2021	167.6	2012	13.5	2009	19.0	1984	70.2	1994	21.0
2001	165.8	2002	12.1	2019	18.5	2021	69.3	1999	17.2

ANNUAL RANKING BY DAYS WITH PRECIPITATION									
ANNUAL (JAN-DEC)		WINTER (DJF)		SPRING (MAM)		SUMMER (JJA)		AUTUMN (SON)	
2004	158	1969	61	2004	44	2010	45	2006	38
1969	147	1974	57	2012	39	1978	43	1978	36
2016	143	1972	48	1979	37	2012	43	2007	36
1978	139	1979	48	1974	36	1982	42	2004	34
2006	139	2019	45	1983	36	1991	42	1992	33
2022	137	2009	43	2005	36	2004	42	2019	33
1974	136	2023	42	2006	36	2014	41	1969	32
1982	136	1976	41	1975	35	1994	41	1970	32
2005	135	1983	41	2017	35	2005	40	1983	32
1983	132	2017	41	2022	35	2016	40	2016	32
2010	132	1970	40	1982	34	1976	39	1989	31
2019	132	1971	40	1997	32	1973	38	2018	31
1991	131	1978	40	2000	32	1974	38	2014	30
1975	130	2011	40	2020	32	1981	38	1977	30
1977	129	2016	39	1977	31	2019	38	1991	30
1972	128	2022	39	1993	31	1986	37	2010	30
2007	128	2005	37	1999	31	1972	36	1984	29
1973	127	2014	36	1969	30	1989	36	2002	29
2011	127	1973	36	1989	30	2002	36	1985	28
1970	126	1980	36	1995	30	2008	36	1967	27
1979	126	1981	36	2003	30	2009	36	2008	27
1989	124	2006	36	2007	30	1966	35	2017	27
1980	123	2021	35	2011	30	1975	35	1973	25
2013	123	1982	34	2013	29	1980	35	1975	25
1971	122	1975	33	2014	28	1987	35	2003	25
2017	122	1991	33	2010	28	1993	35	1965	24
2014	121	2003	33	2018	28	2000	35	1981	24
2008	121	1977	31	1987	27	2006	35	1996	24
2020	121	2020	31	1990	27	2013	35	1998	24
2012	120	1992	30	1991	27	2022	35	2001	24
2009	119	1997	30	2016	27	1996	34	2011	24
2000	118	2000	30	1970	26	1997	34	2015	24
1992	116	2007	30	1971	26	1999	34	2022	24
1976	115	2015	30	1973	26	2020	34	1971	23
1981	113	2004	29	1985	25	1968	33	1980	23
2018	112	2010	29	2008	25	1977	33	1986	23
1996	110	1965	27	1984	24	1992	33	2009	23
2003	110	1989	27	1996	24	1988	32	1968	22
1985	107	1990	27	2009	24	1990	32	1972	22
1995	107	1998	27	1972	23	1995	32	1993	22
1999	107	1966	26	1976	23	1971	31	2005	22
2002	107	1967	26	1978	22	1983	31	2012	22
1968	106	1986	26	1980	22	2007	31	2020	22
1993	106	2008	26	1986	22	1965	29	1979	21
1998	106	1968	25	1998	22	2018	29	1995	20
1990	105	1999	25	2002	22	1964	28	2013	20
2015	104	1964	24	2015	22	1970	28	1982	19
1987	102	1993	24	1967	21	1979	28	1988	19
1994	101	1996	24	1981	21	1998	28	2000	19
1967	100	2013	24	1992	20	1969	27	1964	18
1966	98	1988	23	1994	20	2015	27	1990	18
1986									


## PRECIPITATION


MONTH	MONTHLY PRECIPITATION (mm)				EXTREME VALUES (mm)			SM	Saskatoon stations circa (NWMP et al)	1889-1901
	2023	NORMAL	CUMULATIVE 2023	% OF CUMULATIVE NORMAL	CRS Maximum	CRS Minimum	SASKATOON AREA Maximum			
January	6.4	13.2	6.4	48.5	48.6/1969	2.6/2001	66.1/1911 <sup>SE</sup>			
February	5.9	9.1	12.3	55.2	40.2/1979	1.7/2021	43.7/1924 <sup>SE</sup>	SE	Saskatoon Eby	1901-42
March	1.8	11.2	14.1	42.1	57.1/1967	0.8/2010	59.0/1927 <sup>SE</sup>	US	University of Saskatchewan	1915-64
April	16.5	23.3	30.6	53.9	83.5/2014	2.4/1988, 1989, 2007	86.1/1955 <sup>US</sup>	S	Saskatoon	1941-42
May	34.7	37.6	65.3	69.2	145.3/1977	0.2/2002	178.0/1977 <sup>SWT</sup>	SA	S'toon Diefenbaker Int'l Airport	1942-2008
June	56.4	73.9	121.7	72.3	171.0/2005	13.0/1985	186.8/1942 <sup>S</sup>	NRC	National Research Council	1952-66
July	23.3	60.1	145.0	63.5	125.9/1971	5.0/2021	162.9/1928 <sup>SE</sup>	SRC	Sask. Research Council	1963-
August	50.7	46.4	195.7	71.2	105.2/2007	7.0/2001	178.9/1954 <sup>NRC</sup>	SWT	St'toon Water Treatment Plant	1974-2006
September	17.5	33.4	213.2	69.2	128.4/2006	0.8/1995, 2012	128.4/2006 <sup>SRC</sup>	SC	Saskatoon Central Ave	1974-89
October	19.1	20.4	232.3	70.7	69.8/1969	0.0/2000	69.8/1969 <sup>SRC</sup>	S2	Saskatoon 2	1977-90
November	7.2	13.8	239.5	69.9	48.2/1973	0.4/2009	57.3/1940 <sup>SE</sup>	K	Saskatoon Kernen Farm	1993-2004
December	5.1	9.9	244.6	69.4	43.0/1977	1.2/1997	59.2/1956 <sup>SA</sup>	KCS	Saskatoon Kernen Farm CS	1996-2008
Total	244.6	352.3			707.4/2010	165.8/2001	707.4/2010 <sup>SRC</sup>	RCS	Environment Canada	2008-

### Monthly





### Annual



**SEASONAL PRECIPITATION**

## PRECIPITATION


MONTH	NUMBER OF DAYS WITH MEASURABLE PRECIPITATION					EXTREME VALUES	
	2023	Cumulative 2023	Normal	CUMULATIVE NORMAL	% OF CUMULATIVE NORMAL	CRS Maximum	CRS Minimum
January	14	14	11.5	11.5	121.7	25/1974	3/2001
February	11	25	8.1	19.6	127.6	20/1969	2/1984
March	7	32	9.8	29.4	108.8	19/2004	2/1990, 92, 94 2007, 2010
April	8	40	9.3	38.7	103.4	17/2003	2/1964
May	5	45	9.3	48.0	93.8	19/1989	1/2002
June	7	52	13.4	61.4	84.7	21/1991	7/1964 & 1968
July	9	61	12.0	73.4	83.1	19/1986	4/1984
August	11	72	9.4	82.8	87.0	18/2002	2/2001
September	3	75	8.0	90.8	82.6	19/1977	2/1995, 2012, 13, 17
October	7	82	8.8	99.6	82.3	16/2004	0/2000
November	8	90	8.8	108.4	83.0	18/1970	1/1986, 74, 76, 90, 2009
December	5	95	10.3	118.7	80.0	21/2013	2/1997
Total	95		118.7			158/2004	84/2001

**Monthly Days****Annual Days**

Snow cover disappearance  
March and April 2023.  
Left photo: March 21  
Right photo: April 21  
Photo: V. Wittrock



## SEASONAL PRECIPITATION DAYS




## PRECIPITATION GRID (mm)


**Precipitation Daily**

2023	JAN	FEB	MAR	APR	MAY	JUN	JLY	AUG	SEP	OCT	NOV	DEC
1	0.0	0.1	0.3	0.0	0.0	5.0	0.0	2.9	0.0	8.9	0.0	0.0
2	0.0	0.3	0.0	1.1	0.0	0.0	0.0	0.3	0.0	4.5	0.0	0.1
3	0.0	0.0	0.0	0.0	0.0	16.7	1.4	0.0	0.0	0.0	0.0	0.0
4	0.0	2.2	0.0	0.0	0.0	0.0	0.2	0.1	0.0	0.7	1.7	0.0
5	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1	0.0
6	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0
7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	3.4	0.0	0.1	4.2
8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.1
9	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0
10	0.1	0.0	0.1	0.0	0.0	0.0	0.0	13.0	0.0	0.0	0.0	0.0
11	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0
12	0.0	0.0	0.0	0.0	0.0	1.5	0.0	0.0	2.7	0.0	0.0	0.0
13	0.0	0.0	0.0	0.2	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0
14	0.2	0.0	0.8	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
15	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
16	0.1	0.2	0.0	0.0	0.0	0.0	0.0	7.4	0.0	0.0	0.0	0.0
17	0.0	0.0	0.0	0.0	0.0	0.0	4.3	0.0	0.0	1.1	0.0	0.6
18	0.0	0.1	0.0	6.9	0.0	29.1	10.0	0.0	0.0	0.0	0.0	0.0
19	0.0	2.0	0.0	4.6	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.1
20	0.0	0.0	0.0	0.7	0.0	0.0	6.4	0.0	0.0	0.0	0.0	0.0
21	0.0	0.0	0.0	0.6	0.0	0.0	0.0	1.6	0.0	0.0	0.0	0.0
22	0.9	0.0	0.2	0.0	2.6	0.0	0.3	12.3	0.0	0.0	0.0	0.0
23	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
24	0.3	0.1	0.0	0.0	24.9	0.0	0.0	0.7	0.0	1.8	0.0	0.0
25	0.0	0.0	0.2	2.3	6.0	2.2	0.0	0.0	0.0	0.0	0.3	0.0
26	2.7	0.0	0.0	0.0	0.0	1.4	0.1	0.0	0.0	0.0	0.0	0.0
27	0.6	0.5	0.0	0.0	0.4	0.0	0.4	0.0	0.0	1.4	0.0	0.0
28	0.1	0.0	0.0	0.0	0.8	0.0	0.0	0.0	0.0	0.7	0.0	0.0
29	0.1		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
30	0.0		0.1	0.0	0.0	0.0	0.0	0.0	11.4	0.0	0.1	0.0
31	0.8		0.0		0.0		0.0	11.5		0.0		0.0







*Snow-on-the-Ground (cm)  
October 2022 to April 2023  
Daily, 9am*



*Snow-on-the-Ground (cm)  
October 2023 to December 2023  
Daily, 9am*



## SNOW-ON-THE-GROUND (SOG) ON LAST DAY OF MONTH



Manual Snow Depth Sensor  
17 February 2023  
Photo: R. Jansen

## RADIATION

### Sunrise/Sunset Tables for Saskatoon<sup>1</sup>

2023 DATE	JANUARY RISE SET	FEBRUARY RISE SET	MARCH RISE SET	APRIL RISE SET	MAY RISE SET	JUNE RISE SET	JULY RISE SET	AUGUST RISE SET	SEPTEMBER RISE SET	OCTOBER RISE SET	NOVEMBER RISE SET	DECEMBER RISE SET
1	9:15 17:05	8:47 17:54	7:52 18:46	6:41 19:40	5:36 20:32	4:52 21:18	4:50 21:30	5:27 20:57	6:18 19:54	7:07 18:44	8:02 17:38	8:53 16:58
2	9:15 17:06	8:45 17:56	7:50 18:48	6:39 19:42	5:34 20:34	4:51 21:19	4:51 21:30	5:29 20:55	6:19 19:52	7:09 18:42	8:03 17:36	8:54 16:57
3	9:15 17:07	8:44 17:58	7:48 18:50	6:37 19:44	5:33 20:35	4:50 21:20	4:51 21:30	5:31 20:54	6:21 19:49	7:11 18:39	8:05 17:34	8:56 16:57
4	9:15 17:08	8:42 17:59	7:46 18:51	6:34 19:46	5:31 20:37	4:49 21:21	4:52 21:29	5:32 20:52	6:23 19:47	7:12 18:37	8:07 17:32	8:57 16:56
5	9:14 17:10	8:40 18:01	7:43 18:53	6:32 19:47	5:29 20:39	4:49 21:22	4:53 21:29	5:34 20:50	6:24 19:45	7:14 18:35	8:09 17:31	8:58 16:56
6	9:14 17:11	8:38 18:03	7:41 18:55	6:30 19:49	5:27 20:40	4:48 21:23	4:54 21:28	5:35 20:48	6:26 19:43	7:16 18:33	8:11 17:29	8:59 16:55
7	9:14 17:12	8:37 18:05	7:39 18:57	6:27 19:51	5:25 20:42	4:48 21:24	4:55 21:27	5:37 20:46	6:28 19:40	7:17 18:30	8:13 17:27	9:01 16:55
8	9:13 17:13	8:35 18:07	7:37 18:59	6:25 19:53	5:23 20:44	4:47 21:24	4:56 21:27	5:39 20:45	6:29 19:38	7:19 18:28	8:14 17:25	9:02 16:55
9	9:13 17:15	8:33 18:09	7:34 19:00	6:23 19:54	5:22 20:45	4:47 21:25	4:57 21:26	5:40 20:43	6:31 19:36	7:21 18:26	8:16 17:24	9:03 16:54
10	9:12 17:16	8:31 18:11	7:32 19:02	6:21 19:56	5:20 20:47	4:46 21:26	4:58 21:25	5:42 20:41	6:32 19:33	7:23 18:23	8:18 17:22	9:04 16:54
11	9:11 17:18	8:29 18:13	7:30 19:04	6:18 19:58	5:18 20:48	4:46 21:27	4:59 21:24	5:43 20:39	6:34 19:31	7:24 18:21	8:20 17:21	9:05 16:54
12	9:11 17:19	8:28 18:14	7:28 19:06	6:16 19:59	5:17 20:50	4:46 21:27	5:00 21:23	5:45 20:37	6:36 19:29	7:26 18:19	8:21 17:19	9:06 16:54
13	9:10 17:21	8:26 18:16	7:25 19:07	6:14 20:01	5:15 20:52	4:45 21:28	5:01 21:23	5:47 20:35	6:37 19:26	7:28 18:17	8:23 17:18	9:07 16:54
14	9:09 17:22	8:24 18:18	7:23 19:09	6:12 20:03	5:14 20:53	4:45 21:29	5:02 21:22	5:48 20:33	6:39 19:24	7:29 18:15	8:25 17:16	9:08 16:54
15	9:08 17:24	8:22 18:20	7:21 19:11	6:09 20:05	5:12 20:55	4:45 21:29	5:04 21:21	5:50 20:31	6:41 19:22	7:31 18:12	8:27 17:15	9:09 16:54
16	9:07 17:26	8:20 18:22	7:18 19:13	6:07 20:06	5:10 20:56	4:45 21:30	5:05 21:19	5:51 20:29	6:42 19:19	7:33 18:10	8:29 17:13	9:10 16:54
17	9:06 17:27	8:18 18:24	7:16 19:14	6:05 20:08	5:09 20:58	4:45 21:30	5:06 21:18	5:53 20:27	6:44 19:17	7:35 18:08	8:30 17:12	9:10 16:55
18	9:05 17:29	8:16 18:26	7:14 19:16	6:03 20:10	5:08 20:59	4:45 21:30	5:07 21:17	5:55 20:25	6:46 19:14	7:36 18:06	8:32 17:11	9:11 16:55
19	9:04 17:30	8:14 18:28	7:11 19:18	6:01 20:11	5:06 21:01	4:45 21:31	5:09 21:16	5:56 20:23	6:47 19:12	7:38 18:04	8:34 17:09	9:12 16:55
20	9:03 17:32	8:12 18:29	7:09 19:20	5:59 20:13	5:05 21:02	4:45 21:31	5:10 21:15	5:58 20:20	6:49 19:10	7:40 18:02	8:35 17:08	9:12 16:56
21	9:02 17:34	8:10 18:31	7:07 19:21	5:57 20:15	5:03 21:04	4:45 21:31	5:11 21:14	6:00 20:18	6:51 19:07	7:42 18:00	8:37 17:07	9:13 16:56
22	9:01 17:36	8:07 18:33	7:04 19:23	5:54 20:17	5:02 21:05	4:46 21:31	5:13 21:12	6:01 20:16	6:52 19:05	7:44 17:57	8:39 17:06	9:14 16:56
23	9:00 17:37	8:05 18:35	7:02 19:25	5:52 20:18	5:01 21:06	4:46 21:31	5:14 21:11	6:03 20:14	6:54 19:03	7:45 17:55	8:40 17:05	9:14 16:57
24	8:58 17:39	8:03 18:37	7:00 19:27	5:50 20:20	5:00 21:08	4:46 21:31	5:16 21:09	6:05 20:12	6:55 19:00	7:47 17:53	8:42 17:04	9:14 16:58
25	8:57 17:41	8:01 18:39	6:57 19:28	5:48 20:22	4:59 21:09	4:47 21:31	5:17 21:08	6:06 20:10	6:57 18:58	7:49 17:51	8:44 17:03	9:15 16:58
26	8:56 17:43	7:59 18:40	6:55 19:30	5:46 20:23	4:57 21:10	4:47 21:31	5:18 21:07	6:08 20:07	6:59 18:56	7:51 17:49	8:45 17:02	9:15 16:59
27	8:54 17:45	7:57 18:42	6:53 19:32	5:44 20:25	4:56 21:12	4:48 21:31	5:20 21:05	6:10 20:05	7:00 18:53	7:53 17:47	8:47 17:01	9:15 17:00
28	8:53 17:46	7:55 18:44	6:50 19:34	5:42 20:27	4:55 21:13	4:48 21:31	5:21 21:03	6:11 20:03	7:02 18:51	7:54 17:45	8:48 17:00	9:15 17:01
29	8:51 17:48	7:48 18:45	6:48 19:35	5:40 20:28	4:54 21:14	4:49 21:31	5:23 21:02	6:13 20:01	7:04 18:49	7:56 17:43	8:50 16:59	9:15 17:02
30	8:50 17:50	7:46 18:46	6:46 19:37	5:38 20:30	4:53 21:15	4:49 21:31	5:24 21:00	6:14 19:59	7:06 18:46	7:58 17:42	8:51 16:59	9:15 17:03
31	8:49 17:51		6:43 19:39		4:53 21:16		5:26 20:59	6:16 19:56		8:00 17:40		9:15 17:04

<sup>1</sup>National Research Council, Canada, Herzberg Institute of Astrophysics

Sunrise/set corresponds to the upper limb of the sun appearing at the horizon



*Radiation:*

*Left: Bright Sunshine; Middle: Diffuse; Right: Global  
11 September 2023  
Photos: V. Wittrock*







**RADIATION**


MONTH	BRIGHT SUNSHINE (HOURS)					2023 CUMULATIVE (HOURS)	NORMAL CUMULATIVE (HOURS)	BRIGHT SUNSHINE DAYS				
	2023	NORMAL	% OF NORMAL	POSSIBLE SUNSHINE*	% OF POSSIBLE			2023 NUMBER OF DAYS	NORMAL NUMBER OF DAYS	2023 CUMULATIVE (DAYS)	NORMAL CUMULATIVE (DAYS)	2023 WITH MORE THAN 1 HOUR
JAN	98.2	105.3	93.3	259.6	37.8	98.2	105.3	22	24.0	22	24.0	18
FEB	178.3	139.6	127.7	279.5	63.8	276.5	244.9	25	24.1	47	48.1	25
MAR	273.6	204.0	134.1	370.1	73.9	550.1	448.9	31	28.3	78	76.4	30
APR	283.4	231.4	124.6	419.2	67.6	833.5	680.3	27	27.6	105	104.0	26
MAY	309.8	274.7	112.8	488.3	63.5	1143.3	955.0	30	29.5	135	133.5	30
JUNE	353.2	253.0	139.6	500.4	70.6	1496.5	1208.0	30	28.0	165	161.5	30
JULY	319.4	305.5	104.5	501.5	63.7	1815.9	1513.5	31	30.4	196	191.9	31
AUG	279.3	276.9	100.9	451.9	61.8	2095.2	1790.4	29	30.0	225	221.9	29
SEP	260.0	214.7	121.1	378.5	68.7	2355.2	2005.1	30	27.8	255	249.7	29
OCT	172.8	158.7	108.9	328.4	52.6	2528.0	2163.8	27	26.4	282	276.1	26
NOV	128.2	97.4	131.6	263.4	48.7	2656.2	2261.2	22	22.2	304	298.3	21
DEC	158.0	89.2	177.1	242.1	65.3	2814.2	2350.4	30	22.7	334	321.0	27
TOTAL	2814.2	2350.4	119.7	4482.9	62.8			334	321.0			322

\* National Research Council, Canada, Herzberg Institute of Astrophysics

**Global and Diffuse Radiation (MJ/m<sup>2</sup>)**

DATE	JANUARY		FEBRUARY		MARCH		APRIL		MAY		JUNE		JULY		AUGUST		SEPTEMBER		OCTOBER		NOVEMBER		DECEMBER	
	Global	Diffuse	Global	Diffuse	Global	Diffuse	Global	Diffuse	Global	Diffuse	Global	Diffuse	Global	Diffuse	Global	Diffuse	Global	Diffuse	Global	Diffuse	Global	Diffuse	Global	Diffuse
1	5.1	1.6	3.1	3.1	10.2	6.6	19.0	7.0	25.7	3.5	21.7	9.6	22.4	7.0	23.9	4.5	16.2	7.5	1.7	1.6	4.5	3.6	5.3	1.2
2	5.3	1.4	6.5	3.1	11.0	6.2	5.3	5.1	25.7	3.9	14.0	10.9	26.4	7.3	24.9	4.9	15.1	6.5	3.7	3.6	4.7	2.8	2.9	2.0
3	5.7	1.3	5.8	3.7	12.3	2.2	16.9	11.1	26.1	4.1	12.9	9.1	11.4	8.5	21.1	7.0	9.0	6.9	10.5	4.4	1.8	1.8	4.2	1.3
4	6.5	1.6	4.2	3.7	7.6	7.2	19.6	4.5	26.2	3.7	27.2	6.8	20.4	9.9	23.1	6.6	9.7	7.7	5.2	3.8	2.9	2.8	4.5	1.4
5	2.5	2.3	7.2	2.5	12.1	4.7	20.5	3.7	22.9	7.0	27.6	7.5	29.6	4.8	19.6	7.6	17.3	4.7	3.4	3.0	1.5	1.5	1.6	1.4
6	3.5	1.3	7.5	1.5	13.4	3.7	21.1	3.6	16.2	7.7	24.8	8.9	24.2	8.4	21.1	8.8	15.7	6.3	13.1	3.0	1.7	1.7	1.1	1.1
7	7.1	1.2	6.8	2.2	12.2	7.6	20.3	3.7	19.7	9.6	29.4	6.2	24.0	9.5	20.0	8.1	11.5	4.5	12.1	1.6	0.9	0.9	0.6	0.6
8	5.2	2.0	5.2	4.9	12.9	4.3	16.3	9.4	19.7	11.8	25.9	9.2	27.5	5.2	22.9	6.4	16.9	4.4	12.2	1.4	5.0	1.8	3.9	1.5
9	4.4	2.8	8.6	2.4	11.7	6.2	19.4	5.9	23.3	6.9	25.0	9.9	22.3	10.7	17.6	10.8	16.2	4.1	12.1	1.4	2.0	2.0	5.3	0.9
10	1.6	1.6	7.0	4.0	10.9	6.4	19.6	3.2	23.0	6.2	28.7	7.2	25.6	8.1	10.1	5.6	16.8	4.1	11.8	1.6	4.4	1.6	3.7	0.8
11	2.5	2.2	7.5	1.6	11.2	8.2	15.0	7.1	15.2	11.5	28.2	8.6	12.9	10.6	11.0	8.7	13.4	5.0	11.9	1.6	4.9	1.9	3.6	0.8
12	2.2	1.8	7.6	1.7	15.3	3.6	20.0	3.8	13.1	9.4	21.6	7.8	24.1	10.1	15.1	8.2	14.0	6.2	2.8	2.8	5.9	1.5	3.3	0.8
13	2.3	1.5	7.7	2.5	11.7	9.7	14.5	9.5	22.6	8.4	23.9	11.9	16.0	10.0	21.5	5.7	10.6	6.9	6.4	5.1	4.4	2.8	3.5	0.7
14	1.4	1.1	8.3	1.8	7.2	6.3	13.9	7.1	25.8	6.4	21.6	10.0	10.7	8.8	21.5	4.0	7.7	4.5	8.2	3.1	5.8	1.0	2.4	1.8
15	1.7	1.4	4.0	4.1	14.8	6.6	19.7	5.4	27.2	4.3	18.1	10.2	12.0	8.5	18.8	7.9	16.2	3.6	7.1	4.7	5.4	1.3	3.3	0.8
16	1.1	0.9	7.7	4.4	12.9	7.2	20.5	5.5	24.7	6.3	29.2	7.5	20.4	10.9	19.1	6.6	16.6	3.1	9.0	3.2	5.7	1.6	2.2	0.9
17	2.1	1.7	5.5	4.9	16.7	3.6	19.8	4.9	12.9	7.6	16.8	13.3	21.0	9.9	18.7	6.8	16.8	2.6	6.5	4.3	5.4	1.0	3.5	0.8
18	1.7	1.5	5.0	5.0	16.6	3.7	5.0	4.7	26.8	4.7	24.0	10.3	7.5	5.4	11.9	8.2	13.9	5.0	7.0	4.2	5.1	0.8	2.2	1.6
19	1.3	1.1	6.4	6.0	17.6	3.5	7.7	7.3	27.6	5.5	28.6	5.6	18.1	9.0	14.3	8.0	7.7	4.2	9.7	1.5	4.6	1.3	1.8	1.6
20	5.6	2.4	8.2	6.0	7.6	7.3	9.3	8.8	15.7	10.3	30.1	5.2	17.9	9.4	19.3	5.7	8.2	5.5	9.2	1.9	5.0	1.1	3.3	1.1
21	6.6	1.5	11.5	3.5	15.1	7.9	17.8	13.3	16.3	11.8	18.0	9.8	23.9	10.2	9.6	7.8	14.8	2.6	7.1	4.5	2.8	2.2	2.1	1.4
22	2.9	2.8	12.4	3.6	16.9	5.4	22.1	6.8	19.4	9.9	27.6	5.5	18.5	9.5	3.6	3.2	15.0	2.8	8.8	2.3	1.7	1.7	4.3	1.0
23	2.7	2.7	8.5	6.6	17.2	2.9	24.0	4.9	22.7	11.9	29.0	5.6	23.3	9.6	8.2	6.2	12.0	5.6	3.7	3.4	5.7	0.9	2.3	1.4
24	3.7	3.4	9.3	5.6	16.6	6.6	19.7	9.5	9.3	7.6	22.9	6.9	25.5	6.6	13.9	5.1	9.2	5.9	5.8	4.2	5.0	1.1	4.1	0.9
25	2.8	2.8	10.9	3.8	17.0	5.8	16.8	9.4	4.7	4.2	28.0	5.9	22.6	7.1	16.1	7.0	13.8	2.9	5.2	3.1	1.1	1.0	3.6	0.7
26	4.2	2.6	8.5	6.6	19.9	4.3	25.0	3.4	16.3	12.0	24.4	8.9	23.4	5.8	19.1	4.7	14.5	2.5	7.0	3.4	2.4	2.1	3.6	0.8
27	4.0	3.3	10.9	3.8	16.2	7.8	13.6	9.1	16.7	10.0	18.9	9.2	13.5	9.9	16.7	7.3	14.1	2.1	3.0	2.7	3.6	2.0	3.5	0.7
28	6.5	2.6	12.4	3.6	16.7	5.8	19.5	6.5	14.3	9.6	27.5	6.1	22.6	8.3	16.5	6.8	13.6	2.6	6.1	4.4	4.3	0.8	3.3	0.7
29	6.5	1.5			18.5	6.0	25.9	3.2	26.2	8.3	27.3	6.5	16.9	6.4	16.9	6.2	11.4	4.1	3.7	3.6	3.5	1.4	3.4	0.7
30	7.8	1.6			18.0	4.3	25.5	3.5	22.7	10.3	19.8	9.7	24.3	4.5	11.5	6.4	3.7	3.5	8.3	1.7	1.2	1.3	4.7	0.8
31	3.6	3.6			19.2	4.5			22.9	7.5			22.0	5.4	2.9	2.7			4.0	3.7			3.5	1.3
TOTAL	120.1	61.1	214.2	106.2	437.2	176.1	533.3	190.9	631.6	241.9	722.7	249.8	630.9	255.3	510.5	203.5	391.6	137.9	226.3	94.8	112.9	49.3	100.6	33.5
1971-2000 NORMAL	129.9	71.4	210.1	105.3	362.4	173.9	492.2	187.5	586.3	222.2	638.7	228.1	633.5	216.5	529.0	185.6	351.8	127.6	239.1	92.6	123.7	73.6	95.2	54.3
1981-2010 NORMAL	126.9	68.7	213.0	104.0	371.9	162.9	486.9	186.2	603.5	218.5	625.7	224.4	650.6	209.9	542.1	179.0	374.1	123.2	239.0	96.7	127.2	63.4	100.0	50.0
1991-2020 NORMAL	121.8	65.6	209.1	100.9	378.7	156.3	487.2	180.1	634.1	214	612.6	218.3	662.0	203.3	542.2	172.5	373.1	120.9	226.5	92.8	118.5	60.8	92.1	47.6

**RADIATION****Annual Bright Sunshine Hours****Seasonal Bright Sunshine Hours****Monthly Bright Sunshine Hours****Monthly Comparison Bright Sunshine Hours, Global & Diffuse Radiation**

**RADIATION**

2023 BRIGHT SUNSHINE RECORDS				
TYPE	DATE	NEW RECORD	OLD Record	YEAR
No. of days with measurable Bright Sunshine	March	31	31	1976, 2019
	June	30	30	lots
	July	31	31	lots
	September	30	30	1966, 1970, 1979, 1990, 1995, 2001, 2011, 2012, 2021, 2022
	December	30	27	1994
No. of days >= 1 hour	June	30	30	1969, 1972, 1974, 1977, 1978, 1990, 2001, 2016,
	July	31	31	1967, 1976, 1977, 1979, 1980, 1986, 1988, 1997, 2001, 2006, 2007, 2008, 2014, 2018, 2020,
	December	27	27	2006
	Calendar Year	322	321	1979
No. of days >=5 hours	December	19	16	1975, 1979
No. of days >=10 hours	March	18	15	2014, 2019
Greatest Monthly Bright Sunshine Hours	December	158.0	123.3	2006
% of Bright Sunshine hours vs Possible Daylight Hours	December	65.2	50.9	2006
	Calendar Year	62.8	60.1	2013

**Bright Sunshine Daily (hrs)**

2023	JAN	FEB	MAR	APR	MAY	JUN	JLY	AUG	SEP	OCT	NOV	DEC
1	4.1	0.0	4.8	11.8	14.3	8.4	9.9	14.5	10.8	0.0	3.0	7.2
2	7.4	7.5	4.6	0.0	14.3	3.8	12.3	14.6	11.9	0.0	4.0	2.5
3	7.4	5.2	10.0	9.6	14.4	3.8	3.4	12.3	3.6	7.3	0.0	4.9
4	7.2	1.3	1.1	12.5	14.5	13.8	9.3	13.5	3.9	1.6	0.0	5.3
5	0.7	7.8	10.2	12.6	11.9	15.3	15.6	10.9	12.2	1.4	0.0	0.8
6	5.5	8.7	10.6	12.8	8.0	13.6	14.1	11.5	10.8	10.7	0.0	0.1
7	7.3	7.6	8.8	12.8	9.8	15.7	14.0	11.1	5.8	10.8	0.0	0.0
8	5.6	1.0	10.2	10.2	10.1	14.6	15.6	13.4	11.5	10.8	4.4	4.0
9	4.1	9.3	9.7	12.6	12.9	13.2	12.7	9.5	9.5	10.7	0.0	6.8
10	0.0	8.7	5.9	10.1	12.1	14.6	12.4	3.3	11.1	10.6	4.5	6.7
11	0.4	9.4	7.1	8.8	6.7	14.4	4.3	2.6	6.6	10.4	6.4	7.4
12	1.6	8.4	11.3	12.9	4.5	10.2	13.3	7.6	10.3	0.0	8.3	6.3
13	0.3	8.3	5.5	8.0	12.0	12.7	7.4	13.7	5.7	3.8	5.6	7.3
14	0.0	9.6	2.5	6.4	14.4	10.2	2.2	11.9	6.1	6.1	8.5	2.6
15	0.0	0.0	11.0	11.2	14.7	7.0	4.8	10.0	11.4	5.2	6.5	6.0
16	0.0	8.7	6.9	13.4	11.7	14.6	12.4	10.9	12.0	8.6	7.8	3.7
17	0.0	2.7	11.5	10.2	5.2	5.7	9.9	11.7	11.6	3.8	8.0	7.0
18	0.0	0.0	11.3	0.0	12.1	12.0	1.6	6.5	10.7	5.7	8.2	3.4
19	0.0	1.3	10.5	0.0	13.9	15.6	9.2	6.5	4.4	9.8	7.1	0.6
20	4.7	7.5	0.2	0.1	8.9	15.6	9.1	10.0	5.1	9.6	8.2	6.8
21	8.1	9.3	9.3	7.5	8.6	7.8	12.2	1.7	10.4	7.8	2.2	1.4
22	1.0	9.5	9.7	12.2	8.0	13.1	9.6	0.0	11.5	8.1	0.0	6.9
23	0.0	6.3	12.0	13.7	11.0	14.0	12.7	3.6	6.7	1.4	7.9	3.0
24	1.0	8.1	11.1	12.0	1.7	10.8	13.6	7.5	5.8	3.8	7.8	7.3
25	0.0	8.5	10.0	7.0	0.0	12.7	11.7	9.0	10.0	3.8	0.9	7.3
26	3.5	4.2	12.0	13.2	5.4	11.0	11.6	11.8	11.4	6.6	1.6	7.3
27	3.0	9.4	10.7	5.1	7.5	8.8	5.8	12.1	10.0	0.6	4.1	7.3
28	7.9	10.0	10.1	8.0	5.1	15.5	11.0	11.3	10.1	3.5	7.8	7.0
29	8.5		11.7	14.3	14.6	15.3	11.8	11.8	8.8	0.0	5.4	7.3
30	8.7		11.1	14.4	11.5	9.4	14.7	4.5	0.3	9.1	0.0	7.3
31	0.2		12.2		10.0		11.2	0.0		1.2		6.5

## RADIATION

### Bright Sunshine Ranking

% OF ACTUAL TO POSSIBLE HOURS BRIGHT SUNSHINE									
% ANNUAL	WINTER % DJF	SPRING % MAM	SUMMER % JJA	AUTUMN % SON					
2023	62.8	2018	56.6	2019	69.9	1969	70.7	2011	61.7
2011	59.9	1980	55.0	2015	68.5	1967	69.8	1976	60.3
2013	59.9	2000	52.8	2023	68.0	1978	69.2	2022	59.4
2015	59.5	2014	51.4	1980	66.7	1979	67.9	2013	58.0
2021	59.3	2007	50.9	2018	66.1	1984	67.9	2023	57.7
1976	58.8	2021	50.5	2021	65.6	1974	67.7	2008	57.3
1980	58.3	2012	49.7	2013	64	1970	67.5	2021	55.8
2008	58.1	1979	47.9	2011	63.1	2011	66.4	2015	55.5
2022	57.2	2001	47.8	1968	63.0	2006	66.1	1966	53.3
2018	57.2	2020	47.8	2009	62.8	2017	65.6	2001	52.9
1978	57.2	1996	47.7	2008	62.2	1975	65.6	1974	52.2
2007	57.0	2023	47.2	1976	62.1	1971	65.6	2017	52.1
1979	56.8	2002	47.1	2020	60.4	2023	65.4	2007	52.1
2017	56.7	1982	46.6	1971	60.1	1982	65.4	2009	52.1
1971	56.3	1978	46.4	1969	59.2	1985	64.8	2005	52.1
2009	56.3	2017	46.1	1977	58.8	2013	64.7	2010	51.8
1967	56.0	1976	46.0	2002	58.6	2007	64.7	1979	51.3
2006	55.7	1989	45.8	1998	58.6	1976	64.2	1994	51.1
2001	55.7	2022	45.6	2007	58.6	1983	64.2	2012	50.4
2020	55.6	2009	45.3	1989	57.6	2022	63.9	2000	50.3
1977	55.4	1971	45.2	1981	57.6	1977	63.8	1967	50.2
2019	55.3	1966	45.1	2006	57.4	2012	63.5	1982	50.0
1969	55.3	1977	45.0	2001	56.9	1968	63.3	2014	49.7
1975	55.0	1984	44.9	1994	56.6	1972	63.3	1988	49.3
2012	54.8	1988	44.8	1966	55.7	1981	63.1	2020	49.2
1968	54.2	2019	44.8	2022	55.5	2015	63.0	1978	49.1
1970	53.9	1970	44.6	1972	55.4	2008	62.9	2003	49.1
1981	53.8	2008	43.5	2017	54.9	1980	62.0	1975	48.9
1974	53.8	1993	43.4	2016	54.6	2018	62.0	1990	48.7
1966	53.5	2010	43.3	1967	54.4	1991	61.9	2006	48.5
1989	53.1	1975	42.4	1970	53.6	1988	61.8	1973	48.3
1988	53.0	2015	42.3	1979	53.4	2016	61.4	1980	47.7
1982	52.8	1981	42.2	1985	53.4	2020	61.4	1977	47.6
2014	52.5	2003	41.6	2003	53.3	1973	61.1	1997	47.5
2003	52.1	1973	41.2	1975	53.1	2021	59.7	2004	47.4
2016	51.9	1991	40.2	1978	53.0	2001	59.2	1989	46.5
2002	51.6	1995	40.2	2005	52.4	2010	58.7	1971	46.2
1984	51.6	1990	39.7	2014	52.4	1996	58.7	1995	45.8
1990	51.0	2013	39.1	2012	52	1966	58.7	1987	45.5
1973	51.0	2016	39.1	1991	51.7	1986	58.2	1999	44.2
2010	50.7	1987	38.9	1988	51.6	1989	58.1	2002	44.1
1985	50.5	2011	38.8	1992	51.5	1990	58.0	1968	44.0
1991	50.5	1999	38.5	1973	50.8	2009	57.8	1993	43.8
2000	50.0	1968	38.0	1983	50.1	2014	57.8	1981	43.1
1972	49.8	2005	37.9	1990	49.8	1997	57.7	1969	42.9
1997	49.6	2006	37.1	1997	49.3	2003	57.4	2016	42.0
1994	49.6	1997	37.0	1974	49.0	2019	56.8	2018	42.0
2005	49.1	1967	36.5	2004	48.7	2002	53.8	1983	41.5
1983	48.9	1972	36.3	1982	48.3	1999	52.2	2019	41.2
1996	47.9	2004	35.9	1993	48.2	2000	52.1	1991	40.4
1999	46.5	1992	35.9	2000	48.1	1994	51.0	1970	40.2
1995	46.5	1986	35.6	2010	47.6	1995	50.5	1985	39.3
1986	46.0	1985	35.1	1995	47.6	2004	48.5	1998	38.9
1998	46.0	1969	34.0	1984	47.0	2005	48.5	1984	38.1
1987	45.1	1998	33.7	1987	46.8	1992	48.4	1996	37.7
1993	44.9	1974	32.2	1999	45.2	1987	46.3	1986	36.4
2004	44.8	1994	26.9	1986	44.7	1998	45.8	1992	35.3
1992	43.8	1983	24.2	1996	44.1	1993	44.9	1972	33.6

DAYS WITH BRIGHT SUNSHINE					
ANNUAL	WINTER DJF	SPRING MAM	SUMMER JJA	AUTUMN SON	
1979	337	2012	81	2019	91
1976	335	2007	80	2020	91
1978	335	1972	79	1994	89
2017	335	1984	79	2002	89
2011	334	2018	79	2008	89
2023	334	1979	78	1969	88
2008	333	1982	78	1997	88
2022	333	1993	78	1998	88
1980	331	2022	78	2011	88
1990	331	1966	77	2013	88
2001	331	1988	77	2015	88
2009	331	2000	77	2023	88
2020	330	1976	76	1980	87
2021	329	1980	76	1985	87
2007	328	2020	76	2000	87
1997	327	2017	75	2014	84
1999	327	2021	75	1968	86
2015	326	1977	74	1971	86
1977	325	1978	74	1972	86
1988	325	1990	74	1984	86
1970	324	2008	74	1988	86
1994	324	2009	74	1992	86
1968	323	2023	74	2004	86
1985	323	1991	73	2007	86
1989	323	1970	72	2016	86
1993	323	1971	72	2022	86
1996	323	1996	72	1976	85
2013	323	1973	71	1978	85
2003	322	1987	71	2001	85
2016	322	1989	71	2009	85
2019	322	2001	71	2017	85
1971	321	2002	71	2021	85
1987	321	2015	71	1966	84
2000	321	1999	70	1970	84
2005	321	2014	77	1981	84
2012	321	1975	69	1990	84
1966	320	1997	69	1996	84
1975	319	2016	69	2005	84
1982	319	2019	69	1967	83
2002	319	1968	68	1973	83
1967	318	1974	68	1975	83
1969	318	1985	68	1979	83
1972	316	1995	68	1989	83
2010	316	2003	68	1993	83
2018	316	2013	68	2010	83
1974	315	1969	67	2018	83
1991	315	1981	67	1977	82
1981	313	2005	67	1986	82
1984	312	1992	65	1991	82
1973	311	2011	65	1999	82
1998	310	2006	64	2012	82
2006	308	1967	63	1982	81
2014	316	2004	63	1995	81
1986	307	1986	62	2006	81
1983	305	1998	62	1983	80
1995	303	1994	60	1974	79
2004	301	1983	55	2003	79
1992	300	2010	44	1987	77

**WIND**


MONTH	AVERAGE WIND SPEED (km/h)			HIGHEST INSTANTANEOUS WIND SPEED (km/h)			
	2023 Average	Normal*	2023 1/2 Hr. Max Average	2023 for CRS (Speed / direction / date)		Since 1953 (Saskatoon Diefenbaker Int'l. Airport) (Speed / direction / day / year)	
January	10.5	16	15.5	74.4 NNW	26	111 W	11 1986
February	13.3	16	19.3	56.5 NW	6	106 N	22 1988
March	13.1	17	18.7	53.0 WNW	14	93 W	18 1959
April	16.0	18	24.1	56.7 WNW	26	108 W	06 1959
May	15.1	18	23.6	54.8 WNW	30	132 SW	17 1965
June	14.1	17	22.5	61.7 SSW	1	117 SW	01 1986
July	13.3	16	21.7	60.8 WNW	3	113 E	05 1955
August	12.4	16	20.1	68.2 N	7	151 W	14 1967
September	11.7	17	18.9	60.1 WSW	12	148 W	22 1967
October	15.0	17	22.9	57.4 NW	4	138 NW	16 1967
November	14.5	16	21.9	71.6 WNW	20	100 W	17 1967
December	12.0	16	18.2	58.3 NW	11	121 W	12 1955

\*1961-90 Normals used are from the Environment Canada, Saskatoon Diefenbaker International Airport station, 1993




10 meter tower wind speed and direction sensor  
13 June 2023  
Photo: V. Wittrock

10 minute Average Wind Speed and Direction Saskatoon 2023



1/2 hr Maximum Wind Speed and Direction Saskatoon 2023



**Wind Speed  
Daily Average (km/h)**


2023	JAN	FEB	MAR	APR	MAY	JUN	JLY	AUG	SEP	OCT	NOV	DEC
1	9.5	11.0	10.9	10.2	18.8	10.2	12.4	10.5	12.9	16.4	7.3	11.7
2	10.7	11.5	11.0	24.1	15.5	24.1	23.5	8.0	16.7	8.9	10.6	10.4
3	7.9	12.1	15.7	11.5	15.1	11.5	27.4	20.7	8.9	10.9	8.7	6.1
4	11.5	6.6	7.9	6.2	16.5	6.2	16.2	15.1	16.2	18.4	14.7	8.9
5	4.9	12.6	10.1	7.5	26.7	7.5	6.2	10.3	8.6	27.3	14.8	10.3
6	9.9	22.6	9.1	12.7	23.3	12.7	11.3	9.6	13.9	14.3	5.6	6.6
7	8.7	14.8	19.0	25.2	22.7	25.2	9.0	8.6	8.2	9.6	10.6	19.2
8	7.2	11.0	18.8	18.7	21.0	18.7	11.2	12.1	5.3	20.8	23.2	8.6
9	4.6	12.6	16.9	13.5	9.8	13.5	14.8	15.6	4.4	24.5	12.0	9.8
10	4.2	18.5	27.7	16.7	7.9	16.7	11.9	14.2	9.8	24.8	13.0	12.5
11	4.9	16.0	20.8	13.7	9.8	13.7	14.2	17.9	18.8	25.3	19.1	23.6
12	8.2	14.0	8.2	16.9	10.7	16.9	9.4	10.8	18.8	12.6	18.2	11.6
13	6.1	18.4	18.5	7.3	5.7	7.3	15.7	10.1	7.7	12.2	17.4	17.4
14	11.6	20.0	19.9	11.3	11.5	11.3	18.3	14.5	19.3	17.1	23.8	10.0
15	4.0	10.5	8.4	10.7	12.7	10.7	14.4	10.4	11.2	15.7	14.2	12.5
16	6.5	12.9	7.8	18.3	16.2	18.3	8.4	20.2	16.8	6.9	15.9	18.1
17	14.8	13.3	6.8	29.1	22.1	29.1	19.8	14.2	10.8	19.3	12.4	17.7
18	10.3	11.4	13.9	19.0	15.9	19.0	20.4	16.0	10.8	9.1	9.8	11.6
19	11.0	16.5	12.0	25.0	16.9	25.0	13.3	18.9	9.1	9.5	12.5	12.4
20	12.1	12.4	13.9	24.5	13.9	24.5	7.1	5.6	6.0	20.2	26.7	17.5
21	9.6	10.5	12.5	11.9	19.0	11.9	9.9	14.6	4.5	6.2	10.4	5.4
22	15.6	9.8	8.3	7.2	17.8	7.2	5.0	10.6	10.9	14.5	15.8	11.6
23	9.8	6.2	13.4	11.2	25.5	11.2	10.0	6.0	14.1	16.0	7.4	20.2
24	7.4	10.1	12.0	23.6	15.4	23.6	18.7	13.3	12.7	14.2	19.5	11.9
25	10.4	12.8	10.2	22.1	18.6	22.1	17.6	8.4	11.4	10.8	19.8	11.0
26	29.1	19.2	10.7	21.2	10.7	21.2	12.7	9.2	22.7	11.7	12.1	11.8
27	19.2	17.7	6.8	14.8	11.6	14.8	13.9	9.0	13.9	13.5	13.3	6.4
28	20.1	8.8	9.5	17.5	7.5	17.5	8.8	8.8	10.4	11.8	17.2	10.0
29	18.8		16.7	14.7	7.2	14.7	6.3	11.4	6.8	15.6	17.2	8.3
30	12.5		12.3	12.2	8.4	12.2	11.4	17.0	8.4	15.0	13.1	6.5
31	5.6		15.6		13.6		16.4	11.4		11.6		11.3

**Wind Speed  
Daily gust (km/h)**


2023	JAN	FEB	MAR	APR	MAY	JUN	JLY	AUG	SEP	OCT	NOV	DEC
1	23.7	43.2	29.8	24.7	43.1	61.7	60.5	32.8	31.5	32.5	17.5	32.4
2	20.9	37.9	24.0	48.2	37.0	22.8	56.9	27.2	42.7	23.8	26.0	29.4
3	18.6	36.3	36.3	27.4	33.9	55.8	60.8	45.6	25.8	40.1	18.1	18.9
4	25.8	19.2	19.5	17.8	38.6	26.6	39.7	43.8	38.2	57.4	45.5	23.1
5	14.5	28.4	27.6	16.3	51.0	45.4	30.7	38.1	22.1	57.4	39.2	33.3
6	33.1	56.5	24.2	31.3	48.6	50.5	34.5	36.0	34.4	34.4	18.3	22.2
7	20.1	32.7	38.4	49.2	50.7	23.9	25.8	68.2	47.1	27.8	28.1	44.0
8	21.0	29.1	32.5	39.8	43.2	32.2	32.7	38.0	19.0	38.7	59.3	19.1
9	13.5	29.1	34.4	30.4	27.6	32.7	38.4	34.8	22.4	45.0	32.7	23.7
10	13.3	45.7	52.8	40.8	30.9	37.9	29.7	42.7	30.8	46.6	33.6	25.9
11	15.6	34.1	43.1	47.7	44.5	38.9	28.4	46.6	37.9	48.6	41.8	58.3
12	18.3	29.8	22.0	42.2	30.3	43.6	30.7	40.1	60.1	38.5	40.4	24.7
13	31.7	39.5	34.6	31.1	18.6	51.0	41.2	31.8	25.3	25.3	45.3	38.9
14	29.5	55.8	53.0	34.6	33.1	49.6	39.4	40.6	53.3	39.2	61.9	30.2
15	12.9	27.5	21.8	48.4	33.8	50.1	34.6	49.8	29.6	37.7	34.2	44.6
16	22.7	34.4	18.6	42.5	54.4	41.6	25.8	53.7	38.2	18.8	39.8	51.3
17	27.1	34.8	17.8	56.5	47.6	35.9	47.5	37.8	38.0	41.1	35.3	55.7
18	23.6	32.3	31.5	41.4	37.0	52.6	43.2	45.3	51.5	32.0	18.9	36.6
19	27.7	39.0	26.1	48.4	46.3	59.8	39.2	56.6	28.6	33.3	30.8	35.4
20	25.5	33.4	29.8	43.5	39.6	56.8	31.5	24.0	23.6	51.4	71.6	46.1
21	17.6	36.7	27.5	25.9	34.2	54.8	33.1	30.5	18.3	22.0	30.1	24.7
22	39.2	21.3	26.0	23.1	43.7	43.2	26.2	26.6	31.5	37.3	31.8	27.8
23	35.3	12.8	35.5	33.0	48.8	27.2	30.3	15.6	36.8	32.9	21.5	45.0
24	17.8	28.7	34.8	50.0	48.1	35.1	41.1	45.3	27.6	37.5	41.1	28.5
25	21.9	27.9	26.8	44.8	36.5	42.9	45.4	20.3	36.7	25.0	52.6	23.4
26	74.4	43.1	21.7	56.7	28.6	32.7	43.4	25.0	55.0	29.5	33.7	33.7
27	38.8	42.0	16.4	37.4	31.7	42.0	35.2	25.5	40.1	30.1	28.4	25.5
28	50.0	24.9	23.4	51.1	19.3	34.1	23.9	34.2	31.7	37.8	43.9	25.9
29	36.8		37.3	45.6	23.6	19.1	26.3	29.3	33.0	36.3	47.2	23.6
30	28.4		30.1	27.9	54.8	55.5	33.8	42.3	27.9	46.4	32.1	23.6
31	13.3		33.8		49.7		44.0	30.9		27.0		35.1

**WIND**  
**Daily Wind Speed and Maximum Gust Wind Speed**


**January**  
**February**  
**March**




**April**  
**May**  
**June**



**July**  
**August**  
**September**



**October**  
**November**  
**December**



## WIND

EXTREME DAILY WINDS (km/h) 2023			
Month	Day	WIND SPEED/DIRECTION	BEAUFORT WIND SCALE DESIGNATION*
January	28	50.0 NW	Near Gale
February	6	56.5 NW	Near Gale
	14	55.8 N	Near Gale
March	10	52.8 E	Near Gale
	14	53.0 WNW	Near Gale
April	17	56.5 SSE	Near Gale
	24	50.0 ESE	Near Gale
	26	56.7 WNW	Near Gale
	28	51.1 WNW	Near Gale
May	5	51.0 E	Near Gale
	7	50.7 SE	Near Gale
	16	54.4 NNE	Near Gale
	30	54.8 WNW	Near Gale
	1	61.7 SSW	Near Gale
June	3	55.8 SW	Near Gale
	6	50.5 N	Near Gale
	13	51.0 ESE	Near Gale
	15	50.1 W	Near Gale
	18	52.6 SE	Near Gale
	19	59.8 SSW	Near Gale
	20	56.8 WSW	Near Gale
	21	54.8 W	Near Gale
	30	55.5 SSE	Near Gale
	1	60.5 N	Near Gale
July	2	56.9 W	Near Gale
	3	60.8 WNW	Near Gale
	7	68.2 N	Gale
August	16	53.7 NW	Near Gale
	19	56.6 WNW	Near Gale
	12	60.1 WSW	Near Gale
September	14	53.3 NW	Near Gale
	18	51.5 WSW	Near Gale
	26	55.0 SE	Near Gale
October	4	57.4 NW	Near Gale
	5	57.4 NW	Near Gale
	20	51.4 WNW	Near Gale
November	8	59.3 NW	Near Gale
	14	61.9 WNW	Near Gale
	20	71.6 WNW	Gale
	25	52.6 NNW	Near Gale
December	11	58.3 NW	Near Gale
	16	51.3 SSW	Near Gale
	17	55.7 WNW	Near Gale

\*Near Gale &gt;=50 but &lt; 62

\*Gale &gt;=62 but &lt;75

\*Strong Gale &gt;=75 but &lt;89

\*Storm &gt;=89 but &lt;103

\*Violent Storm &gt;=103 but &lt;117

WINDCHILL CALCULATION CHART <sup>1</sup>												
T°C km/h Speed	5°	0°	-5°	-10°	-15°	-20°	-25°	-30°	-35°	-40°	-45°	-50°
5	4	-2	-7	-13	-19	-24	-30	-36	-41	-47	-53	-58
10	3	-3	-9	-15	-21	-27	-33	-39	-45	-51	-57	-63
15	2	-4	-11	-17	-23	-29	-35	-41	-48	-54	-60	-66
20	1	-5	-12	-18	-24	-30	-37	-43	-49	-56	-62	-67
25	1	-6	-12	-19	-25	-32	-38	-44	-51	-57	-64	-70
30	0	-6	-13	-20	-26	-33	-39	-46	-52	-59	-65	-72
35	0	-7	-14	-20	-27	-33	-40	-47	-53	-60	-66	-73
40	-1	-7	-14	-21	-27	-34	-41	-48	-54	-61	-68	-74
45	-1	-8	-15	-21	-28	-35	-42	-48	-55	-62	-69	-75
50	-1	-8	-15	-22	-29	-35	-42	-49	-56	-63	-69	-76
55	-2	-8	-15	-22	-29	-36	-43	-50	-57	-63	-70	-77
60	-2	-9	-16	-23	-30	-36	-43	-50	-57	-64	-71	-78
65	-2	-9	-16	-23	-30	-37	-44	-51	-58	-65	-72	-79
70	-2	-9	-16	-23	-30	-37	-44	-51	-58	-65	-72	-80
75	-3	-10	-17	-24	-31	-38	-45	-52	-59	-66	-73	-80
80	-3	-10	-17	-24	-31	-38	-45	-52	-60	-67	-74	-81

## Approximate Thresholds

-10	Low	Risk of hypothermia if outside for long periods without adequate protection.
-28	Risky	Risk of frostnip/frostbite on extremities. Exposed skin can freeze in 10 - 30 min.
-40	High Risk	High risk of frostbite. Exposed skin can freeze in 5 - 10 minutes.
-48	Very High Risk	Serious risk of frostbite. Exposed skin can freeze in 2 - 5 minutes.
-55	Extreme Risk	Outdoor conditions are hazardous. Exposed skin can freeze in 2 minutes or less.




1: Environment Canada, 2004b

EXTREME DAILY WIND CHILL 2023												
	JAN	FEB	MAR	APR	MAY	JUN	JLY	AUG	SEP	OCT	NOV	DEC
1	-29	-35	-32	-16							-9	-19
2	-22	-38	-19	-18							-10	-17
3	-20	-33	-15	-19							-6	-19
4	-27	-13	-20	-24							-6	-20
5	-27	-14	-33	-24								-13
6	-27	-11	-35	-20							-9	-8
7	-21	-8	-30	-21							-6	
8	-21	-13	-31	-13							-7	-12
9	-23	-22	-29	-5							-9	-15
10	-20	-15	-28								-14	-13
11	-18	-11	-21								-8	-18
12	-21	-11	-25								-6	-19
13	-25	-8	-28	-7							-7	-11
14	-22	-27	-17								-8	-7
15	-15	-26	-23	-6							-9	-9
16	-17	-30	-24								-13	-9
17	-21	-16	-26								-8	-16
18	-18	-21	-23	-8							-6	-16
19	-16	-25	-20	-12							-6	-14
20	-20	-31	-16	-12							-12	-14
21	-19	-39	-22	-9							-4	-12
22	-12	-44	-21	-5							-22	-12
23	-16	-40	-21	-6							-11	-24
24	-19	-37	-21	-7							-16	-19
25	-12	-37	-21								-20	-17
26	-15	-28	-22								-15	-22
27	-30	-24	-23								-12	-14
28	-37	-28	-28								-19	-9
29	-41		-24								-13	-11
30	-37		-13								-17	-15
31	-31		-20								-19	-14

**SOIL TEMPERATURES AND DEPTH OF SNOW-ON-THE-GROUND @ MONTH END**

MONTH	Mean Air Temp @ 0900h (°C)	SOIL TEMPERATURES (°C) @ 0900h												Mean Air Temp @ 1600h (°C)	SOIL TEMPERATURES (°C) @ 1600h							
		5cm		10cm		20cm		50cm		100cm		150cm			5cm		10cm		20cm			
		2023	NORM	2023	NORM	2023	NORM	2023	NORM	2023	NORM	2023	NORM		2023	NORM	2023	NORM	2023	NORM		
January	-12.4	-2.4	-8.4	-2.4	-8.0	-1.6	-7.1	0.3	-3.5	2.7	-0.1	4.1	1.7	6.2	4.6	-9.1	-2.4	-8.4	-2.0	-7.8	-1.7	-6.2
February	-14.0	-3.2	-7.0	-3.2	-6.7	-2.1	-6.1	0.0	-3.5	2.5	-0.8	3.5	0.8	5.3	3.4	-8.9	-3.3	-7.1	-2.7	-6.6	-2.1	-5.2
March	-13.2	-4.2	-3.1	-4.2	-2.8	-3.5	-2.4	-1.4	-1.5	1.2	-0.4	2.5	0.6	4.5	2.7	-6.5	-4.2	-2.9	-3.7	-2.6	-3.3	-1.8
April	0.8	1.6	3.1	1.6	3.6	2.0	4.0	2.1	3.0	2.2	1.6	2.5	1.5	3.9	2.4	6.6	4.3	6.0	3.5	5.5	2.4	4.6
May	15.3	13.2	10.3	13.2	10.8	13.6	11.3	11.3	9.3	7.9	6.4	6.3	4.8	4.8	3.4	22.1	18.5	14.2	16.5	13.6	14.0	12.0
June	19.8	18.6	15.3	18.6	15.7	19.2	16.3	16.8	14.0	12.8	10.4	10.6	8.3	7.5	5.4	25.7	24.6	20.0	22.3	19.0	19.5	17.1
July	18.1	18.3	17.5	18.3	18.0	19.5	18.9	17.8	16.7	14.5	13.1	12.8	10.9	9.7	7.5	23.9	24.3	22.1	22.3	21.3	19.6	19.5
August	17.2	17.3	16.5	17.3	16.9	19.0	18.1	17.7	16.8	15.1	14.1	13.7	12.3	11.1	9.1	24.8	22.6	20.6	21.0	20.0	19.0	18.6
September	12.8	12.9	10.5	12.9	11.0	14.9	12.5	15.1	13.2	14.1	12.4	13.2	11.7	11.5	9.9	22.4	17.4	13.9	16.2	13.4	15.0	13.1
October	2.4	5.3	4.3	5.3	4.7	7.1	6.2	9.7	8.3	11.4	9.2	11.7	9.6	11.3	9.4	9.6	7.1	6.1	7.1	6.4	7.3	6.9
November	-2.9	-0.8	-2.2	-0.8	-1.7	0.4	-0.5	3.8	3.0	7.1	5.6	8.5	6.8	9.9	8.1	2.9	-0.4	-1.4	0.0	-1.2	0.8	0.3
December	-6.0	-5.4	-7.1	-5.4	-6.6	-3.6	-5.6	-0.2	-1.7	3.9	2.0	5.6	3.8	7.9	6.4	0.8	-4.3	-6.6	-4.1	-6.3	-3.6	-4.6

Normal temperatures (1971-2000) for our site are provided by Environment Canada 2004a

**Monthly Soil Temperatures @ 0900h****Monthly Soil Temperatures @ 0900h****Monthly Soil Temperatures @ 1600h**

## GLOSSARY OF TERMS

(Unless otherwise stated, source for definitions of terms is Environment Canada, 1978)

**BEAUFORT WIND SCALE** was developed by Admiral Sir Francis Beaufort in 1805 and adopted by the British Navy in 1838. It consisted of 13 degrees of wind strength, from calm to hurricane, based upon the effects of various wind strengths upon the amount of canvas carried by the fully rigged frigates of the period. Over the years it has been modified as needed and in 1946 the scale values (Force Numbers) were defined by ranges of wind speed as measured at a height of 10 meters above the surface. In effect, this transformed the 'Beaufort Wind Force Scale' into the 'Beaufort Wind Speed Scale'. This scale is the current standard scale for visual observations of the wind (Heidorn, 1998).

**BRIGHT SUNSHINE** is the unobstructed direct radiation from the sun, as opposed to the shading of a location by clouds or by other atmospheric obstructions.

*Number of Days* is defined as the total number of days when at least 0.1 of an hour of bright sunshine was recorded.

*Percentage Possible* refers to the ratio of measured bright sunshine hours to the total possible daylight hours in a given period, expressed as a percentage.

*Possible daylight hours* (hours of illumination) are taken from the sunrise/set tables provided by the National Research Council of Canada, Herzberg Institute of Astrophysics, Victoria, BC.

*Total* is the sum of the daily bright sunshine values in hours and tenths of hours as measured by an automated sunshine recorder using voltaic cells.

**DEGREE-DAY** is an index for various temperature related calculations.

*Cooling* (CDD) is the cooling requirement to achieve a stipulated comfort value in an indoor environment. For most purposes, a temperature of greater than 18°C is considered uncomfortable and supplementary cooling is required. On a specific day, the amount by which 18°C is less than the daily average temperature defines the number of cooling degree-days for that day. A temperature base of 24°C is sometimes used as an index of extreme cooling degree-days to indicate potential heat stress. (Environment Canada 2012)

Mathematically:  $CDD = (T - 18^\circ\text{C})$ , for that day, where T = daily mean temperature in °C if T is equal to or less than 18°C, CDD = 0.

Monthly and annual values of CDD are obtained by summing daily values.

*Growing* (GDD) is the growing requirement in order for plant growth to proceed. The air temperature must exceed a critical value appropriate to the plant species in question. For many members of the grass family, including most commercial cereals grown on the prairies, a base temperature of 5.0°C has been established. On a specified day, the difference between the daily average temperature and the 5.0°C base temperature defines the number of growing degree-days.

Mathematically:  $GDD = (T - 5.0^\circ\text{C})$ , for that day, where T = daily mean temperature in °C if T is equal to or less than 5.0°C, GDD = 0.

Daily GDD values are summed to provide totals for the appropriate month, growing season or year.

*Heating* (HDD) is the heating requirement to achieve a stipulated comfort value in an indoor environment. For most purposes, a temperature of less than 18°C is considered uncomfortable and supplementary heating is required. On a specific day, the amount by which 18°C exceeds the daily average temperature defines the number of heating degree-days for that day.

Mathematically:

$HDD = (18^\circ\text{C} - T)$ , for that day, where T = daily mean temperature in °C if T is equal to or greater than 18°C, HDD = 0.

Monthly and annual values of HDD are obtained by summing daily values.

**EXTREME** is the highest or lowest value of a particular element recorded during the period in question.

**EXTREME ALL YEARS** Temporal comparisons at a point are also of value in some types of climatic studies. Therefore, it is desirable to produce the maximum length of reliable climatic record to carry out studies over a period of time. Data are drawn mainly from the following data sets:

SRC: 1963 to present

Saskatoon Airport: 1942 to present

University of Saskatchewan: 1916 to 1963

Eby station: 1901-1941

NWMP: circa 1892 to circa 1900 (sporadic)

Station locations, exposures and measurement procedures were subject to change during this time period. Data are not adjusted and users are cautioned accordingly.

**FROST** is recorded on each occasion when the daily minimum temperature is equal to or less than 0°C.

**NORMAL VALUE (1991-2020)** In climatology it is often useful to make spatial comparisons of particular element values over a common time period. At an interior continental site such as Saskatoon, a period of 30 years is required to produce statistically stable estimates of the more variable elements. To facilitate spatial comparisons, the World Meteorological Organization recommends the standard normal (average) period of thirty years. The current normal period for data analysis at CRS is from January 1<sup>st</sup>, 1991 to December 31<sup>st</sup>, 2020. Data derived from CRS conform to this standard, except where noted. The normals for CRS have been calculated using the data collected during this standard period. Where gaps existed, data from the nearest climate station were used and referenced as to being used. (Environment Canada, 1993, 2002, 2004a)

**POTENTIAL EVAPOTRANSPIRATION (Thornthwaite Method)** is the amount of water which will be lost from a surface completely covered with vegetation if there is sufficient water in the soil at all times for the use of the vegetation. It is computed by means of an empirical formula involving mean monthly temperature and average length of day.

Mathematically:  $\text{PET} = mT^a$  where PET = Potential of Evapotranspiration; m = % of day length for the month as compared to the year; T = Temperature °C when T is less than or equal to 0; otherwise T = O; and a = yearly heat index. (Thornthwaite and Mather, 1955)

## PRECIPITATION

*Day* is recorded on occasions when the amount of precipitation in a 24-hour period equals or exceeds 0.2 mm water.

An asterisk (\*) appearing in the average column denotes the occurrence of measurable precipitation on one or more occasions, and that the calculated 30-year average amounts to less than a trace. The so-called climatological day, beginning at 9 a.m. standard time on the date of reference and ending at 9 a.m. the next morning, was employed in record keeping up to January 1994. On February 1, 1994, after consultation with Environment Canada, record keeping was changed to the 24-hour period of 0000 hours - 2400 hours to conform to their reporting of climatological statistics.

*Total* is the sum of the daily recorded precipitation. The snowfall component of precipitation is recorded as an equivalent amount of liquid water. The notation "T" refers to a trace of precipitation (less than 0.2 mm water equivalent). As of August 7, 1993, total precipitation was measured using a weighing gauge for the winter season and the tipping bucket during frost-free period.

**SEASONS** Meteorologists prefer to divide the year into four 3-month periods based primarily on temperature. Thus winter is defined as December (previous year), January, and February (DJF); spring as March, April and May (MAM); summer as June, July and August (JJA); and fall as September, October and November (SON). (Lutgens and Tarbuck, 1992)

**SOIL TEMPERATURE** under a short grass surface with normal snow accumulation, is measured according to procedures outlined in the Environment Canada publication "Soil Temperature" January 1, 1976. Depths below surface at which soil temperature measurements are made are: 5 cm, 10 cm, 20 cm, 50 cm, 100 cm, 150 cm and 300 cm. Since soil temperature is affected by profile structure and water content, extrapolation of the measured data is difficult.

## SOLAR RADIATION

*Diffuse - Total* is radiation reaching the earth's surface after having been scattered from the direct solar beam. The instrument used is an Eppley pyranometer with a shade ring (See SOLAR RADIATION-Global- Total).

*Global - Total* is the sum of the direct solar and diffuse radiation during the period in question. Measurements are carried out on a horizontal surface near ground level and integrated over the whole celestial dome, summing the diffuse and direct components of the solar beam. The temperature-compensated Eppley pyranometer is used. The standard metric unit of measurement is the megajoule per square metre (MJ/m<sup>2</sup>). (To facilitate comparison with past years' data: 1.0 MJ/m<sup>2</sup> = 23.895 langleys). Comparison is provided with a provisional average based on 16 years of data (1975-1990).

**SPELLS** Temperature spells are defined as days when the daily maximum temperature is higher than or equal to 30°C (hot spell) or the daily minimum temperature is lower than or equal to -30°C (cold spell).

**SUNRISE/SUNSET** times have been included in this report. They have been acquired from the National Research Council, Canada, Herzberg Institute of Astrophysics.

## TEMPERATURE

*Average Annual* is the average of the daily average temperatures in degrees Celsius (°C) for one year.

*Average Daily* is defined as the arithmetic mean of the daily maximum temperature in degrees Celsius (°C) and the daily minimum temperature in degrees Celsius (°C) for the day in question.

*Average Maximum* is the average of the daily maximum temperatures in degrees Celsius (°C) average over the appropriate time periods.

*Average Minimum* is the average of the daily minimum temperatures in degrees Celsius (°C) averaged over the appropriate time periods. Refer to TEMPERATURE-Average Maximum concerning measurement procedures.

*Average Monthly* is the average of the daily average temperatures in degrees Celsius (°C) for the month under consideration.

**WIND CHILL** describes a sensation, the way we feel as a result of the combined cooling effect of temperature and wind. This feeling can't be measured using an instrument, so a mathematical formula was developed in 1939 that related air temperature and wind speed to the cooling sensation. This formula was revised in 2001 by a team of scientists and medical experts from Canada and the U.S. with the Canadian Department of National Defence contributing human volunteers. The new index is based on the loss of heat from the face.

Mathematically:  $WC = 13.12 + (0.6215 \times T) - (11.37 \times V^{0.16}) + (0.3965 \times T \times V^{0.16})$ ; where WC = wind chill; T= air temperature °C; V= standard wind speed km/h. (Environment Canada 2004b).

**WAVES** Temperature waves are defined as a sequence of three or more days when the daily maximum/minimum temperatures are higher/lower than, or equal to, a set temperature. For a heat wave the temperature is 32°C. (Environment Canada 2005).

## WIND SPEED

*Average* is the average of the hourly wind speeds for the period in question measured in kilometres per hour (km/h). Average hourly wind speeds are obtained from a RM Young Wind Monitor anemometer at a height of 10 m.

*Peak Gust* refers to the highest instantaneous value recorded by the anemometer system for the period of reference, irrespective of direction and/or duration. Comparison is with published data for Environment Canada, Saskatoon Airport station.

*see also Beaufort Wind Scale*

## REFERENCES AND BIBLIOGRAPHY

- Christiansen, E.A. (ed) 1970. Physical Environment of Saskatoon, Canada. Saskatchewan Research Council Saskatoon, SK in cooperation with National Research Council of Canada, Ottawa, ON.
- Environment Canada. 1975. 1974 Annual Meteorological Summary. Atmospheric Environment Service, Environment Canada. Saskatoon, SK.
- Environment Canada, Atmospheric Environment Service (AES), 1976. Soil Temperature. AES, Downsview, ON
- Environment Canada, Atmospheric Environment Service (AES), 1978. Manual of Climatological Observations, 2nd Ed. AES, Downsview, ON
- Environment Canada. 1992. Atmospheric Environment Service Guidelines for Co-operative Climatological Autostation. Atmospheric Environment Service, Environment Canada, Downsview ON.
- Environment Canada, Atmospheric Environment Service (AES). 1993. Canadian Climate Normals 1961-1990. Canadian Climate Centre, Downsview ON.
- Environment Canada, Meteorological Service of Canada, 2002. Canadian Daily Climate Data on CD-ROM - Western Canada. Climate and Water Products Division, Downsview, ON.
- Environment Canada, Meteorological Service of Canada, 2004a. Climate Data Online/Climate Normals and Averages. [http://www.climate.weatheroffice.ec.gc.ca/climate\\_normals/index\\_e.html](http://www.climate.weatheroffice.ec.gc.ca/climate_normals/index_e.html) (accessed 2004, 2007).
- Environment Canada, Meteorological Service of Canada, 2004b. Wind Chill Calculation Chart. [http://www.msc.ec.gc.ca/education/windchill/windchill\\_chart\\_e.cfm](http://www.msc.ec.gc.ca/education/windchill/windchill_chart_e.cfm) (accessed April, 2009).
- Environment Canada, Meteorological Service of Canada, 2005. Fact Sheet - Summer Severe Weather Warnings. [http://www.on.ec.gc.ca/severe-weather/summerwx\\_factsheet-e.html](http://www.on.ec.gc.ca/severe-weather/summerwx_factsheet-e.html) (accessed Feb 2008).
- Environment Canada, Meteorological Service of Canada, 2012. Calculation of the 1971 to 2000 Climate Normals for Canada. [http://climate.weather.gc.ca/climate\\_normals/normals\\_documentation\\_e.html](http://climate.weather.gc.ca/climate_normals/normals_documentation_e.html) (accessed Feb 2014).
- Goble, R. J., 2002. Volcanoes. In: Introduction to Geology/Physical Geology. <http://www.class.unl.edu/geol100/Review2.html> (accessed June, 2002)
- Heidorn, K., 1998. The Weather Legacy of Admiral Sir Francis Beaufort In: Weather People and History. <http://irishculture.about.com/gi/dynamic/offsite.htm?site=http://www.islandnet.com/%257Esee/weather/history/beaufort.htm> (accessed July 30, 2001).
- Ladd, M.G., 2008. Ladds of New England: Ancestral line of Merle G. Ladd. <http://www.laddfamily.com> (accessed April 29, 2009)
- Lutgens, F. K. and E.J. Tarbuck, 1992. The Atmosphere: An Introduction to Meteorology, 5th Ed.. Prentice Hall, New Jersey.
- National Research Council of Canada, Herzberg Institute of Astrophysics, n.d. Sunrise - Sunset Tables for Saskatoon [http://www.hia-ihc.nrc-cnrc.ca/sunrise\\_e.html](http://www.hia-ihc.nrc-cnrc.ca/sunrise_e.html) (accessed January 2013, 2014).
- Olm, O. 2001. Personal Communication 17 September 2001 with C. Beaulieu. Saskatchewan Research Council, Saskatoon, SK.
- Thorntwaite, C.W. 1948. An Approach toward a Rational Classification of Climate. *Geographical Review*. 38(1):55-94. <http://links.jstor.org/sici?jci=0016-7428%28194801%2938%3A1%3C55%3AAATARC%3E2.0.CO%3B2-O>
- Thorntwaite, C.W. and J.R. Mather. 1955. The Water Balance. Publication in Climatology. 8(1). Drexel Institute of Technology Laboratory of Climatology, Centerton, New Jersey.
- U.S. Geological Survey. Cascades Volcano Observatory, n.d. Deadliest Volcanic Eruptions Since 1500 A.D. <http://vulcan.wr.usgs.gov> (accessed March 27, 2002)
- World Meteorological Organization (WMO). 1988. Technical Regulations: General Meteorological Standards and Recommended Practices, 1988 ed., Supplement No. 2 (IV. 1996), WMO – No. 49. Geneva, Switzerland.