


**CLIMATE REFERENCE STATION
Conservation Learning Center
RM of Prince Albert #461
ANNUAL SUMMARY 2024**


**V. Wittrock
Saskatchewan Research Council
Environmental Performance and Climate**



Saskatchewan Research Council

CLIMATE REFERENCE STATION Conservation Learning Center RM of Prince Albert #461 ANNUAL SUMMARY 2024

V. Wittrock
Saskatchewan Research Council
Environmental Performance and Climate



SRC Publication No. 13000-1E25
April 2025
Saskatchewan Research Council
Bay 2D, 820 51st Street East
Saskatoon, SK S7K 0X8

COVER PHOTOGRAPHS

Report cover: Climate Reference Station (September 2024)

photo credit: V. Wittrock

Inside cover: Climate Reference Station (March 2024)

photo credit: V. Wittrock

TABLE OF CONTENTS

Acknowledgements	ii
Climate Reference Station Supporters	ii
Climate Reference Station History	1
What is the Climate Reference Station?	2
Activities Associated with the Climate Reference Station	3
Summary	4
Temperature	
Daily temperature, graph	5
Monthly temperatures, and extremes table	6
Monthly and annual temperatures, graphs	6
Seasonal temperatures, graphs	7
Extreme temperatures, table	8
Annual and seasonal temperature ranking, tables	8
Dates and duration of the frost-free season, table	9
Frost-free season duration and end points, graphs	9
Daily temperatures, tables	10
Days with temperatures greater than a set point, graphs	12
Days with temperatures less than a set point, graphs	14
Days with temperatures greater than 0°C and 15°C, graphs	16
Degree-days, and cumulative, table	17
Growing degree-days, graphs	17
Heating degree-days, graphs	18
Cooling degree-days, graphs	18
Extreme cooling degree-days, graph	19
Potential evapotranspiration (PE) using the Thornthwaite Method, graph and table	19
Precipitation	
Daily precipitation, graph	20
Monthly precipitation and extremes, table	21
Monthly and annual precipitation, graphs	21
Seasonal precipitation, graphs	22
Monthly precipitation days and extremes, table	23
Monthly and annual precipitation days, graphs	23
Seasonal precipitation days, graphs	24
Ranking by driest month, table	25
Ranking, annual, by # of dry days, dry spells and wet spells, table	25
Ranking by annual, seasons (amounts and days)	25
Daily precipitation values, table	26
Precipitation records and extreme events, tables	26
Snow-on-the-ground, last day of month, graphs	27
Snow-on-the-ground, daily, October to April, graphs	27
Radiation	
Sunrise/Sunset tables for Conservation Learning Centre	28
Monthly bright sunshine hours and days, table	29
Daily bright sunshine hours, table	29
Bright sunshine ranking by % of actual to possible hours and by # of days, tables	30
Daily global and diffuse radiation table	30
Annual, seasonal, monthly bright sunshine hours, graphs	31
Monthly bright sunshine, global and diffuse radiation comparison, graph	31
Annual, seasonal, monthly bright sunshine days, graphs	32
Wind	
Average and highest instantaneous wind speed, table	33
Wind roses - annual maximum and average wind speed and direction	33
Daily average wind and daily wind gust, tables	34
Daily wind speed, ½ hourly average and maximum gust, graphs	35
Extreme daily winds, table	36
Windchill calculation, table	36
Extreme daily windchill value, table	36
Soil Temperatures	
Monthly average soil temperatures at 0900h and 1600h, table	37
Monthly average soil temperatures at 0900h and 1600h, graphs	37
Glossary of Terms	38
References and Bibliography	41

ACKNOWLEDGEMENTS

The 2024 data were compiled and recorded by Virginia Wittrock (Climate Services). Wittrock was responsible for the data monitoring while most of the instrument maintenance is the responsibility of Saskatchewan Research Council (SRC) Ryan Jansen and Ken Babich (Energy and Process Solutions). Grounds maintenance (lawn mowing) is managed by the Conservation Learning Centre personnel. Consultations with Terri Lang and others from Environment and Climate Change Canada, Saskatoon, SK were most helpful in verifying and comparing data. Editorial assistance for this report was provided by Celeste Bodnaryk (Environmental Performance and Climate).

This report is being provided for informational purposes only. While the SRC believes this report to be accurate, it may contain errors or inaccuracies. SRC assumes no responsibility for the accuracy or comprehensiveness of this data and reliance on this data is entirely at the user's own risk.

Please be aware that the data is subject to ongoing quality assurance reviews that may result in minor changes and updates to values in our reports, including past reports. If you notice errors in our reports, please contact us so that we may correct them. Information and data contained in this report shall not be published, copied, placed in a retrieval system or distributed whole or in part without prior written consent of the SRC. All references made to this report shall be acknowledged.

Enquiries concerning the SRC Conservation Learning Centre (CLC) Climate Reference Station (CRS), its data, measurement programs and publications or becoming a supporter are most welcome. For further information contact:

Virginia Wittrock

Research Scientist

306-933-5400; Virginia.Wittrock@src.sk.ca

Saskatchewan Research Council toll-free number 1-877-772-7227

Saskatchewan Research Council web site: <http://www.src.sk.ca>

Monthly data sheets and annual summaries: <https://www.src.sk.ca/climate-reference-stations/crs-weather-summaries>

SASKATCHEWAN RESEARCH COUNCIL
CLIMATE REFERENCE STATION SUPPORTERS, 2024-2025
WE GRATEFULLY ACKNOWLEDGE THE SUPPORT OF THE FOLLOWING:



Agriculture and
Agri-Food Canada

Agriculture et
Agroalimentaire Canada



SRC'S CONSERVATION LEARNING CENTRE CLIMATE REFERENCE STATION HISTORY

The Saskatchewan Research Council's Climate Reference Station (CRS) at the Conservation Learning Centre (CLC) was established in 2011 with the first full year of data in 2012. This station is situated approximately 16km east of MacDowall, approximately 11km north of St. Louis and 18km south of Prince Albert, Saskatchewan. The oldest recordings of meteorological data in the area are south of the North Saskatchewan River at Prince Albert beginning in 1884 and lasting until 1942. In 1953, the present day Prince Albert station was established at the airport north of the river and east of the city. Other nearby stations recording intermittent data were at MacDowall (1914-2003) and Hoey (south of St. Louis) (1986-2012) with MacDowall recording both precipitation and temperature and Hoey only recording precipitation.

V. Wittrock has been project manager since the site was established. Wittrock and C. Beaulieu were the first observers. S. Dunn became primary observer between 2014-2016 with assistance from V. Wittrock. V. Wittrock took over this role in 2017 as well as remaining project manager. Instrument maintenance is carried out by R. Jansen, K. Babich and G. Epp plus others. Summer of 2018 data monitoring assistance was provided by A. Carlson. V. Wittrock continues to be the primary observer and is also the project manager of SRC's Climate Reference Stations.

The instrument array consists of temperature, precipitation, humidity, barometric pressure, wind (speed and direction), snow depth, barometric pressure, solar radiation (global, diffuse and bright sunshine), and soil moisture, grass height air temperature and soil temperature (seven levels). The site is a self-contained unit with power generated from solar panels while the data is retrieved from the data logger by an internet connection via the cellular network.

*Aerial view of CRS at CLC
Photo: Lettvenuk, J.
Date: Sept 2013 (left), Sept 2023 (right)*



*CRS at CLC looking northeast (left), looking west (right)
Photo: Epp, G. Date: 28 April 2023*

WHAT IS THE CLIMATE REFERENCE STATION?

The Saskatchewan Research Council's Climate Reference Station (SRC CRS) at Conservation Learning Centre is classified as a principal climatological station with supplementary climatological observations¹. A climate reference station's data are intended for the purpose of determining climatic trends. This requires long periods (not less than thirty years) of homogeneous records, where man-made environmental changes have been or are expected to remain at a minimum. Ideally the records should be of sufficient length to enable the identification of secular changes of climate². At CRS Conservation Learning Centre, half-hourly readings are taken of elements (temperature, precipitation amount, humidity, wind and atmospheric pressure). Supplemental observations include rainfall intensity, soil temperature (7 levels), bright sunshine, solar radiation (diffuse and global), snow depth, relative humidity, barometric pressure, soil moisture (3 levels) and grass level temperature. High quality and consistent climatological observations are maintained providing data sets to meet the current concerns of the effects of climatic change and increased variability.

Purpose and Benefits

The purpose of the SRC CRS is to provide a record of observed meteorological elements in order that the climate of the area and its changes can be accurately documented and described. Climatological data have assumed new importance as a result of social and environmental issues in which climate is a dominant factor. Climatological information assists in realizing new technological opportunities and social changes. It is necessary and valuable for areas such as agriculture, forestry, land use and facility placement, water and energy resources, as well as health and comfort.

The CRS allows us to:

- Evaluate long-term climatic trends – early warning system for increased frequencies of extreme events such as floods, droughts, etc.;
- Determine the impacts of climate events on society, economy, health and ecosystems – e.g., intense rainfall causing flooding and property damage, heat stress with its health implications;
- Do value-added research;
- Be part of regional, national and global networks in important agricultural and ecological areas;
- Facilitate development of additional programs – e.g., air quality, biodiversity and climate change monitoring;
- Have roles in various programs within SRC including spray drift work, Boreal Ecosystem Atmospheric Study (BOREAS), and collaborative research with the Western College of Veterinary Medicine and the College of Agriculture, University of Saskatchewan; and
- Provide climate data to various industries, government organizations, non-government organizations, media outlets, institutions of learning, and interested individuals.

Goals

The goals of the CRS are first to maintain the high quality of data gathered over a long time period at a set location and to continue to monitor a large variety of elements. These various elements combined with the long-term collection period as well as the stable location allow the SRC CRS at Conservation Learning Centre to be an extremely valuable climate information collection station.

¹Environment Canada 1992 ²World Meteorological Organization 1988

ACTIVITIES ASSOCIATED WITH THE SRC CLIMATE REFERENCE STATION AT THE CONSERVATION LEARNING CENTRE, 2024


The CLC is a research and demonstration farm. Its outreach program for grades 3-11 students resulted in approximately 300 students being exposed to hands-on activities related to air, soil, and water interactions at the farm. The SRC Climate Reference Station is included in the program allowing the students to become familiar with the CRS's suite of instruments. The station emphasizes the importance of climate and its application to the practical world of farming and ecology.

General equipment maintenance occurred spring and fall of 2024. Items of note:

- Spring maintenance on April 30. Field re-calibration of tipping bucket, spring maintenance on the all-season precipitation gauge, replace desiccant in required instruments, cleaned radiation sensors, camera and solar panels.
- Fall maintenance on October 31. Field re-calibration of tipping bucket, fall maintenance on all-season precipitation gauge, 10 cm soil moisture instrument replaced, replaced snow depth screen, replaced desiccant in required instruments, capped tipping bucket for winter, checked electrical connections on solar panels and batteries.



*Some of the required infrastructure to operate a climate reference station
April 30 2024
Photo: R. Jansen*



*Tipping Bucket liquid precipitation gauge (Spring and fall maintenance)
April 30 2024 and October 31 2024
Photo: R. Jansen and K. Babich*



*Location of soil moisture probes
October 2024
Photo: K. Babich*

SUMMARY FOR 2024

Data, including temperature, precipitation, wind speed and direction, bright sunshine, solar radiation, soil temperature and moisture, was recorded during 2024 by the Saskatchewan Research Council's (SRC) Climate Reference Station (CRS) at the Conservation Learning Centre (CLC) (53.03 N, 105.77 W), located in the Rural Municipality of Prince Albert #461, Saskatchewan.

SRC's Climate Reference Station at the CLC has been in operation for 13 years (2012-2024), tracking similarities and differences of various parameters between the years and seasons. Now that the station has reached a full 10 years of records, there is sufficient data for certain statistical analyses, such as determining averages (2012-2021). This report examines the types of weather and climate that occurred in 2023 and compares it to the previous 11 years.


Synopsis for 2024 CLC:

- Above 0C temperatures on January 1 (page 11)
- The coldest temperature was -39.7C on December 12 and the warmest temperature was 33.8C on September 9. (page 6)
- 22 days measured temperatures at or below -30C; nine days measures temperatures at or above 30C. (page 8)
- Frost free season was 101 days...shortest in the 13 years the CRS has been operating. (page 9)
- 2024 was the fourth wettest in the last 13 years, with the summer months measuring the greatest amounts. This wetness was offset by the number of days with no measureable precipitation (251). 2024 had the second highest number of days that did not have any measurable precipitation. (page 25)
- The winter of 2023/2024 had the least deep snowpack measured at the station in the last 13 years. The snowpack around the station was non-continuous on January 31. (photo)
- The amount of bright sunshine was average for the 13 years of record. (page 30)
- The peak wind speed recorded at the climate reference station was 64.9 km/h on June 16. (page 33). This was the same day a precipitation event occurred producing 17.1 mm moisture.



Climate Reference Station
January 31 2024
Photo: V. Wittrock


DAILY TEMPERATURE




TEMPERATURE

MONTH	AVERAGE MAXIMUM TEMPERATURE (°C)	AVERAGE MINIMUM TEMPERATURE (°C)	AVERAGE TEMPERATURE (°C)	EXTREME VALUES TEMPERATURE (°C) 2024				EXTREME VALUES TEMPERATURE (°C) FOR 2012 TO present					
	2024	2024	2024	Max	Day	Min	Day	Max	Day	Year	Min	Day	Year
January	-11.9	-21.4	-16.7	7.9	30	-38.5	13	8.1	15	2014	-41.1	16	2020
February	-4.2	-16.4	-10.3	4.7	22	-34.5	28	6.9	17	2017	-44.9	8	2019
March	-4.1	-17.7	-10.9	8.9	18	-34.7	5	17.3	30	2012	-35.8	1	2014
April	11.5	-4.1	3.8	21.6	24	-11.5	20	26.0	29	2015	-30.0	3	2020
May	15.2	1.6	8.4	25.6	10	-6.6	5	32.4	4	2016	-8.8	1	2019
June	18.2	4.2	11.3	23.1	21	-1.8	2	34.7	3	2021	-1.8	2	2024
July	25.6	10.5	18.1	31.7	19	5.9	15	36.1	2	2021	2.5	5	2023
August	23.4	6.9	15.2	31.9	20	0.6	8	35.0	14	2021	0.6	8	2024
September	21.8	3.6	12.7	33.8	9	-2.7	28	33.8	8	2011	-7.3	30	2018
October	10.5	-4.7	2.9	21.6	8	-11.6	30	25.2	6	2021	-15.5	30	2019
November	-3.3	-14.2	-8.7	13.2	8	-39.0	30	18.4	9	2016	-39.0	30	2024
December	-8.4	-20.8	-14.6	3.2	7	-39.7	12	7.1	11	2014	-39.9	31	2013
Average	7.9	-6.0	0.9										





Monthly



Annual



SEASONAL TEMPERATURES



TEMPERATURE RANKINGS

AVERAGE ANNUAL* TEMPERATURES °C					
MAXIMUM TEMP		MINIMUM TEMP		MEAN TEMP	
2013	6.2	2024	-6.0	2018	0.3
2014	6.2	2018	-5.8	2013	0.4
2018	6.3	2019	-5.7	2019	0.5
2019	6.8	2022	-5.5	2014	0.8
2022	7.2	2013	-5.4	2022	0.9
2020	7.6	2020	-4.9	2024	0.9
2017	7.7	2014	-4.5	2020	1.2
2012	7.8	2021	-4.3	2017	2.0
2024	7.9	2017	-3.7	2021	2.4
2016	8.5	2023	-3.5	2012	2.5
2015	8.6	2012	-2.8	2023	3.1
2021	9.1	2015	-2.3	2015	3.2
2023	9.7	2016	-2.2	2016	3.2

SEASONAL MAXIMUM AVERAGE TEMPERATURES °C							
WINTER (DJF)		SPRING (MAM)		SUMMER (JJA)		AUTUMN (SON)	
2014	-14.0	2014	5.5	2024	22.4	2018	4.9
2022	-12.1	2013	5.6	2014	22.5	2012	6.3
2019	-11.5	2020	6.5	2013	22.8	2014	7.3
2013	-11.3	2022	7.0	2019	22.9	2019	7.3
2018	-10.7	2018	7.3	2018	23.0	2017	7.4
2023	-10.2	2017	7.5	2016	23.2	2020	7.8
2015	-9.1	2024	7.5	2017	23.4	2013	8.4
2021	-8.8	2023	7.9	2012	23.5	2016	8.7
2020	-8.4	2019	9.2	2020	23.5	2024	9.7
2017	-8.1	2012	9.5	2015	23.9	2015	10.1
2016	-6.8	2015	9.8	2022	24.3	2022	10.1
2024	-5.4	2016	10.2	2023	24.9	2023	11.2
2012	M	2021	10.9	2021	25.5	2021	11.3

*Calendar Year



2024 EXTREME TEMPERATURES					
COLD (less than or equal to -30°C)			HOT (greater than or equal to 30°C)		
DATE (month/day)		TEMPERATURE °C	DATE (month/day)		TEMPERATURE °C
January	10	-31.0	July	11	31.2
	11	-33.6		18	30.6
	12	-37.8		19	31.7
	13	-38.5	August	20	31.9
	14	-35.8		2	30.7
	15	-31.6		7	30.5
February	16	-32.9	September	9	33.8
	27	-31.7		25	31.2
	28	-34.5		30	30.0
March	5	-34.7	Coloured cells indicate extremes		
November	25	-30.8			
	26	-33.4			
	27	-32.2			
	28	-31.0			
	29	-36.0			
	30	-39.0			
December	1	-33.2			
	11	-37.8			
	12	-39.7			
	18	-36.7			
	19	-30.3			
	20	-31.7			

SEASONAL MINIMUM AVERAGE TEMPERATURES °C							
WINTER (DJF)		SPRING (MAM)		SUMMER (JJA)		AUTUMN (SON)	
2014	-25.8	2020	-7.3	2024	7.2	2018	-5.4
2022	-24.3	2013	-7.0	2019	9.2	2024	-5.1
2019	-23.2	2023	-7.0	2018	9.9	2020	-4.6
2013	-22.0	2018	-6.9	2023	10.1	2017	-3.9
2018	-21.7	2024	-6.7	2017	10.2	2012	-3.4
2023	-20.1	2014	-6.4	2022	10.6	2019	-3.2
2020	-19.9	2022	-5.2	2020	11.0	2013	-3.0
2021	-19.7	2019	-4.4	2016	11.1	2022	-3.0
2015	-19.2	2021	-3.8	2021	11.4	2021	-2.4
2017	-17.7	2017	-3.5	2013	11.7	2014	-2.2
2016	-16.6	2015	-2.1	2015	12.1	2023	-1
2024	-16.4	2016	-1.6	2014	12.1	2015	0.2
2012	M	2012	-1.4	2012	12.4	2016	0.2

SEASONAL MEAN AVERAGE TEMPERATURES °C							
WINTER (DJF)		SPRING (MAM)		SUMMER (JJA)		AUTUMN (SON)	
2014	-19.9	2013	-0.7	2024	14.9	2018	-0.3
2022	-18.3	2014	-0.4	2019	16.1	2020	1.1
2019	-17.4	2020	-0.4	2018	16.5	2012	1.5
2013	-16.7	2018	0.2	2017	16.8	2017	1.8
2018	-16.3	2024	0.4	2016	17.2	2019	2.1
2023	-15.2	2023	0.5	2013	17.3	2024	2.3
2021	-14.3	2022	0.9	2020	17.3	2014	2.6
2015	-14.2	2017	2.0	2014	17.3	2013	2.7
2020	-14.2	2019	2.4	2022	17.4	2022	3.6
2017	-13.0	2021	3.5	2023	17.5	2016	4.4
2016	-11.7	2015	3.8	2012	18.0	2021	4.4
2024	-10.9	2012	4.1	2015	18.0	2023	5.1
2012	M	2016	4.3	2021	18.5	2015	5.2

DATES & DURATION OF THE FROST-FREE SEASON			
YEAR	LAST SPRING FROST	FIRST FALL FROST	Frost-free Season Length
2011		September 14	
2012	May 3	September 17	136
2013	May 10	September 19	131
2014	May 14	September 12	120
2015	May 18	September 28	132
2016	May 13	September 13	121
2017	May 18	September 18	121
2018	May 10	September 5	117
2019	May 17	September 27	123
2020	May 15	September 8	115
2021	May 26	October 2	128
2022	May 22	September 10	110
2023	May 19	September 20	123
2024	May 27	September 6	101

Coloured cells indicate extremes



TEMPERATURE GRID °C




Average Temperature °C
Daily

2024	JAN	FEB	MAR	APR	MAY	JUN	JLY	AUG	SEP	OCT	NOV	DEC
1	-5.5	-2.1	-13.3	1.1	2.2	10.9	14.6	17.9	15.7	5.4	-2.0	-25.7
2	-10.7	0.1	-17.6	1.8	0.6	9.2	16.5	16.5	19.2	2.4	-5.0	-20.2
3	-13.5	-1.1	-16.4	6.8	3.4	11.4	18.6	11.9	16.3	0.6	-1.4	-8.1
4	-10.3	-4.7	-21.5	0.2	2.3	12.8	18.2	16.5	10.3	3.5	-1.8	-20.1
5	-12.9	-3.9	-26.0	4.0	5.7	8.7	18.2	12.4	10.6	3.8	-4.0	-12.4
6	-15.8	-8.5	-20.5	5.0	10.4	11.9	17.6	14.0	11.5	6.6	-2.5	-6.3
7	-19.0	-9.3	-19.5	7.3	11.7	8.9	18.2	10.8	18.7	7.0	3.0	-2.3
8	-21.0	-7.0	-16.9	5.4	12.5	4.7	17.6	10.2	16.8	9.1	4.2	-3.9
9	-23.1	-7.0	-12.7	4.4	11.7	10.0	19.1	13.2	18.7	8.6	2.1	-9.6
10	-25.1	-11.6	-0.7	4.2	13.4	10.1	19.8	13.2	10.4	5.8	-1.3	-18.2
11	-31.0	-6.3	-2.4	1.7	12.2	12.3	22.9	13.5	10.8	3.1	-1.0	-31.6
12	-34.4	-10.6	-7.6	2.5	7.7	10.6	18.7	15.5	11.6	4.1	1.3	-28.4
13	-34.6	-11.4	-6.5	3.9	10.0	13.0	16.1	20.2	12.0	0.8	-1.9	-15.2
14	-31.5	-18.6	-8.0	3.6	11.4	12.3	16.7	19.2	12.6	2.9	-2.6	-15.7
15	-27.7	-20.6	1.3	5.1	11.9	16.1	14.5	16.4	12.6	5.1	-4.9	-13.1
16	-25.6	-10.4	-6.2	1.9	9.2	8.9	14.3	13.0	12.4	4.4	-4.7	-12.9
17	-24.1	-5.7	-9.1	-4.1	10.1	7.6	18.5	13.7	12.6	5.5	-3.5	-21.5
18	-22.0	-13.5	1.4	-7.1	7.0	6.6	22.2	16.6	15.7	3.8	-5.4	-29.3
19	-18.2	-17.1	-8.4	-4.5	7.5	10.1	22.5	17.1	9.6	8.6	-8.6	-24.5
20	-16.3	-13.0	-13.2	-1.2	3.7	11.0	21.8	21.9	8.8	5.8	-11.4	-21.7
21	-16.9	-3.5	-13.3	3.9	4.7	13.0	20.1	19.2	7.1	3.2	-11.7	-13.7
22	-17.4	-3.5	-14.7	4.3	4.2	14.8	16.6	14.7	8.4	-4.0	-14.3	-12.9
23	-10.4	-7.4	-13.3	5.2	4.5	13.7	15.7	16.7	11.3	2.0	-12.5	-11.7
24	-11.3	-7.0	-11.7	11.9	5.8	16.0	21.0	19.3	16.3	2.1	-15.9	-9.1
25	-10.3	-11.2	-9.3	12.0	5.9	10.0	21.0	11.4	17.4	-0.6	-23.3	-5.3
26	-9.8	-17.9	-12.8	5.5	10.3	12.4	14.9	12.4	13.6	-1.0	-28.9	-10.8
27	-7.8	-25.4	-11.4	1.2	9.5	15.1	13.9	15.5	10.6	1.5	-22.4	-10.2
28	-5.9	-26.3	-6.7	8.1	12.3	10.7	17.7	16.8	9.2	1.7	-22.9	-7.5
29	-4.8	-15.3	-4.9	10.9	16.3	11.6	18.8	15.2	13.5	-4.1	-28.8	-6.8
30	1.5		-8.6	7.5	11.1	13.3	17.3	15.2	6.6	-3.2	-30.3	-9.1
31	-0.9		-8.1		12.2		18.1	11.9		-3.5		-15.5





Air temperature / relative humidity sensors
Apr 2024
Photo: R. Jansen

2024	JAN	FEB	MAR	APR	MAY	JUN	JLY	AUG	SEP	OCT	NOV	DEC	Maximum Temperature °C Daily
1	0.5	4.5	-8.5	9.8	7.0	19.6	18.2	25.1	27.2	12.2	7.9	-18.1	
2	-6.2	2.9	-13.4	10.5	3.9	20.1	22.1	26.4	30.7	8.5	0.9	-10.6	
3	-8.4	1.6	-14.5	13.3	8.8	20.5	25.9	21.6	24.6	6.4	5.3	1.8	
4	-6.3	-1.8	-15.7	4.2	9.4	18.6	24.9	23.7	17.3	14.4	6.5	-16.0	
5	-7.6	-0.8	-17.3	10.0	17.9	11.1	25.7	19.2	20.6	7.9	0.3	-5.1	
6	-13.6	-5.2	-13.5	12.4	16.1	17.2	27.1	19.0	25.0	16.9	2.8	1.4	
7	-15.7	-6.7	-11.1	15.0	18.5	16.1	25.3	17.3	30.5	18.8	11.0	3.2	
8	-17.1	-3.4	-7.2	14.4	20.8	8.4	26.4	19.8	29.0	21.6	13.2	-0.3	
9	-18.0	-3.8	-1.5	14.9	20.3	16.4	28.4	21.9	33.8	18.5	8.7	-4.4	
10	-19.2	-7.3	6.1	10.1	25.6	15.0	27.7	23.6	19.0	13.5	2.1	-6.5	
11	-28.4	1.8	5.6	8.7	19.8	19.6	31.2	25.0	20.3	11.9	2.2	-25.4	
12	-31.0	-2.4	0.8	10.5	15.9	14.6	25.2	27.9	13.9	10.4	6.9	-17.1	
13	-30.7	-4.5	-0.4	14.9	16.3	18.7	23.7	27.6	14.7	10.1	4.0	-11.2	
14	-27.1	-13.3	0.7	13.9	18.9	21.0	22.8	27.1	21.6	12.1	-0.2	-8.7	
15	-23.7	-13.5	7.2	12.7	19.1	22.4	23.1	23.4	21.5	12.5	-1.9	-9.9	
16	-18.2	-2.4	-0.6	6.4	15.7	13.9	22.4	23.4	21.0	12.1	-2.8	-9.3	
17	-19.3	1.0	-3.7	-0.7	14.6	15.9	27.8	22.1	21.8	11.5	2.2	-13.1	
18	-17.0	-5.4	8.9	-4.5	11.2	12.8	30.6	25.3	20.2	11.7	-1.0	-21.8	
19	-16.4	-9.6	-1.6	0.3	14.9	16.9	31.7	21.8	15.5	15.5	-6.1	-18.7	
20	-12.4	-2.4	-7.6	9.1	7.6	21.6	29.3	31.9	16.4	11.6	-8.3	-11.7	
21	-12.2	4.1	-6.8	14.4	7.0	23.1	27.0	28.1	15.1	8.2	-9.6	-8.7	
22	-14.4	4.7	-8.1	14.9	8.7	22.1	22.2	19.0	17.1	0.1	-9.1	-9.7	
23	-5.1	1.9	-5.8	16.2	10.4	22.6	22.5	22.9	16.7	9.9	-10.2	-8.6	
24	-8.2	0.6	-3.3	21.6	13.6	22.7	28.5	26.7	26.4	8.9	-12.2	-2.5	
25	-7.0	-4.4	-3.1	19.4	14.4	14.6	29.1	17.7	31.2	8.3	-15.8	2.7	
26	-2.9	-10.6	-6.1	12.1	16.9	21.3	20.3	22.5	22.6	9.1	-24.4	-5.0	
27	-0.7	-19.0	-2.8	9.4	19.2	21.1	17.1	27.3	22.4	7.6	-12.6	-4.5	
28	0.5	-18.0	-1.3	15.8	23.2	16.6	25.2	23.5	21.0	7.2	-14.7	-3.0	
29	1.1	-9.5	-2.0	19.2	23.8	21.2	28.5	22.0	24.3	2.7	-21.5	-3.6	
30	7.9		-2.3	16.7	14.5	21.5	25.7	23.4	12.0	5.2	-21.5	-4.2	
31	7.5		1.3		18.2		29.3	20.4		1.3		-12.0	
2024	JAN	FEB	MAR	APR	MAY	JUN	JLY	AUG	SEP	OCT	NOV	DEC	Minimum Temperature °C Daily
1	-11.4	-8.7	-18.0	-7.7	-2.6	2.1	11.0	10.7	4.2	-1.4	-11.9	-33.2	
2	-15.1	-2.8	-21.7	-7.0	-2.7	-1.8	10.9	6.6	7.7	-3.7	-10.8	-29.7	
3	-18.5	-3.7	-18.2	0.3	-2.1	2.3	11.2	2.2	7.9	-5.3	-8.1	-17.9	
4	-14.2	-7.6	-27.2	-3.8	-4.8	6.9	11.4	9.2	3.3	-7.5	-10.1	-24.1	
5	-18.2	-7.0	-34.7	-2.0	-6.6	6.2	10.7	5.6	0.5	-0.3	-8.2	-19.7	
6	-18.0	-11.7	-27.5	-2.5	4.6	6.5	8.0	8.9	-2.1	-3.7	-7.8	-13.9	
7	-22.3	-11.8	-27.8	-0.5	4.8	1.7	11.1	4.3	6.9	-4.9	-5.1	-7.7	
8	-24.8	-10.5	-26.6	-3.6	4.1	1.0	8.7	0.6	4.6	-3.4	-4.9	-7.5	
9	-28.2	-10.2	-23.8	-6.2	3.1	3.5	9.7	4.4	3.5	-1.3	-4.6	-14.8	
10	-31.0	-15.8	-7.4	-1.8	1.1	5.1	11.9	2.7	1.7	-2.0	-4.7	-29.8	
11	-33.6	-14.3	-10.4	-5.4	4.6	4.9	14.5	1.9	1.3	-5.7	-4.2	-37.8	
12	-37.8	-18.7	-16.0	-5.6	-0.5	6.5	12.2	3.0	9.2	-2.3	-4.3	-39.7	
13	-38.5	-18.2	-12.5	-7.2	3.6	7.3	8.4	12.8	9.2	-8.6	-7.8	-19.1	
14	-35.8	-23.9	-16.6	-6.7	3.8	3.6	10.6	11.2	3.6	-6.3	-5.0	-22.7	
15	-31.6	-27.6	-4.6	-2.5	4.6	9.8	5.9	9.4	3.7	-2.4	-7.8	-16.3	
16	-32.9	-18.3	-11.7	-2.7	2.7	3.8	6.1	2.6	3.7	-3.4	-6.6	-16.5	
17	-28.9	-12.3	-14.5	-7.4	5.6	-0.8	9.2	5.2	3.4	-0.5	-9.1	-29.9	
18	-27.0	-21.6	-6.1	-9.6	2.8	0.3	13.7	7.8	11.1	-4.2	-9.8	-36.7	
19	-19.9	-24.5	-15.1	-9.2	0.1	3.2	13.2	12.4	3.7	1.6	-11.0	-30.3	
20	-20.2	-23.6	-18.8	-11.5	-0.2	0.3	14.2	11.8	1.1	0.0	-14.5	-31.7	
21	-21.5	-11.1	-19.8	-6.6	2.4	2.9	13.2	10.2	-1.0	-1.9	-13.8	-18.6	
22	-20.4	-11.6	-21.3	-6.3	-0.3	7.5	11.0	10.3	-0.4	-8.0	-19.5	-16.0	
23	-15.6	-16.6	-20.8	-5.9	-1.4	4.8	8.8	10.4	5.8	-6.0	-14.8	-14.7	
24	-14.3	-14.6	-20.1	2.1	-2.1	9.3	13.5	11.8	6.2	-4.7	-19.5	-15.6	
25	-13.5	-17.9	-15.4	4.5	-2.7	5.4	12.8	5.0	3.6	-9.5	-30.8	-13.3	
26	-16.7	-25.2	-19.4	-1.2	3.7	3.5	9.5	2.2	4.6	-11.1	-33.4	-16.6	
27	-14.9	-31.7	-20.0	-7.0	-0.3	9.1	10.6	3.6	-1.2	-4.6	-32.2	-15.9	
28	-12.2	-34.5	-12.1	0.4	1.3	4.8	10.1	10.0	-2.7	-3.8	-31.0	-12.0	
29	-10.7	-21.0	-7.7	2.6	8.8	2.0	9.1	8.3	2.7	-10.9	-36.0	-10.0	
30	-5.0		-14.9	-1.7	7.6	5.0	8.9	7.0	1.2	-11.6	-39.0	-13.9	
31	-9.3		-17.4		6.1		6.9	3.3		-8.3		-18.9	

**30°C or Greater****32.5°C or Greater**


DAYS WITH MAXIMUM TEMPERATURES GREATER THAN A SET POINT




Groundhog day
02 February 2024
Photo: V. Wittrock

DAYS WITH MINIMUM TEMPERATURES LESS THAN A SET POINT


Minimum temperature
relative to set points
Monthly





Minus 30°C or Less



Minus 32.5°C or Less




DAYS WITH TEMPERATURES LESS THAN A SET POINT




CLC CRS
Sept 6, 2024
Photo: V. Wittrock

DAYS WITH TEMPERATURES GREATER THAN SET POINT


**Maximum Temperature
greater than 0°C
(Thaw Days)
Jan 1st to Dec 31st**




**Maximum Temperature
greater than 0°C
(Thaw Days)
Oct 1st to Mar 31st
(Cold Season)**



**Minimum Temperature
greater than 0°C
(Frost-free Days)**






**Minimum Temperature
greater than 15°C**




DEGREE-DAYS

MONTH	GROWING DEGREE-DAYS Base 5°C		HEATING DEGREE-DAYS Base 18°C		COOLING DEGREE-DAYS Base 18°C		EXTREME COOLING DEGREE-DAYS Base 24°C	
	2024	Cumulative	2024	Cumulative	2024	Cumulative	2024	Cumulative
January	0.0	0.0	1074.3	1074.3	0.0	0.0	0.0	0.0
February	0.0	0.0	821.8	1896.1	0.0	0.0	0.0	0.0
March	0.0	0.0	896.6	2792.7	0.0	0.0	0.0	0.0
April	30.7	30.7	427.5	3220.2	0.0	0.0	0.0	0.0
May	120.8	151.5	296.6	3516.8	0.0	0.0	0.0	0.0
June	188.0	339.5	202.3	3719.1	0.0	0.0	0.0	0.0
July	406.7	746.2	28.0	3747.1	31.7	31.7	0.0	0.0
August	317.0	1063.2	95.8	3842.9	9.8	41.5	0.0	0.0
September	230.9	1294.1	161.7	4004.6	2.6	44.1	0.0	0.0
October	17.5	1311.6	467.0	4471.6	0.0	44.1	0.0	0.0
November	0.0	1311.6	802.4	5274.0	0.0	44.1	0.0	0.0
December	0.0	1311.6	1011.3	6285.3	0.0	44.1	0.0	0.0




DEGREE-DAYS


Heating Degree-days
Monthly




Heating Degree-days
Annual




Cooling Degree-days
Monthly



Cooling Degree-days
Annual




DEGREE-DAYS




**Extreme Cooling
Degree-days
Annual**


POTENTIAL EVAPOTRANSPIRATION (PE) using the Thornthwaite Method¹

MONTH	PE (mm) 2024	PE (mm) 2012 Wettest Year	PE (mm) 2017 Driest Year	PE (mm) 2015 Hottest Year
Jan				
Feb				
Mar				
Apr	23.6	24.0	19.0	27.6
May	59.6	73.0	76.9	73.6
June	80.5	113.6	108.2	120.4
July	128.1	141.7	130.2	135.6
Aug	98.8	114.4	108.5	114.4
Sept	70.5	71.5	66.7	66.7
Oct	14.9	6.8	20.2	33.1
Nov				
Dec				
Total	476.1	545.0	529.7	571.4



¹Thornthwaite and Mather 1955
Thornthwaite 1948







PRECIPITATION

MONTH	MONTHLY PRECIPITATION (mm)		EXTREME VALUES (mm) (2012-2023)			
	2024	Cumulative 2024	Monthly Maximum		Monthly Minimum	
			Year	Maximum	Year	Minimum
January	9.1	9.1	2013	26.0	2014	8.9
February	10.6	19.7	2015	18.3	2018	4.7
March	15.8	35.5	2018	25.7	2019	2.5
April	17.2	52.7	2014	52.5	2016	4.6
May	69.7	122.4	2012	85.4	2013	6.8
June	115.3	237.7	2012	140.4	2017	44.9
July	30.4	268.1	2015	176.6	2021	8.6
August	37.0	305.1	2016	79.5	2013	5.8
September	25.4	330.5	2019	66.3	2023	3.5
October	18.3	348.8	2016	58.2	2013	5.6
November	39.3	388.1	2020	36.7	2023	11.7
December	8.3	396.4	2021	28.8	2015	2.4
Total	396.4		2012	593.5	2023	259.0

Monthly




Annual




PRECIPITATION

SEASONAL PRECIPITATION (mm)


Winter




Spring



Summer









Autumn



PRECIPITATION**PRECIPITATION DAYS**

MONTH	NUMBER OF DAYS WITH MEASURABLE PRECIPITATION		EXTREME VALUES (2012-2023)			
	2024	Cumulative 2024	Monthly Maximum		Monthly Minimum	
			Days	Year	Days	Year
January	13	13	21	2020	8	2014
February	11	24	18	2016	6	2014
March	9	33	19	2012	2	2019
April	8	41	17	2012	4	2013
May	15	56	13	2012	4	2013
June	17	73	19	2020	8	2023
July	9	82	19	2016	6	2021
August	12	94	15	2016	5	2013
September	7	101	18	2018	2	2022
October	5	106	18	2016	4	2013
November	12	118	21	2014	6	2021
December	11	129	17	2016	5	2023
Total	129		171	2017	104	2013

Monthly Days**Annual Days**

PRECIPITATION**SEASONAL PRECIPITATION DAYS****Winter Days****Spring Days****Summer Days****Autumn Days**

PRECIPITATION

PRECIPITATION RANKINGS

RANKING BY WETTEST YEAR (mm)									
ANNUAL (JAN-DEC)		WINTER (DJF)		SPRING (MAM)		SUMMER (JJA)		AUTUMN (SON)	
2023	259.0	2012*	25.6	2013	29.4	2017	78.6	2023	42.1
2017	264.4	2021	27.3	2022	40	2019	132.6	2021	50.3
2021	298.2	2017	31.4	2019	40.5	2023	139.8	2014	51.3
2019	311.4	2023	32.2	2016	42.2	2021	148.8	2017	52.0
2022	331.5	2018	33.5	2023	45.6	2020	162.0	2013	53.6
2013	340.0	2014	33.9	2021	48.2	2022	177.2	2018	64.4
2018	349.5	2020	34.2	2018	49.0	2024	182.7	2022	69.6
2016	377.6	2016	34.8	2015	55.4	2016	197.8	2012	75.9
2020	385.1	2024	35.6	2017	102.1	2018	200.6	2020	80.6
2024	396.4	2015	36.4	2024	102.7	2013	207.6	2024	83.0
2014	450.2	2013	46.5	2014	106.6	2014	268.8	2019	94.6
2015	489.5	2019	46.8	2020	110.7	2015	283.4	2016	97.9
2012	593.5	2022	56.9	2012	146.0	2012	333.8	2015	116.6

Winter 2012* missing December 2011 data

ANNUAL RANKING BY DAYS WITH PRECIPITATION									
ANNUAL (JAN-DEC)		WINTER (DJF)		SPRING (MAM)		SUMMER (JJA)		AUTUMN (SON)	
2013	104	2013	26	2013	11	2015	26	2021	20
2023	106	2015	27	2019	17	2023	30	2023	24
2015	122	2014	28	2023	22	2018	35	2024	24
2014	127	2024	29	2016	25	2013	36	2013	25
2021	128	2012*	30	2018	26	2021	37	2022	25
2022	129	2022	35	2015	27	2022	37	2020	33
2024	129	2016	38	2014	29	2024	38	2016	34
2018	149	2021	40	2020	31	2014	39	2015	35
2019	149	2023	41	2021	31	2012	42	2012	36
2016	156	2018	45	2022	32	2017	44	2014	36
2020	156	2020	45	2024	32	2021	46	2017	38
2012	165	2019	46	2017	41	2016	48	2019	41
2017	171	2017	50	2012	49	2019	49	2018	46

Winter 2012* missing December 2011 data

RANKING BY DRIEST MONTH			
PRECIPITATION AMOUNT (mm)		PRECIPITATION DAYS	
DECEMBER	8.3	OCTOBER	5
JANUARY	9.1	SEPTEMBER	7
FEBRUARY	10.6	APRIL	8
MARCH	15.8	MARCH	9
APRIL	17.2	JULY	9
OCTOBER	18.3	FEBRUARY	11
SEPTEMBER	25.4	DECEMBER	11
JULY	30.4	AUGUST	12
AUGUST	37.0	NOVEMBER	12
NOVEMBER	39.3	JANUARY	13
MAY	69.7	MAY	15
JUNE	115.3	JUNE	17

RANKING BY					
Total Number of Dry Days*		Maximum Length of Dry Spell*		Maximum Length of Wet Spell*	
2013	261	2019	25	2015	9
2023	251	2012	21	2024	9
2015	250	2016	21	2013	8
2024	249	2023	21	2022	8
2014	239	2022	20	2014	7
2021	236	2021	19	2020	7
2022	231	2014	17	2023	7
2018	216	2018	16	2016	6
2019	214	2024	16	2017	6
2016	210	2013	15	2018	6
2020	208	2015	14	2019	6
2012	200	2020	13	2012	5
2017	194	2017	9	2021	4

*For this report, a dry day is defined as a day on which precipitation is not recorded; a dry spell is 2+ consecutive days of no precipitation; a wet spell is 2+ consecutive days of precipitation.



All-season precipitation weighing gauge
31 October 2024
Photo: K. Babich


PRECIPITATION GRID (mm)

Precipitation
Daily


2024	JAN	FEB	MAR	APR	MAY	JUN	JLY	AUG	SEP	OCT	NOV	DEC
1	0.0	0.1	0.0	0.0	6.8	0.0	2.5	0.0	0.0	0.0	0.0	0.9
2	0.0	0.0	0.7	0.0	3.5	0.0	7.7	0.0	0.0	0.0	0.0	0.1
3	0.0	0.2	10.3	0.0	2.7	4.2	0.0	0.0	0.0	0.0	0.0	0.0
4	0.0	1.1	0.6	4.4	0.9	37.5	0.0	0.0	0.0	0.0	0.0	0.0
5	2.9	2.6	0.0	0.0	0.0	5.0	0.0	2.6	0.0	15.4	0.0	0.1
6	0.3	0.1	0.0	0.0	4.7	0.0	0.0	3.6	0.0	0.0	0.0	0.0
7	1.6	2.8	0.0	0.0	7.2	1.1	0.0	0.0	0.0	0.0	0.0	0.0
8	0.4	0.2	0.0	0.0	0.0	0.8	3.2	0.0	0.0	0.0	0.0	0.1
9	0.9	0.3	0.0	0.0	0.0	0.0	9.9	0.0	0.0	0.0	0.2	0.3
10	0.6	0.1	0.0	0.0	0.0	17.9	0.0	0.0	0.0	0.8	11.4	0.3
11	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.0	0.0
12	0.5	0.0	0.1	0.0	0.0	11.0	3.1	0.0	1.0	0.1	0.0	0.0
13	0.2	0.0	0.4	0.0	0.0	3.7	0.9	7.6	2.9	0.0	0.0	0.0
14	0.0	0.0	0.0	0.0	2.2	3.1	1.5	0.0	0.0	0.0	6.3	0.0
15	0.0	0.0	0.0	0.0	7.6	3.3	0.0	0.0	0.0	0.0	0.0	0.0
16	0.0	0.0	0.1	6.0	0.0	17.1	0.0	0.0	0.0	0.0	0.0	0.0
17	0.4	0.0	0.0	4.1	15.5	0.0	0.0	6.6	0.0	0.0	0.0	0.0
18	0.3	0.0	0.0	1.8	0.1	0.2	0.0	3.4	7.7	0.0	0.4	0.0
19	0.1	0.0	0.2	0.0	0.0	0.0	0.0	2.8	1.6	0.0	10.1	0.0
20	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0
21	0.0	0.0	0.0	0.0	15.4	0.0	0.0	0.4	0.0	0.0	0.3	0.0
22	0.4	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
23	0.0	0.0	0.0	0.0	1.7	4.7	0.0	0.1	1.0	0.0	1.5	0.0
24	0.0	0.0	0.0	0.0	0.0	1.0	0.0	7.7	0.0	0.9	7.1	0.0
25	0.0	0.8	0.0	0.1	0.0	1.9	0.1	0.1	0.0	0.0	0.1	0.0
26	0.0	2.3	0.0	0.2	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0
27	0.0	0.0	0.0	0.0	0.0	0.2	1.5	0.0	0.0	0.0	0.3	4.9
28	0.0	0.0	0.2	0.0	0.0	2.6	0.0	1.6	0.0	0.0	0.1	1.4
29	0.0	0.0	3.2	0.3	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0
30	0.0		0.0	0.3	0.0	0.0	0.0	0.0	10.9	0.0	1.5	0.1
31	0.0		0.0		0.8		0.0	0.0		0.0		0.1
TOTAL	9.1	10.6	15.8	17.2	69.7	115.3	30.4	37.0	25.4	18.3	39.3	8.3

EXTREME PRECIPITATION EVENTS		
PERIOD	DATE (time)	AMOUNT (mm)
0.5 hour*	6/4/2024 18:30-19:00	17.0
	7/8/2024 23:30 - 7/9/2024 00:00	8.8
1 hour*	6/4/2024 18:30 - 19:30	21.4
	7/8/2024 23:00 - 7/9/2024 00:00	11.0
2 hours*	6/4/2024 18:30-20:30	26.4
	7/8/2024 22:30 - 7/9/2024 00:30	12.8
6 hours*	6/4/2024 18:30 to 6/5/2024 0:30	29.2
	6/10/2024 13:00 - 19:00	14.4
12 hours*	6/4/2024 18:00 to 6/5/2024 06:00	31.2
	6/10/2024 09:30 - 21:30	18.6
24 hours*	6/4/2024 01:30 to 6/5/2024 01:30	36.8
	6/15/2024 15:00 - 6/16/2024 15:00	19.8
Calendar Day	6/4/2024	36.4
	6/10/2024	18.6
Greatest amount over more than one day	June 3 to 5, 2024	46.7
	June 12 to 16, 2024	38.2
Longest wet spells	January 5 to 13, 2024	9 days
	Feb 3 to 10, 2024	8 days
Longest dry spells	Dec 11 to 26, 2024	16 days
	October 25 to November 8 2024	15 days
	December 21, 2023 to January 4, 2024	15 days
*recorded by the tipping bucket gauge		


SNOW-ON-THE-GROUND (SOG)



Snow-on-the-Ground (cm) on Last Day of Month (2011 to present)



Snow-on-the-Ground (cm) October 2023 to April 2024 Daily, 9am



Snow-on-the-Ground (cm) October 2024 to December 2024 Daily, 9am



Snow Depth Sensor
31 October 2024
Photo: K. Babich

RADIATION

Sunrise/Sunset Tables for Conservation Learning Centre¹

2024 DATE	JANUARY RISE SET	FEBRUARY RISE SET	MARCH RISE SET	APRIL RISE SET	MAY RISE SET	JUNE RISE SET	JULY RISE SET	AUGUST RISE SET	SEPTEMBER RISE SET	OCTOBER RISE SET	NOVEMBER RISE SET	DECEMBER RISE SET
1	9:17 16:57	8:47 17:47	7:48 18:43	6:35 19:39	5:29 20:33	4:43 21:20	4:42 21:32	5:22 20:56	6:14 19:50	7:06 18:38	8:02 17:31	8:55 16:50
2	9:16 16:58	8:45 17:49	7:46 18:45	6:33 19:41	5:27 20:35	4:42 21:21	4:43 21:31	5:23 20:54	6:16 19:48	7:07 18:36	8:04 17:29	8:56 16:49
3	9:16 16:59	8:43 17:51	7:44 18:47	6:30 19:43	5:25 20:36	4:41 21:22	4:44 21:31	5:25 20:52	6:18 19:46	7:09 18:34	8:06 17:27	8:58 16:49
4	9:16 17:00	8:42 17:53	7:42 18:49	6:28 19:45	5:23 20:38	4:41 21:23	4:45 21:30	5:27 20:50	6:19 19:43	7:11 18:31	8:08 17:25	8:59 16:48
5	9:16 17:01	8:40 17:55	7:39 18:50	6:26 19:47	5:21 20:40	4:40 21:24	4:45 21:30	5:28 20:49	6:21 19:41	7:13 18:29	8:10 17:23	9:00 16:48
6	9:15 17:03	8:38 17:57	7:37 18:52	6:23 19:48	5:19 20:41	4:39 21:25	4:46 21:29	5:30 20:47	6:23 19:39	7:14 18:27	8:12 17:21	9:01 16:47
7	9:15 17:04	8:36 17:59	7:35 18:54	6:21 19:50	5:17 20:43	4:39 21:26	4:47 21:28	5:32 20:45	6:24 19:36	7:16 18:24	8:13 17:20	9:03 16:47
8	9:14 17:05	8:35 18:01	7:32 18:56	6:19 19:52	5:15 20:45	4:38 21:27	4:48 21:28	5:33 20:43	6:26 19:34	7:18 18:22	8:15 17:18	9:04 16:47
9	9:14 17:07	8:33 18:03	7:30 18:58	6:16 19:54	5:14 20:47	4:38 21:28	4:50 21:27	5:35 20:41	6:28 19:31	7:20 18:20	8:17 17:16	9:05 16:46
10	9:13 17:08	8:31 18:04	7:28 19:00	6:14 19:55	5:12 20:48	4:38 21:28	4:51 21:26	5:37 20:39	6:29 19:29	7:22 18:17	8:19 17:15	9:06 16:46
11	9:12 17:10	8:29 18:06	7:25 19:01	6:12 19:57	5:10 20:50	4:37 21:29	4:52 21:25	5:38 20:37	6:31 19:27	7:23 18:15	8:21 17:13	9:07 16:46
12	9:12 17:11	8:27 18:08	7:23 19:03	6:09 19:59	5:09 20:51	4:37 21:30	4:53 21:24	5:40 20:35	6:33 19:24	7:25 18:13	8:23 17:11	9:08 16:46
13	9:11 17:13	8:25 18:10	7:21 19:05	6:07 20:01	5:07 20:53	4:37 21:30	4:54 21:23	5:42 20:33	6:35 19:22	7:27 18:10	8:25 17:10	9:09 16:46
14	9:10 17:15	8:23 18:12	7:18 19:07	6:05 20:03	5:05 20:55	4:37 21:31	4:55 21:22	5:43 20:31	6:36 19:19	7:29 18:08	8:26 17:08	9:10 16:46
15	9:09 17:16	8:21 18:14	7:16 19:09	6:03 20:04	5:04 20:56	4:36 21:31	4:57 21:21	5:45 20:29	6:38 19:17	7:31 18:06	8:28 17:07	9:11 16:46
16	9:08 17:18	8:19 18:16	7:13 19:11	6:00 20:06	5:02 20:58	4:36 21:32	4:58 21:20	5:47 20:26	6:40 19:15	7:32 18:04	8:30 17:06	9:12 16:46
17	9:07 17:20	8:17 18:18	7:11 19:12	5:58 20:08	5:01 20:59	4:36 21:32	4:59 21:19	5:49 20:24	6:41 19:12	7:34 18:02	8:32 17:04	9:12 16:47
18	9:06 17:21	8:15 18:20	7:09 19:14	5:56 20:10	4:59 21:01	4:37 21:32	5:01 21:17	5:50 20:22	6:43 19:10	7:36 17:59	8:34 17:03	9:13 16:47
19	9:05 17:23	8:13 18:22	7:06 19:16	5:54 20:12	4:58 21:03	4:37 21:33	5:02 21:16	5:52 20:20	6:45 19:07	7:38 17:57	8:35 17:02	9:14 16:47
20	9:04 17:25	8:11 18:24	7:04 19:18	5:52 20:13	4:56 21:04	4:37 21:33	5:03 21:15	5:54 20:18	6:47 19:05	7:40 17:55	8:37 17:00	9:14 16:48
21	9:03 17:26	8:08 18:26	7:01 19:20	5:49 20:15	4:55 21:06	4:37 21:33	5:05 21:13	5:55 20:16	6:48 19:02	7:42 17:53	8:39 16:59	9:15 16:48
22	9:01 17:28	8:06 18:28	6:59 19:21	5:47 20:17	4:54 21:07	4:37 21:33	5:06 21:12	5:57 20:13	6:50 19:00	7:43 17:51	8:40 16:58	9:15 16:49
23	9:00 17:30	8:04 18:30	6:57 19:23	5:45 20:19	4:52 21:08	4:38 21:33	5:08 21:10	5:59 20:11	6:52 18:58	7:45 17:49	8:42 16:57	9:16 16:50
24	8:59 17:32	8:02 18:32	6:54 19:25	5:43 20:20	4:51 21:10	4:38 21:33	5:09 21:09	6:01 20:09	6:53 18:55	7:47 17:46	8:44 16:56	9:16 16:50
25	8:57 17:34	8:00 18:33	6:52 19:27	5:41 20:22	4:50 21:11	4:38 21:33	5:11 21:07	6:02 20:07	6:55 18:53	7:49 17:44	8:45 16:55	9:16 16:51
26	8:56 17:36	7:57 18:35	6:49 19:29	5:39 20:24	4:49 21:13	4:39 21:33	5:12 21:06	6:04 20:04	6:57 18:50	7:51 17:42	8:47 16:54	9:16 16:52
27	8:55 17:37	7:55 18:37	6:47 19:30	5:37 20:26	4:48 21:14	4:39 21:33	5:14 21:04	6:06 20:02	6:59 18:48	7:53 17:40	8:49 16:53	9:17 16:53
28	8:53 17:39	7:53 18:39	6:45 19:32	5:35 20:28	4:47 21:15	4:40 21:33	5:15 21:03	6:07 20:00	7:00 18:46	7:55 17:38	8:50 16:52	9:17 16:53
29	8:52 17:41	7:51 18:41	6:42 19:34	5:33 20:29	4:46 21:16	4:41 21:33	5:17 21:01	6:09 19:57	7:02 18:43	7:56 17:36	8:52 16:51	9:17 16:54
30	8:50 17:43		6:40 19:36	5:31 20:31	4:45 21:18	4:41 21:32	5:19 20:59	6:11 19:55	7:04 18:41	7:58 17:34	8:53 16:51	9:17 16:55
31	8:48 17:45		6:38 19:38		4:44 21:19		5:20 20:58	6:12 19:53		8:00 17:32		9:17 16:56

2025 DATE	JANUARY RISE SET	FEBRUARY RISE SET	MARCH RISE SET	APRIL RISE SET	MAY RISE SET	JUNE RISE SET	JULY RISE SET	AUGUST RISE SET	SEPTEMBER RISE SET	OCTOBER RISE SET	NOVEMBER RISE SET	DECEMBER RISE SET
1	9:16 16:58	8:46 17:48	7:49 18:42	6:36 19:39	5:29 20:32	4:43 21:20	4:42 21:32	5:21 20:56	6:14 19:51	7:05 18:39	8:02 17:31	8:54 16:50
2	9:16 16:59	8:44 17:50	7:47 18:44	6:33 19:41	5:27 20:34	4:42 21:21	4:43 21:31	5:23 20:55	6:15 19:49	7:07 18:37	8:04 17:29	8:56 16:49
3	9:16 17:00	8:42 17:52	7:44 18:46	6:31 19:43	5:25 20:36	4:42 21:22	4:43 21:31	5:25 20:53	6:17 19:46	7:09 18:34	8:05 17:27	8:57 16:49
4	9:16 17:01	8:40 17:54	7:42 18:48	6:29 19:44	5:23 20:38	4:41 21:23	4:44 21:30	5:26 20:51	6:19 19:44	7:10 18:32	8:07 17:25	8:59 16:48
5	9:15 17:02	8:39 17:56	7:40 18:50	6:26 19:46	5:21 20:39	4:40 21:24	4:45 21:30	5:28 20:49	6:21 19:42	7:12 18:30	8:09 17:24	9:00 16:48
6	9:15 17:04	8:37 17:58	7:38 18:52	6:24 19:48	5:20 20:41	4:40 21:25	4:46 21:29	5:30 20:47	6:22 19:39	7:14 18:27	8:11 17:22	9:01 16:47
7	9:14 17:05	8:35 18:00	7:35 18:54	6:22 19:50	5:18 20:43	4:39 21:26	4:47 21:29	5:31 20:45	6:24 19:37	7:16 18:25	8:13 17:20	9:02 16:47
8	9:14 17:07	8:33 18:02	7:33 18:55	6:19 19:51	5:16 20:44	4:39 21:27	4:48 21:28	5:33 20:43	6:26 19:34	7:18 18:23	8:15 17:18	9:04 16:47
9	9:13 17:08	8:31 18:04	7:31 18:57	6:17 19:53	5:14 20:46	4:38 21:27	4:49 21:27	5:35 20:41	6:27 19:32	7:19 18:20	8:17 17:17	9:05 16:46
10	9:12 17:10	8:29 18:06	7:28 18:59	6:15 19:55	5:12 20:48	4:38 21:28	4:50 21:26	5:36 20:39	6:29 19:30	7:21 18:18	8:19 17:15	9:06 16:46
11	9:12 17:11	8:27 18:08	7:26 19:01	6:12 19:57	5:11 20:49	4:37 21:29	4:51 21:25	5:38 20:37	6:31 19:27	7:23 18:16	8:20 17:13	9:07 16:46
12	9:11 17:13	8:25 18:10	7:23 19:03	6:10 19:59	5:09 20:51	4:37 21:29	4:53 21:24	5:40 20:35	6:32 19:25	7:25 18:13	8:22 17:12	9:08 16:46
13	9:10 17:14	8:23 18:12	7:21 19:05	6:08 20:00	5:07 20:53	4:37 21:30	4:54 21:23	5:41 20:33	6:34 19:22	7:27 18:11	8:24 17:10	9:09 16:46
14	9:09 17:16	8:21 18:14	7:19 19:07	6:05 20:02	5:06 20:54	4:37 21:31	4:55 21:22	5:43 20:31	6:36 19:20	7:28 18:09	8:26 17:09	9:10 16:46
15	9:08 17:17	8:19 18:16	7:16 19:08	6:03 20:04	5:04 20:56	4:37 21:31	4:56 21:21	5:45 20:29	6:38 19:18	7:30 18:07	8:28 17:07	9:11 16:46
16	9:07 17:19	8:17 18:18	7:14 19:10	6:01 20:06	5:03 20:58	4:36 21:32	4:58 21:20	5:46 20:27	6:39 19:15	7:32 18:04	8:30 17:06	9:11 16:46
17	9:06 17:21	8:15 18:20	7:12 19:12	5:59 20:08	5:01 20:59	4:36 21:32	4:59 21:19	5:48 20:25	6:41 19:13	7:34 18:02	8:31 17:05	9:12 16:47
18	9:05 17:23	8:13 18:21	7:09 19:14	5:57 20:09	5:00 21:01	4:36 21:32	5:00 21:18	5:50 20:23	6:43 19:10	7:36 18:00	8:33 17:03	9:13 16:47
19	9:04 17:24	8:11 18:23	7:07 19:16	5:54 20:11	4:58 21:02	4:37 21:33	5:02 21:16	5:52 20:20	6:44 19:08	7:37 17:58	8:35 17:02	9:14 16:47
20	9:03 17:26	8:09 18:25	7:04 19:17	5:52 20:13	4:57 21:04	4:37 21:33	5:03 21:15	5:53 20:18	6:46 19:05	7:39 17:56	8:37 17:01	9:14 16:48
21	9:02 17:28	8:07 18:27	7:02 19:19	5:50 20:15	4:55 21:05	4:37 21:33	5:05 21:14	5:55 20:16	6:48 19:03	7:41 17:53	8:38 16:59	9:15 16:48
22	9:00 17:30	8:05 18:29	7:00 19:21	5:48 20:16	4:54 21:07	4:37 21:33	5:06 21:12	5:57 20:14	6:50 19:01	7:43 17:51	8:40 16:58	9:15 16:49
23	8:59 17:31	8:02 18:31	6:57 19:23	5:46 20:18	4:53 21:08	4:38 21:33	5:07 21:11	5:58 20:12	6:51 18:58	7:45 17:49	8:42 16:57	9:16 16:49
24	8:58 17:33	8:00 18:33	6:55 19:25	5:43 20:20	4:51 21:09	4:38 21:33	5:09 21:09	6:00 20:09	6:53 18:56	7:47 17:47	8:43 16:56	9:16 16:50
25	8:56 17:35	7:58 18:35	6:52 19:26	5:41 20:22	4:50 21:11	4:38 21:33	5:10 21:08	6:02 20:07	6:55 18:53	7:49 17:45	8:45 16:55	9:16 16:51
26	8:55 17:37	7:56 18:37	6:50 19:28	5:39 20:24	4:49 21:12	4:38 21:33	5:12 21:06	6:04 20:05	6:56 18:51	7:50 17:43	8:47 16:54	9:16 16:52
27	8:53 17:39	7:54 18:39	6:48 19:30	5:37 20:25	4:48 21:14	4:39 21:33	5:13 21:05	6:05 20:03	6:58 18:49	7:52 17:41	8:48 16:53	9:17 16:52
28	8:52 17:41	7:51 18:41	6:45 19:32	5:35 20:27	4:47 21:15	4:40 21:33	5:15 21:03	6:07 20:00	7:00 18:46	7:54 17:39	8:50 16:52	9:17 16:53
29	8:50 17:43		6:43 19:34	5:33 20:29	4:46 21:16	4:41 21:33	5:17 21:01	6:09 19:58	7:02 18:44	7:56 17:37	8:51 16:51	9:17 16:54
30	8:49 17:45		6:41 19:35	5:31 20:31	4:45 21:17	4:41 21:32	5:18 21:00	6:10 19:56	7:03 18:41	7:58 17:35	8:53 16:51	9:17 16:55
31	8:47 17:47		6:38 19:37		4:44 21:18		5:20 20:58	6:12 19:53		8:00 17:33		9:17 16:56

¹National Research Council, Canada, Hertzberg Institute of Astrophysics

RADIATION

MONTH	BRIGHT SUNSHINE (HOURS)				BRIGHT SUNSHINE DAYS				
	2024	POSSIBLE SUNSHINE*	% OF POSSIBLE	2024 CUMULATIVE HOURS	2024 NUMBER OF DAYS	2024 CUMULATIVE DAYS	2024 WITH 1 OR MORE HOURS	2024 WITH 5 OR MORE HOURS	2024 WITH 10 OR MORE HOURS
JAN	82.7	254.6	32.5	82.7	19	19	16	9	0
FEB	166.3	287.1	57.9	249.0	23	42	23	18	1
MAR	265.6	370.5	71.7	514.6	29	71	28	25	17
APR	254.3	421.6	60.3	768.9	26	97	26	23	14
MAY	215.9	492.7	43.8	984.8	30	127	28	17	10
JUNE	240.1	505.5	47.5	1224.9	30	157	28	20	13
JULY	328.4	505.7	64.9	1553.3	31	188	30	28	20
AUG	305.5	454.0	67.3	1858.8	31	219	30	26	17
SEP	233.7	378.4	61.8	2092.5	29	248	26	21	15
OCT	180.5	326.4	55.3	2273.0	28	276	27	19	2
NOV	107.5	259.6	41.4	2380.5	22	298	20	10	0
DEC	56.4	237.3	23.8	2436.9	16	314	13	5	0
TOTAL	2436.9	4493.5	54.2		314		295	221	109

* National Research Council, Canada, Hertzberg Institute of Astrophysics

Bright Sunshine (hrs)

2024	JAN	FEB	MAR	APR	MAY	JUN	JLY	AUG	SEP	OCT	NOV	DEC
1	4.7	8.5	9.6	7.9	1.1	12.4	2.2	15.0	10.0	1.4	8.1	6.2
2	0.0	7.2	0.4	11.9	1.0	11.3	6.9	12.2	12.9	8.7	0.0	0.9
3	0.1	0.0	0.0	11.7	2.9	6.8	11.4	6.7	10.5	9.1	4.4	0.0
4	0.0	0.0	9.0	0.0	3.1	3.9	10.4	11.6	4.1	6.8	8.7	2.4
5	0.1	0.0	10.1	10.1	12.8	2.5	13.5	0.6	11.5	0.8	4.8	0.0
6	0.0	0.0	1.8	11.6	0.6	8.3	14.3	4.2	12.5	9.6	4.7	0.0
7	0.1	0.0	10.8	7.7	2.0	2.5	13.4	12.3	11.6	9.9	8.5	3.3
8	1.2	3.2	9.8	8.4	14.9	0.2	13.7	8.6	11.5	10.4	8.4	0.0
9	0.0	1.3	10.1	7.9	14.1	7.8	13.1	12.0	10.1	8.0	1.0	0.0
10	0.0	2.1	11.1	9.4	13.0	0.8	14.6	12.6	11.9	6.3	2.7	6.6
11	3.6	7.9	8.9	7.5	14.4	11.9	13.0	13.9	8.6	6.0	1.2	1.5
12	6.2	9.0	6.9	1.9	11.9	2.3	12.9	13.6	0.1	6.2	5.3	5.2
13	6.2	1.1	10.6	7.2	7.5	9.5	12.7	7.5	0.2	7.0	7.7	3.2
14	7.2	9.3	3.8	12.9	11.0	10.6	7.3	11.7	10.8	10.0	0.0	3.2
15	7.5	8.9	7.6	3.6	5.6	11.5	13.3	10.5	11.2	9.5	0.4	0.0
16	0.0	8.1	11.5	0.0	9.4	4.3	14.9	12.8	5.3	1.8	0.0	0.0
17	4.9	9.7	10.8	0.0	1.9	12.6	12.1	4.3	4.5	4.5	1.5	6.4
18	0.0	9.7	11.5	0.0	1.1	9.9	15.0	13.2	0.0	9.7	0.3	0.0
19	0.0	9.7	9.8	13.2	13.0	12.5	12.5	3.8	4.2	7.1	0.0	0.0
20	1.3	6.3	11.4	13.9	0.6	14.6	8.1	13.4	8.4	8.1	4.9	0.0
21	5.2	7.2	10.9	11.6	0.0	11.7	8.5	8.7	10.8	0.0	0.0	0.1
22	0.0	9.7	12.0	12.7	3.4	10.8	8.8	4.0	1.0	0.0	7.5	0.0
23	0.0	8.8	12.0	13.8	4.0	8.1	4.9	9.9	0.9	7.4	0.0	0.0
24	0.0	8.9	11.8	12.7	4.6	10.5	6.5	11.8	9.9	6.1	0.0	1.5
25	0.0	4.3	12.2	12.6	6.6	2.6	7.3	8.0	11.3	9.4	6.3	4.8
26	6.4	0.0	12.1	13.8	7.3	4.3	6.1	13.4	3.9	2.9	2.5	6.1
27	1.8	9.4	10.0	13.8	13.8	3.7	0.4	12.7	11.0	1.4	0.0	0.0
28	6.0	10.1	1.9	1.5	14.2	6.2	12.4	9.4	11.1	4.1	7.3	0.1
29	7.1	5.9	0.0	6.6	9.0	14.3	13.0	5.5	7.3	0.0	6.8	0.0
30	4.9		5.4	8.4	1.7	11.7	11.9	8.8	6.6	3.9	4.5	0.0
31	8.2		11.8		9.4		13.3	12.8		4.4		4.9
TOTAL	166.3	265.6	254.3	215.9	240.1	328.4	305.5	233.7	180.5	107.5	56.4	149.3

Bright Sunshine Ranking

% OF ACTUAL TO POSSIBLE HOURS BRIGHT SUNSHINE									
ANNUAL		WINTER DJF		SPRING MAM		SUMMER JJA		AUTUMN SON	
2023	60.5	2024	44.9	2021	68.7	2017	65.7	2021	57.4
2021	60.1	2018	41.4	2019	68.0	2023	63.5	2022	56.6
2017	57.6	2022	36.7	2015	66.7	2015	62.3	2024	54.1
2015	55.4	2020	34.4	2023	65.7	2013	61.2	2023	53.5
2019	55.3	2021	33.2	2018	63.7	2016	61.1	2017	52.9
2022	54.7	2023	30.9	2020	62.9	2012	61.0	2015	47.6
2024	54.4	2019	26.9	2017	57.8	2022	60.0	2013	44.4
2020	53.5	2017	26.2	2024	57.3	2018	60.0	2014	43.0
2018	53.5	2012	N/A	2016	55.2	2024	59.6	2020	42.6
2012	47.9	2013	N/A	2022	55.1	2021	59.1	2019	41.5
2014	46.6	2014	N/A	2014	54.0	2019	58.9	2012	39.7
2016	43.9	2015	N/A	2012	50.2	2020	57.9	2016	38.0
2013	42.5	2016	N/A	2013	45.4	2014	55.3	2018	34.2

DAYS WITH BRIGHT SUNSHINE									
ANNUAL		WINTER DJF		SPRING MAM		SUMMER JJA		AUTUMN SON	
2023	335	2018	77	2019	91	2024	92	2017	82
2017	334	2021	75	2020	90	2016	91	2021	81
2021	333	2023	70	2021	89	2019	91	2023	80
2022	325	2024	70	2022	89	2023	91	2024	79
2020	323	2022	69	2023	89	2014	90	2014	78
2012	321	2020	67	2015	86	2017	90	2020	76
2019	319	2019	66	2016	85	2018	90	2022	75
2024	314	2017	50	2024	85	2020	90	2012	72
2018	312	2012	N/A	2018	84	2022	90	2015	71
2015	301	2013	N/A	2014	83	2013	89	2019	71
2014	286	2014	N/A	2017	83	2015	88	2018	70
2016	240	2015	N/A	2012	82	2021	88	2016	64
2013	215	2016	N/A	2013	71	2012	86	2013	55


Global and Diffuse Radiation (MJ/m²)

DATE	JANUARY		FEBRUARY		MARCH		APRIL		MAY		JUNE		JULY		AUGUST		SEPTEMBER		OCTOBER		NOVEMBER		DECEMBER	
	Global	Diffuse	Global	Diffuse	Global	Diffuse	Global	Diffuse	Global	Diffuse	Global	Diffuse	Global	Diffuse	Global	Diffuse	Global	Diffuse	Global	Diffuse	Global	Diffuse	Global	Diffuse
1	3.1	0.9	6.3	1.1	11.8	3.2	15.1	4.8	9.0	7.9	24.9	6.8	13.8	11.5	25.7	3.3	17.7	2.9	5.8	4.8	7.3	1.5	5.6	1.5
2	1.4	1.4	5.8	1.3	6.6	6.1	18.7	3.4	11.5	10.0	25.8	6.9	18.0	10.1	20.0	8.5	18.8	2.3	11.2	2.8	2.2	2.1	2.7	2.2
3	2.0	1.9	1.2	1.1	3.3	3.1	17.4	5.4	12.4	10.6	13.7	8.8	25.7	8.6	15.1	7.7	15.7	7.0	11.9	3.3	4.8	3.0	2.0	2.0
4	1.1	1.0	1.3	1.3	12.4	7.1	2.8	2.6	11.5	8.9	15.5	8.0	22.6	8.2	22.1	7.6	10.4	6.7	9.0	5.3	7.8	1.3	3.2	2.7
5	1.6	1.6	2.8	2.7	13.6	2.4	18.0	4.7	24.4	6.5	12.3	10.0	21.7	7.9	7.9	7.0	17.7	3.8	2.6	2.3	4.6	3.5	2.2	2.1
6	1.5	1.4	1.8	1.7	9.7	8.6	17.6	5.4	5.7	5.0	21.9	8.5	23.9	8.2	9.6	7.1	17.9	2.9	11.3	1.7	5.0	3.0	1.9	1.8
7	2.3	2.2	3.1	2.9	14.3	2.8	15.4	6.2	10.1	8.4	12.0	9.5	26.5	7.5	22.4	6.4	15.6	5.1	10.3	3.2	6.2	1.1	2.7	2.3
8	2.4	2.2	5.2	3.9	13.3	4.4	15.2	5.7	26.0	3.7	11.0	9.8	23.9	9.8	18.3	7.3	15.8	4.9	11.1	1.3	5.9	1.1	1.2	1.2
9	1.7	1.6	3.4	3.0	14.1	4.6	13.8	8.0	26.9	3.5	20.4	11.7	24.3	8.7	19.5	7.9	15.8	4.1	9.8	2.2	3.0	2.8	2.3	2.3
10	2.2	2.1	4.7	3.9	13.7	2.7	16.4	5.9	25.6	5.1	5.7	4.9	26.7	6.6	20.0	8.0	17.3	2.9	8.5	3.5	3.6	2.4	3.5	1.1
11	3.3	2.4	7.8	1.4	13.0	3.5	15.2	7.5	22.7	8.9	25.2	8.5	24.6	7.1	23.2	3.0	13.3	7.1	7.1	4.6	3.1	2.7	2.0	1.6
12	3.8	1.5	8.4	2.7	12.7	5.8	7.8	6.5	24.4	5.2	10.0	8.5	24.1	8.6	22.1	5.4	2.0	1.9	8.3	3.4	4.5	1.8	3.8	1.2
13	3.5	2.4	4.5	3.8	13.6	4.0	15.5	5.8	19.4	8.8	17.4	11.6	25.8	5.8	16.5	6.2	3.1	2.9	8.2	3.5	6.0	1.3	2.9	2.4
14	4.6	1.3	9.6	2.4	8.5	6.7	19.0	4.9	22.1	8.3	20.7	10.4	17.0	10.7	19.2	6.0	14.4	4.2	9.4	3.1	1.0	1.0	2.4	1.9
15	5.0	1.1	8.8	3.6	13.9	3.0	10.0	7.9	14.3	10.2	25.2	7.2	24.3	7.0	19.1	8.1	15.7	3.1	9.0	3.1	2.6	2.5	2.1	2.0
16	2.2	2.2	8.6	2.2	15.6	2.8	2.2	1.9	19.4	10.1	9.5	6.7	26.7	6.0	20.8	6.5	10.0	5.9	5.2	4.5	1.1	1.0	1.6	1.6
17	4.1	1.6	9.3	1.6	15.7	2.8	12.2	10.7	8.4	5.8	24.1	9.3	23.4	8.6	9.0	6.0	9.6	4.8	5.9	3.8	2.7	2.4	3.3	1.0
18	2.9	2.8	9.9	1.6	15.7	2.2	13.3	11.6	11.8	10.0	21.3	9.7	25.2	7.4	20.6	6.2	4.2	3.9	9.1	1.6	2.3	2.1	2.2	2.0
19	2.6	2.4	9.7	1.6	14.1	4.7	24.9	4.7	24.5	7.1	23.8	9.5	20.2	9.1	7.0	5.4	6.0	3.7	8.2	2.1	2.0	1.9	2.1	2.0
20	3.2	2.8	8.0	2.9	15.2	4.7	24.6	3.8	5.1	4.4	29.1	5.9	14.8	9.5	20.0	5.2	11.2	5.5	7.8	3.3	4.3	2.1	2.0	1.9
21	4.7	2.8	8.8	2.4	14.3	6.4	21.7	4.5	4.0	3.5	24.1	8.6	15.2	10.3	17.2	5.4	15.0	2.3	3.1	3.0	2.6	2.6	1.6	1.5
22	3.0	2.9	9.9	2.0	17.3	2.1	20.0	7.6	12.5	9.2	20.6	10.4	18.8	11.4	10.4	7.8	7.1	6.3	2.1	2.0	5.1	1.2	1.4	1.3
23	2.9	2.8	9.7	3.4	17.9	2.2	23.9	3.1	13.5	9.9	15.2	7.8	14.8	11.2	18.3	6.5	6.3	5.3	8.1	1.7	2.1	2.0	1.2	1.2
24	3.0	2.9	10.4	2.2	18.0	2.3	22.1	6.0	16.2	10.8	25.0	6.4	15.5	9.7	18.5	5.8	13.3	2.2	6.8	2.5	2.9	2.8	2.1	1.2
25	2.8	2.7	7.6	5.9	18.5	2.6	19.9	9.1	17.4	11.1	7.8	6.4	14.9	7.8	13.0	6.7	13.6	2.2	8.5	1.4	5.3	1.9	2.7	1.2
26	5.7	1.8	5.3	5.0	18.6	2.2	24.6	3.4	19.3	9.7	17.5	10.6	11.8	8.2	20.7	3.0	6.9	3.9	5.2	3.9	3.7	2.5	3.1	0.8
27	3.8	3.1	10.8	3.9	17.4	3.0	24.9	3.5	26.9	6.1	12.9	8.6	5.2	4.6	19.5	4.5	13.7	1.6	4.2	3.6	2.0	1.9	1.5	1.4
28	5.1	2.4	11.9	4.6	6.9	5.9	6.5	5.5	27.1	7.1	14.2	8.1	21.6	9.9	17.5	5.6	13.5	1.4	5.8	3.1	4.4	1.1	2.0	1.9
29	6.3	2.1	9.4	6.2	7.4	6.8	14.8	10.0	17.6	8.4	25.3	7.1	23.6	6.9	12.1	6.5	10.6	3.7	2.3	2.2	5.2	1.2	1.9	1.8
30	5.0	3.2			13.5	8.6	15.3	8.7	12.5	10.3	25.4	7.2	21.1	9.1	15.4	6.5	10.5	3.8	4.6	2.8	4.3	1.9	2.0	1.9
31	5.8	1.0			18.6	5.4			22.1	8.5			23.9	5.3	19.3	3.2			4.8	2.9			3.8	1.8
TOTAL	102.6	64.5	204.0	82.3	419.2	132.7	488.8	178.8	524.3	243.0	557.5	253.4	639.6	261.3	540.0	190.3	362.7	118.3	225.2	92.5	117.6	59.7	75.0	52.8

RADIATION


Annual Bright Sunshine Hours

Note: Winter bright sunshine is low for the 2012 to 2016 period due to instrument misalignment




Seasonal Bright Sunshine Hours


Note: Winter bright sunshine is low for the 2012 to 2016 period due to instrument misalignment






Monthly Bright Sunshine Hours



Monthly Global & Diffuse Radiation



RADIATION



WIND

MONTH	AVERAGE WIND SPEED (km/h)		HIGHEST INSTANTANEOUS WIND SPEED (km/h)		
	2024 Average	2024 1/2 Hr. Maximum Average	2024 for CRS @ CLC (Speed / direction / date)		
January	11.9	16.8	41.3	NW	16
February	11.9	16.2	50.9	NE	26
March	12.3	17.5	59.5	NE	15
April	15.3	22.3	60.1	N	17
May	14.8	21.9	62.2	WSW	31
June	13.1	20.1	64.9	NNW	16
July	9.8	15.0	60.5	WSW	26
August	10.1	15.8	42.7	S	27
September	12.3	18.2	59.9	NNW	30
October	12.3	17.9	57.4	NW	5
November	12.3	17.2	52.9	N	19
December	11.4	15.9	52.0	NNW	3

10 minute Average Wind Speed and Direction CLC 2024




10 meter wind speed and direction tower
March 2024

Photo: V. Wittrock

1/2 hr Maximum Wind Speed and Direction CLC 2024



2024	JAN	FEB	MAR	APR	MAY	JUN	JLY	AUG	SEP	OCT	NOV	DEC
1	15.0	10.9	16.8	18.3	18.4	21.0	9.7	12.8	12.5	9.9	8.5	7.5
2	9.5	14.5	18.6	12.0	20.5	6.7	9.2	9.2	7.4	17.8	10.1	14.1
3	5.3	10.1	23.4	22.9	13.3	14.0	11.4	5.2	13.4	12.3	9.9	22.1
4	9.5	17.4	17.1	14.5	5.9	17.8	6.4	10.0	12.1	12.9	11.2	13.7
5	12.5	9.7	8.0	20.5	10.2	26.8	9.4	8.6	12.5	20.4	13.1	12.5
6	7.9	12.2	7.3	12.6	20.5	24.7	9.0	13.4	12.3	12.6	15.1	7.9
7	12.0	11.6	5.3	6.1	27.8	20.7	9.4	11.9	8.1	7.2	14.6	11.0
8	8.8	7.3	10.0	7.6	11.7	14.9	9.0	6.4	8.8	5.2	14.4	13.2
9	14.1	11.0	7.4	8.0	20.0	6.7	5.8	6.5	13.4	8.8	8.7	13.6
10	20.6	10.6	16.9	22.4	12.6	9.4	10.9	4.5	14.0	10.7	11.2	18.0
11	11.5	12.1	6.8	10.5	21.2	11.7	5.9	4.4	11.2	6.0	18.2	4.3
12	13.0	7.1	9.0	13.8	10.9	10.4	13.5	8.3	19.9	11.6	14.7	6.6
13	13.2	15.3	11.3	12.6	12.2	8.3	8.9	15.5	12.3	8.1	8.3	12.9
14	16.7	8.1	12.5	8.7	7.8	7.9	7.6	7.4	12.1	14.6	13.7	6.3
15	18.2	6.9	25.1	19.3	11.7	12.6	6.7	12.5	10.0	11.3	10.0	13.4
16	19.6	13.3	17.7	17.1	14.2	20.6	8.2	6.2	5.3	11.2	6.5	13.6
17	12.0	16.3	10.9	30.5	15.4	10.5	12.6	10.0	9.3	13.2	11.2	17.4
18	20.6	11.3	21.6	28.8	18.6	13.7	8.9	8.8	14.3	10.8	14.9	9.0
19	9.4	7.5	18.5	17.8	12.1	9.4	3.7	10.9	15.5	15.9	30.9	5.7
20	10.3	4.8	7.8	10.3	13.1	7.7	3.1	13.8	13.4	11.4	23.2	9.0
21	10.0	7.3	6.6	11.8	20.3	7.8	5.7	7.3	12.4	17.1	11.3	5.2
22	14.9	10.6	7.9	14.4	16.9	7.7	10.1	10.8	8.6	15.4	9.0	3.3
23	10.3	13.1	5.5	10.1	8.8	14.9	12.2	6.4	8.1	14.2	16.5	7.8
24	7.2	17.3	3.6	12.4	13.6	20.8	11.5	11.8	12.2	13.5	19.5	11.8
25	7.0	10.6	11.2	16.3	5.5	11.8	10.9	14.1	14.3	9.6	6.4	10.4
26	9.5	27.0	10.2	19.1	6.6	7.8	24.8	5.7	16.6	12.8	3.2	8.3
27	9.5	10.4	10.3	13.6	11.2	7.9	18.8	15.1	13.2	16.6	8.6	12.5
28	8.2	9.8	15.2	20.6	14.9	17.9	9.0	14.7	6.7	14.6	13.4	7.4
29	9.7	21.2	13.1	17.7	22.4	8.9	10.2	12.3	14.2	9.3	6.8	9.4
30	14.5		11.4	9.0	17.9	12.3	11.1	13.4	26.5	8.4	3.8	21.9
31	8.9		12.9		23.7		9.4	14.7		16.6		24.2

**Wind Speed
Daily Average (km/h)**


2024	JAN	FEB	MAR	APR	MAY	JUN	JLY	AUG	SEP	OCT	NOV	DEC
1	38.2	24.8	40.1	40.8	35.9	52.1	22.2	34.3	34.6	33.1	19.4	16.6
2	23.1	30.7	45.4	25.6	37.4	25.5	49.5	33.8	21.8	46.2	26.5	33.3
3	17.4	31.1	48.2	39.3	26.6	46.2	32.5	18.8	40.7	34.6	30.5	52.0
4	21.0	36.6	31.3	34.4	19.2	41.3	19.8	26.9	36.4	35.5	24.6	35.0
5	31.2	21.7	19.8	42.5	32.3	57.9	31.0	20.8	39.7	57.4	29.6	27.1
6	22.5	20.2	16.8	35.5	45.3	52.1	24.0	28.1	33.0	35.5	33.6	22.0
7	25.1	19.4	17.0	20.1	45.9	54.8	20.5	29.3	21.5	26.8	41.5	30.2
8	24.2	16.7	25.1	31.5	32.3	31.3	49.1	25.1	21.8	18.5	42.4	29.1
9	37.7	32.0	21.3	34.6	51.0	17.7	30.9	19.0	43.7	21.2	19.3	31.6
10	37.0	29.1	34.6	43.3	48.2	21.1	27.7	16.2	32.5	32.2	29.2	42.6
11	22.5	35.3	18.2	23.9	55.9	33.8	33.5	17.8	30.8	19.2	40.8	15.9
12	23.3	16.0	23.4	41.3	27.6	23.7	57.3	32.8	37.5	31.8	34.9	30.8
13	22.7	39.7	22.8	49.7	29.3	35.3	27.1	41.0	32.9	22.3	19.1	28.6
14	32.7	16.6	33.6	29.5	49.5	28.4	39.8	20.7	30.2	39.6	27.1	20.6
15	33.7	18.4	59.5	49.6	47.0	35.8	28.0	30.0	32.1	34.2	24.6	30.2
16	41.3	26.4	35.2	29.6	36.5	64.9	20.9	23.2	15.2	31.0	22.2	29.3
17	25.1	46.8	32.9	60.2	39.9	35.2	27.6	28.0	25.2	39.7	27.6	41.0
18	38.8	25.8	49.4	49.9	39.3	36.3	19.1	24.7	32.1	28.9	39.1	26.4
19	25.0	15.1	34.2	35.0	34.7	26.2	11.8	29.4	47.4	35.3	52.9	21.8
20	30.0	15.1	21.5	25.4	24.0	27.5	10.3	39.4	32.1	33.6	49.8	22.3
21	22.1	19.0	17.1	34.3	33.7	25.8	16.4	26.9	33.0	37.8	24.0	19.9
22	26.9	28.9	21.7	43.3	32.9	27.6	21.0	32.4	25.4	32.2	21.8	10.1
23	29.0	32.9	15.1	33.9	25.3	46.2	29.1	22.2	22.7	34.2	35.7	15.7
24	14.9	45.0	16.1	32.9	32.9	45.8	23.2	34.1	38.1	41.1	41.8	35.9
25	18.5	39.0	26.3	46.3	18.4	29.8	34.4	37.3	41.8	35.3	16.0	30.3
26	18.6	50.9	25.6	37.7	22.7	22.8	60.5	19.5	49.5	34.1	12.6	18.8
27	23.7	22.8	27.4	28.0	27.1	29.4	38.1	42.7	34.6	32.8	26.1	27.5
28	20.3	25.9	36.8	49.0	44.0	43.6	21.8	38.2	18.1	35.0	29.0	15.5
29	24.2	39.2	30.2	57.6	53.5	28.2	27.6	34.6	32.7	25.7	14.3	20.0
30	28.0		30.1	49.6	37.4	32.1	33.2	37.7	59.9	19.1	14.1	38.9
31	26.8		30.5		62.2		29.5	41.0		35.2		44.7

**Wind Speed
Daily Gust (km/h)**


WIND

Daily Wind Speed and Maximum Gust Wind Speed


January
February
March




April
May
June



July
August
September



October
November
December



WIND

EXTREME DAILY WINDS (km/h)			
Month	Day	WIND SPEED/ DIRECTION	BEAUFORT WIND SCALE DESIGNATION*
February	26	50.9 NE	Near Gale
March	15	59.5 NE	Near Gale
April	17	60.2 N	Near Gale
	29	57.6 SSE	Near Gale
May	9	51.0 NW	Near Gale
	11	55.9 NW	Near Gale
	29	53.5 S	Near Gale
	31	62.2 WSW	Gale
June	1	52.1 NW	Near Gale
	5	57.9 NW	Near Gale
	6	52.1 NNW	Near Gale
	7	54.8 NNW	Near Gale
	16	64.9 NNW	Gale
July	12	57.3 WNW	Near Gale
	26	60.5 WSW	Near Gale
September	30	59.9 NNW	Near Gale
October	5	57.4 NW	Near Gale
November	19	52.9 N	Near Gale
December	3	52.0 NNW	Near Gale

Environment Canada, Meteorological Service of Canada, 2014.
Beaufort Wind Scale Table

*Near Gale >=50 but < 62

*Gale >=62 but <75

*Strong Gale >=75 but <89

*Storm >=89 but <103

*Violent Storm >=103 but <117

WINDCHILL CALCULATION CHART ¹												
T°C km/h Speed	5°	0°	-5°	-10°	-15°	-20°	-25°	-30°	-35°	-40°	-45°	-50°
5	4	-2	-7	-13	-19	-24	-30	-36	-41	-47	-53	-58
10	3	-3	-9	-15	-21	-27	-33	-39	-45	-51	-57	-63
15	2	-4	-11	-17	-23	-29	-35	-41	-48	-54	-60	-66
20	1	-5	-12	-18	-24	-30	-37	-43	-49	-56	-62	-67
25	1	-6	-12	-19	-25	-32	-38	-44	-51	-57	-64	-70
30	0	-6	-13	-20	-26	-33	-39	-46	-52	-59	-65	-72
35	0	-7	-14	-20	-27	-33	-40	-47	-53	-60	-66	-73
40	-1	-7	-14	-21	-27	-34	-41	-48	-54	-61	-68	-74
45	-1	-8	-15	-21	-28	-35	-42	-48	-55	-62	-69	-75
50	-1	-8	-15	-22	-29	-35	-42	-49	-56	-63	-69	-76
55	-2	-8	-15	-22	-29	-36	-43	-50	-57	-63	-70	-77
60	-2	-9	-16	-23	-30	-36	-43	-50	-57	-64	-71	-78
65	-2	-9	-16	-23	-30	-37	-44	-51	-58	-65	-72	-79
70	-2	-9	-16	-23	-30	-37	-44	-51	-58	-65	-72	-80
75	-3	-10	-17	-24	-31	-38	-45	-52	-59	-66	-73	-80
80	-3	-10	-17	-24	-31	-38	-45	-52	-60	-67	-74	-81
Approximate Thresholds												
-10	Low		Risk of hypothermia if outside for long periods without adequate protection.									
-28	Risky		Risk of frostnip/frostbite on extremities. Exposed skin can freeze in 10 - 30 min.									
-40	High Risk		High risk of frostbite. Exposed skin can freeze in 5 - 10 minutes.									
-48	Very High Risk		Serious risk of frostbite. Exposed skin can freeze in 2 - 5 minutes.									
-55	Extreme Risk		Outdoor conditions are hazardous. Exposed skin can freeze in 2 minutes or less.									


1: Environment Canada, 2004b

EXTREME DAILY WIND CHILL WHEN CALCULATED TO < 0												
	JAN	FEB	MAR	APR	MAY	JUN	JULY	AUG	SEP	OCT	NOV	DEC
1	-14	-11	-24	-12	-5					-2	-14	-38
2	-18	-5	-27	-9	-6	-1				-5	-12	-34
3	-19	-8	-29	-3	-2					-6	-9	-27
4	-19	-12	-34	-4	-5					-9	-13	-32
5	-23	-10	-43	-5	-7					-3	-9	-27
6	-24	-16	-32	-4					-1	-5	-9	-15
7	-27	-16	-31							-4	-5	-7
8	-30	-14	-32	-3						-2	-5	-10
9	-32	-16	-25	-5						-1	-5	-19
10	-41	-20	-10	-3						-2	-9	-37
11	-43	-18	-12	-7						-6	-8	-40
12	-49	-22	-18	-6	-1					-3	-5	-44
13	-50	-23	-15	-8						-8	-10	-27
14	-48	-30	-18	-9						-8	-6	-25
15	-45	-32	-7	-4						-3	-8	-20
16	-42	-24	-16	-6						-4	-10	-20
17	-35	-17	-17	-14						-1	-10	-38
18	-38	-27	-11	-16						-5	-13	-41
19	-28	-30	-20	-15							-19	-35
20	-28	-26	-23	-13	-2						-22	-35
21	-26	-11	-22	-8					-1	-4	-19	-20
22	-29	-16	-25	-6	-1					-10	-25	-17
23	-22	-19	-23	-7	-1					-10	-22	-19
24	-18	-16	-21		-2					-6	-25	-18
25	-19	-21	-20		-1					-11	-35	-16
26	-20	-34	-24	-3						-12	-37	-19
27	-19	-39	-22	-9					-2	-7	-34	-18
28	-16	-40	-16	-2					-2	-5	-37	-14
29	-14	-29	-13							-14	-41	-13
30	-7		-16	-2						-15	-45	-21
31	-10		-19							-12		-27


SOIL TEMPERATURES AND DEPTH OF SNOW-ON-THE-GROUND AT MONTH END

MONTH	Mean Air Temp @ 0900h (°C)	Surface Temp@ 0900h (°C)	SOIL TEMPERATURES (°C) @ 0900h								Mean Air Temp @ 1600h (°C)	Surface Temp@ 1600h (°C)	SOIL TEMPERATURES (°C) @ 1600h			SOG at month's end
			5cm	10cm	20cm	50cm	100cm	150cm	300cm	5cm			10cm	20cm	cm	
January	-16.3	-16.0	-7.8	-7.4	-5.9	-4.0	-0.2	1.9	5.4	-11.9	-11.9	-7.3	-7.2	-5.9	4	
February	-10.4	-11.2	-5.5	-5.2	-4.1	-2.6	-0.9	0.8	4.2	-4.3	-4.3	-4.5	-4.6	-4.0	5	
March	-10.1	-10.6	-6.1	-5.7	-4.5	-3.3	-1.2	0.3	3.4	-3.6	-3.4	-5.0	-5.2	-4.6	3	
April	4.7	4.2	0.6	0.4	0.1	-0.1	-0.7	0.0	2.8	11.5	12.4	2.8	1.5	0.2	0	
May	10.0	10.0	6.6	6.5	5.9	4.7	0.4	0.2	2.4	15.0	16.1	9.7	8.4	6.1		
June	14.0	13.8	11.6	12.2	11.4	10.1	6.7	4.6	2.8	17.6	18.5	15.5	14.6	11.5		
July	20.0	19.2	17.8	19.1	17.4	15.9	11.7	8.9	4.5	25.7	27.0	22.7	22.1	17.6		
August	17.3	16.0	15.1	17.1	16.1	15.8	13.3	11.2	6.4	23.5	24.8	20.3	19.9	16.2		
September	14.1	12.9	11.8	13.2	13.4	13.8	12.5	11.3	7.7	21.9	22.7	16.2	15.6	13.4	0	
October	3.0	2.1	3.7	4.7	6.4	8.2	9.2	9.5	8.0	10.8	11.3	6.6	6.1	6.2	0	
November	-7.8	-7.7	-0.7	-0.2	1.3	3.3	5.1	6.7	7.6	-3.2	-2.8	-0.2	0.0	1.2	24	
December	-13.8	-13.5	-2.5	-2.3	-1.3	-0.1	2.5	4.2	6.5	-10.3	-10.2	-2.5	-2.3	-1.3	33	


Monthly
Soil Temperatures @
0900h



Monthly
Soil Temperatures @
0900h



Monthly
Soil Temperatures @
1600h



GLOSSARY OF TERMS

(Unless otherwise stated, source for definitions of terms is Environment Canada, 1978)

BEAUFORT WIND SCALE was developed by Admiral Sir Francis Beaufort in 1805 and adopted by the British Navy in 1838. It consisted of 13 degrees of wind strength, from calm to hurricane, based upon the effects of various wind strengths upon the amount of canvas carried by the fully rigged frigates of the period. Over the years it has been modified as needed and in 1946 the scale values (Force Numbers) were defined by ranges of wind speed as measured at a height of 10 meters above the surface. In effect, this transformed the 'Beaufort Wind Force Scale' into the 'Beaufort Wind Speed Scale'. This scale is the current standard scale for visual observations of the wind (Heidorn, 1998).

BRIGHT SUNSHINE is the unobstructed direct radiation from the sun, as opposed to the shading of a location by clouds or by other atmospheric obstructions.

Number of Days is defined as the total number of days when at least 0.1 of an hour of bright sunshine was recorded.

Percentage Possible refers to the ratio of measured bright sunshine hours to the total possible daylight hours in a given period, expressed as a percentage.

Possible daylight hours (hours of illumination) are taken from the sunrise/set tables provided by the National Research Council of Canada, Herzberg Institute of Astrophysics, Victoria, BC.

Total is the sum of the daily bright sunshine values in hours and tenths of hours as measured by an automated sunshine recorder using voltaic cells.

DEGREE-DAY is an index for various temperature related calculations

Cooling (CDD) is the cooling requirement to achieve a stipulated comfort value in an indoor environment. For most purposes, a temperature of greater than 18°C is considered uncomfortable and supplementary cooling is required. On a specific day, the amount by which 18°C is less than the daily average temperature defines the number of cooling degree-days for that day. A temperature base of 24° C is sometimes used as an index of extreme cooling degree-days to indicate potential heat stress. (Environment Canada 2012)

Mathematically: $CDD = (T - 18^{\circ}C)$, for that day, where T = daily mean temperature in °C if T is equal to or less than 18°C, CDD = 0.

Monthly and annual values of CDD are obtained by summing daily values.

Growing (GDD) is the growing requirement in order for plant growth to proceed. The air temperature must exceed a critical value appropriate to the plant species in question. For many members of the grass family, including most commercial cereals grown on the prairies, a base temperature of 5.0°C has been established. On a specified day, the difference between the daily average temperature and the 5.0°C base temperature defines the number of growing degree-days.

Mathematically: $GDD = (T - 5.0^{\circ}C)$, for that day, where T = daily mean temperature in °C if T is equal to or less than 5.0°C, GDD = 0.

Daily GDD values are summed to provide totals for the appropriate month, growing season or year.

Heating (HDD) is the heating requirement to achieve a stipulated comfort value in an indoor environment. For most purposes, a temperature of less than 18°C is considered uncomfortable and supplementary heating is required. On a specific day, the amount by which 18°C exceeds the daily average temperature defines the number of heating degree-days for that day.

Mathematically:

$HDD = (18^{\circ}C - T)$, for that day, where T = daily mean temperature in °C if T is equal to or greater than 18°C, HDD = 0.

Monthly and annual values of HDD are obtained by summing daily values.

EXTREME is the highest or lowest value of a particular element recorded during the period in question.

FROST is recorded on each occasion when the daily minimum temperature is equal to or less than 0°C.

NORMAL VALUE (1991-2020) In climatology it is often useful to make spatial comparisons of particular element values over a common time period. At an interior continental site such as the Conservation Learning Centre, a period of 30 years is required to produce statistically stable estimates of the more variable elements. To facilitate spatial comparisons, the World Meteorological Organization recommends the standard normal (average) period of thirty years. The period of operation at CLC is not yet long enough to produce normals. (Environment Canada, 1993, 2002, 2004a)

POTENTIAL EVAPOTRANSPIRATION (Thornthwaite Method) is the amount of water which will be lost from a surface completely covered with vegetation if there is sufficient water in the soil at all times for the use of the vegetation. It is computed by means of an empirical formula involving mean monthly temperature and average length of day.

Mathematically: $PET = mT^a$ where PET = Potential of Evapotranspiration; m = % of day length for the month as compared to the year; T = Temperature °C when T is less than or equal to 0; otherwise T = 0; and a = yearly heat index. (Thornthwaite and Mather, 1955)

PRECIPITATION

Day is recorded on occasions when the amount of precipitation in a 24-hour period of 0000 hours - 2400 hours equals or exceeds 0.2 mm water. An asterisk (*) appearing in the average column denotes the occurrence of measurable precipitation on one or more occasions.

Dry day is when no measurable precipitation is recorded.

Total is the sum of the daily recorded precipitation. The snowfall component of precipitation is recorded as an equivalent amount of liquid water. The notation "T" refers to a trace of precipitation (less than 0.2 mm water equivalent) .

Official precipitation is measured using a weighing gauge, extreme precipitation events are measured using a tipping bucket rain gauge .

Snow depth is measured using a sonic ranging sensor.

SEASONS Meteorologists prefer to divide the year into four 3-month periods based primarily on temperature. Thus winter is defined as December (previous year), January, and February (DJF); spring as March, April and May (MAM); summer as June, July and August (JJA); and fall as September, October and November (SON). (Lutgens and Tarbuck, 1992)

SOIL TEMPERATURE under a short grass surface with normal snow accumulation, is measured according to procedures outlined in the Environment Canada publication "Soil Temperature" January 1, 1976. Depths below surface at which soil temperature measurements are made are: 5 cm, 10 cm, 20 cm, 50 cm, 100 cm, 150 cm and 300 cm. Since soil temperature is affected by profile structure and water content, extrapolation of the measured data is difficult.

SOLAR RADIATION

Diffuse - Total is radiation reaching the earth's surface after having been scattered from the direct solar beam. The instrument used is an Eppley pyranometer with a shade ring (See SOLAR RADIATION-Global- Total).

Global - Total is the sum of the direct solar and diffuse radiation during the period in question. Measurements are carried out on a horizontal surface near ground level and integrated over the whole celestial dome, summing the diffuse and direct components of the solar beam. The temperature-compensated Eppley pyranometer is used. The standard metric unit of measurement is the megajoule per square metre (MJ/m²). (To facilitate comparison with past years' data: 1.0 MJ/m² = 23.895 langleys). Comparison is provided with a provisional average based on 16 years of data (1975-1990).

SPELLS - Temperature spells are defined as days when the daily maximum temperature is higher than or equal to 30°C (hot spell) or the daily minimum temperature is lower than or equal to -30°C (cold spell).

SUNRISE/SUNSET times have been included in this report. They have been acquired from the National Research Council, Canada, Herzberg Institute of Astrophysics.

TEMPERATURE

Average Annual is the average of the daily average temperatures in degrees Celsius (°C) for one year.

Average Daily is defined as the arithmetic mean of the daily maximum temperature in degrees Celsius (°C) and the daily minimum temperature in degrees Celsius (°C) for the day in question.

Average Maximum is the average of the daily maximum temperatures in degrees Celsius (°C) average over the appropriate time periods.

Average Minimum is the average of the daily minimum temperatures in degrees Celsius (°C) averaged over the appropriate time periods. Refer to TEMPERATURE-Average Maximum concerning measurement procedures.

Average Monthly is the average of the daily average temperatures in degrees Celsius (°C) for the month under consideration.

WIND CHILL describes a sensation, the way we feel as a result of the combined cooling effect of temperature and wind. This feeling can't be measured using an instrument, so a mathematical formula was developed in 1939 that related air temperature and wind speed to the cooling sensation. This formula was revised in 2001 by a team of scientists and medical experts from Canada and the U.S. with the Canadian Department of National Defence contributing human volunteers. The new index is based on the loss of heat from the face.

Mathematically: $WC = 13.12 + (0.6215 \times T) - (11.37 \times V^{0.16}) + (0.3965 \times T \times V^{0.16})$; where WC = wind chill; T= air temperature °C; V= standard wind speed km/h. (Environment Canada 2004b).

WAVES - Temperature waves are defined as a sequence of three or more days when the daily maximum/minimum temperatures are higher/lower than, or equal to, a set temperature. For a heat wave the temperature is 32°C. (Environment Canada 2005).

WIND SPEED

Average is the average of the hourly wind speeds for the period in question measured in kilometres per hour (km/h). Average hourly wind speeds are obtained from a RM Young Wind Monitor anemometer at a height of 10 m.

Peak Gust refers to the highest instantaneous value recorded by the anemometer system for the period of reference, irrespective of direction and/or duration.

see also **Beaufort Wind Scale**

REFERENCES AND BIBLIOGRAPHY

- Conservation Learning Centre, 2011. School Program. <http://www.conservationlearningcentre/school.html> (accessed Jan, 2017).
- Environment Canada, Atmospheric Environment Service (AES), 1975. 1974 Annual Meteorological Summary. AES, Saskatoon, SK
- Environment Canada, Atmospheric Environment Service (AES), 1976. Soil Temperature. AES, Downsview, ON
- Environment Canada, Atmospheric Environment Service (AES), 1978. Manual of Climatological Observations, 2nd Ed. AES, Downsview, ON
- Environment Canada, Atmospheric Environment Service (AES), 1992. AES Guidelines for Co-operative Climatological Autostation. Environment Canada, Downsview, ON.
- Environment Canada, Atmospheric Environment Service (AES), 1993. Canadian Climate Normals 1961-1990. Canadian Climate Centre, Downsview, ON.
- Environment Canada, Meteorological Service of Canada, 2002. Canadian Daily Climate Data on CD-ROM - Western Canada. Climate and Water Products Division, Downsview, ON.
- Environment Canada, Meteorological Service of Canada, 2004a. Climate Data Online/Climate Normals and Averages. http://www.climate.weatheroffice.ec.gc.ca/climate_normals/index_e.html (accessed 2004, 2007, 2017).
- Environment Canada, Meteorological Service of Canada, 2004b. Wind Chill Calculation Chart. http://www.msc.ec.gc.ca/education/windchill/windchill_chart_e.cfm (accessed Jan, 2017).
- Environment Canada, Meteorological Service of Canada, 2005. Fact Sheet - Summer Severe Weather Warnings. http://www.on.ec.gc.ca/severe-weather/summerwx_factsheet_e.html (accessed Jan, 2017).
- Environment Canada, Meteorological Service of Canada, 2011. Beaufort Wind Scale Table. <http://www.ec.gc.ca/meteo-weather/default.asp?lang=En&n=80C039A3-1> (accessed Jan 2017).
- Environment Canada, Meteorological Service of Canada, 2015. Beaufort Wind Scale Table. <http://www.ec.gc.ca/meteo-weather/default.asp?lang=En&n=80C039A3-1> (accessed Jan 2017).
- Heidorn, K., 1998. The Weather Legacy of Admiral Sir Francis Beaufort In: Weather People and History. <http://irishculture.about.com/gi/dynamic/offsite.htm?site=http://www.islandnet.com/%257Esee/weather/history/beaufort.htm> (accessed Jan 2017).
- Lutgens, F. K. and E.J. Tarbuck, 1992. The Atmosphere: An Introduction to Meteorology, 5th Ed.. Prentice Hall, New Jersey.
- National Research Council of Canada, Herzberg Institute of Astrophysics, n.d. Sunrise - Sunset Tables for entered location http://www.hia-ih.nrc-cnrc.ca/sunrise_e.html (accessed January 2017).
- Thornthwaite, C.W., 1948. An Approach toward a Rational Classification of Climate. Geographical Review. 28(1):55-94. <http://www.unc.edu/courses/2007fall/geog/801/001/www/ET/Thornthwaite48-GeogrRev.pdf>
- Thornthwaite, C.W. and J. R. Mather, 1955. The Water Balance. Publications in Climatology Vol. 8, No.1. Drexel Institute of Technology, Laboratory of Climatology, Centerton, New Jersey.
- World Meteorological Organization (WMO). 1988. Technical Regulations: General Meteorological Standards and Recommended Practices, 1988 ed., Suppl. No. 2 (IV. 1996), WMO - No. 49. Geneva, Switzerland.